

Permit No. G- G 3248

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

CERTIFICATE NO. 51084  
Superseded by  
Cert. No. 68263

I, C. L. DAHLE + Sons  
(Name of applicant)  
of Westfall,  
(Postoffice Address), county of Malheur,

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Claver Creek  
(Name of stream)

tributary of Bully Creek

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 2300 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located \_\_\_\_\_ ft. \_\_\_\_\_ and \_\_\_\_\_ ft. \_\_\_\_\_ from the \_\_\_\_\_ corner of \_\_\_\_\_  
(N. or S.) (E. or W.)  
(Section or subdivision)

S 2° 13' E - 2470 feet from the  
(If preferable, give distance and bearing to section corner)

W 1/4 corner of Sec 22 T. 18 S. R. 41 E. W. 1.  
(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW SW of Sec. 22, Twp. 18 S., R. 41 E., W. M., in the county of Malheur

5. The Sprinkler main to be \_\_\_\_\_ miles  
(Canal or pipe line)  
in length, terminating in the NW NW of Sec. 22, Twp. 18 S., R. 41 E., W. M., the proposed location being shown throughout on the accompanying map.  
(Smallest legal subdivision)

6. The name of the well or other works is Dahle No 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a  
(Give number of wells, tunnels, etc.)  
diameter of 20 inches and an estimated depth of 700 feet. It is estimated that 75 feet of the well will require 20" steel casing. Depth to water table is estimated 65  
(Kind) (Feet)  
Draw down to 300'

CANAL SYSTEM OR PIPE LINE— Portable sprinklers G 3218

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type Western Pump  
10" Suction + Discharge

Give horsepower and type of motor or engine to be used 6-110 G.M.C Diesel - 300 H.P.

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Distance to Bully Creek 105 feet.  
Difference in elevation 10-12 feet.

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated		
18 S	41 E	21	NENE	40		
		✓	NWNE	16		
		✓	SENE	<del>36.5</del> 37		
		22	NWNW	40		
		✓	NE NW	7.5		
		✓	SW NW	40		
		✓	SE NW	22		
		✓	NW SW	40		
		✓	NE SW	40		
		✓	SW SW	40		
		✓	SE SW	40		
		✓	NW SE	7.5		
				22	SW SE	20
				27	NW NW	5
				395.0		

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$.....

15. Construction work will begin on or before Started.....

16. Construction work will be completed on or before July 1968.....

17. The water will be completely applied to the proposed use on or before July 1968.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. The same acreage is covered in The Malheur River Adj. under Per. 6989 & 6948. See Transfer D-82 Change in Pt of Div, Vol 10 P370.

(Signature of applicant)

Remarks: This well was drilled 2 years ago and used last year for the first time to raise potatoes. The venture was very successful. The potatoes average 350 sacks per acre. Additional leveling brush clearance and surface drainage is planned in the next two years.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.94 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 28, 1966

Actual construction work shall begin on or before March 23, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Extended to Oct. 1 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1969

Extended to Oct. 1 1978

WITNESS my hand this 23rd day of March, 1967

STATE ENGINEER

Application No. G-3360  
Permit No. G-G 3218

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 28 day of January,  
1966, at 10:35 o'clock A.M.

Returned to applicant:

Approved: March 23, 1967  
Recorded in book No.          of         

Ground Water Permits on page G 3218

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 10 page 40

State Printing

540.25