

RECEIVED
APR 11 1956

STATE ENGINEER
SALEM OREGON

Permit No. G- **G 3257**

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Cliff and Lola Whisenhunt
(Name of applicant)

of Rt. 3, Box 82, Lebanon, county of Linn
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Cold Springs Branch
(Name of stream)

tributary of South Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located S. 80 1/2° W. 16.5 chains ft. and ft. from the NE
(N. or S.) (E. or W.)

corner of SE 1/4 of S. 14
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of SE 1/4 of Sec. 14, Twp. 11 S, R. 2 W.
W. M., in the county of Linn

5. The main pipe line to be 1500 feet miles
(Canal or pipe line)
in length, terminating in the NW 1/4 of SE 1/4 and NE 1/4 of SE 1/4 of Sec. 14, Twp. 11 S,
(Smallest legal subdivision)

R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Whisenhunt No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pump well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 20 feet. It is estimated that 20
feet of the well will require 1/4 inch steel casing. Depth to water table is estimated 5
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3257

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1500 ft.; size at intake, 5 in.; in size at 1500 ft. from intake 5 in.; size at place of use 3 in.; difference in elevation between intake and place of use, +3 ft. Is grade uniform? yes Estimated capacity, 1.0 sec. ft.

10. If pumps are to be used, give size and type 3 inch centrifugal

Give horsepower and type of motor or engine to be used 20 H P electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well No. 2 is approximately 60 feet from Cold Springs Branch. The well site is approximately 4 feet higher than the stream bed channel.

12. Location of area to be irrigated, or place of use S. 14, T. 11 S., R. 2 W.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	2 W	14	SW $\frac{1}{4}$ of NE $\frac{1}{4}$	0.5
11 S	2 W	14	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	0.3
11 S	2 W	14	NW $\frac{1}{4}$ of SE $\frac{1}{4}$	8.8
11 S	2 W	14	NE $\frac{1}{4}$ of SE $\frac{1}{4}$	16.5
			Total	26.1

(If more space required, attach separate sheet)

Character of soil Chehalis Silty Clay Loam

Kind of crops raised Vegetables, berries and peppermint

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1500.00
- 15. Construction work will begin on or before July 21, 1965
- 16. Construction work will be completed on or before July 21, 1965
- 17. The water will be completely applied to the proposed use on or before July 25, 1965

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 0.3 acre in SE¹/₄ of NE¹/₄, 8.8 acres in NW¹/₄ of SE¹/₄ and ~~16.5~~ 12.7 acres in NE¹/₄ of SE¹/₄, S. 14, T. 2 W. covered by Permit 14302. ^{12.7 ltr. 2-2-67}

Cliff and Lela W. Schubert
(Signature of applicant)
By Cliff W. Schubert

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.33 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is April 11, 1966

Actual construction work shall begin on or before May 17, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 17th day of May, 1967

Chris L. Wheeler

STATE ENGINEER

Application No. G-3451
Permit No. G-3257

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of April, 1966, at 8:00 o'clock A.M.

Returned to applicant:

Approved:

May 17, 1967

Recorded in book No. of

Ground Water Permits on page G-3257

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 970

State Printing

915

PC