

RECEIVED  
MAY 6 1966  
STATE ENGINEER  
OREGON

CERTIFICATE NO. 37298

Permit No. G- G 3283

APPLICATION FOR A PERMIT

# To appropriate the Ground Waters of the State of Oregon

I, Wilbur H. Day & Agnes H. Day dba Roads End Water System

(Name of applicant)

of Box 1450, Lincoln City

(Postoffice Address)

, county of Lincoln

state of Oregon

, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Salmon River

(Name of stream)

tributary of Ocean

2. The amount of water which the applicant intends to apply to beneficial use is \_\_\_\_\_ cubic feet per second or 30 gallons per minute.

3. The use to which the water is to be applied is Domestic Water Supply For The Community of Roads End

4. The well or other source is located 143.9 ft. S and 577.7 ft. E from the N. / W. corner of Section 35, T6S, R 11 W, WM.

(N. or S.)

(E. or W.)

(Section or subdivision)

S 76° E, 595 ft. from NW corner of section 35, T6S, R11W, WM.  
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the W $\frac{1}{2}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$  of Sec. 35, Twp. 6S, R. 11 W, W. M., in the county of Lincoln

5. The pipeline (Canal or pipe line) to be 45 ft. in length, terminating in the W $\frac{1}{2}$ , NW $\frac{1}{4}$ , NW $\frac{1}{4}$  of Sec. 35, Twp. 6S, R. 11, W. M., the proposed location being shown throughout on the accompanying map.

(Smallest legal subdivision)

6. The name of the well or other works is Roads End Water System, Well #1.

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 6 inches and an estimated depth of 115 feet. It is estimated that 20 feet of the well will require steel casing. Depth to water table is estimated 60

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

G 3283

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... 46 ft. .... ft.; size at intake, ..... 1 1/2 in.; in size at ..... 2 ft. from intake ..... 2 in.; size at place of use ..... 2 in.; difference in elevation between intake and place of use, ..... 5 ft. Is grade uniform? ..... Yes ..... Estimated capacity, ..... 1/10 sec. ft.

10. If pumps are to be used, give size and type ..... 4" submersible

Give horsepower and type of motor or engine to be used ..... Two, electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development  
..... Logan Creek 440 ft. difference in elevation 150 ft.

12. Location of area to be irrigated, or place of use ..... Roads End

Township N. or S.	Range E. or W. of Willamette Meridian	Section	<del>XXXXXX</del> Forty-acre Tract	Number Acres To Be Irrigated
6S	11W	27	lots 17, 32	
"	"	34	lots 1, 16, 17, 18, 31 & 32	
"	"	26	lots 24, 25	
"	"	35	lots 8, 9 & 24	
6S	11 W	27	SE 1/4, SE 1/4; NE 1/4, SE 1/4.	
6S	11 W	34	NE 1/4, SE 1/4; SE 1/4, SE 1/4; NE 1/4, NE 1/4; SE 1/4, NE 1/4	
6S	11 W	26	SW 1/4, SW 1/4, NW 1/4, SW 1/4	
6S	11W	35	NW 1/4, NW 1/4; SW 1/4, NW 1/4; NW 1/4, SW 1/4	

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

13. To supply the ~~city~~ community of Roads End, Oregon  
in Lincoln county, having a present population of 100 permanent, 400 seasonal  
and an estimated population of 150 & 600 in 1976.

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1800
- 15. Construction work will begin on or before March 24, 1966 Wilcox Drilling & Pump Co.
- 16. Construction work will be completed on or before May 15, 1966
- 17. The water will be completely applied to the proposed use on or before June 15, 1966
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Certificate volume 21, page 28892, Permit book 75 of permits 27408,

*Wilbur H. Day - Eugene H. Ray*  
(Signature of applicant)

Remarks: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before July 11th, 1966.

WITNESS my hand this 10th day of May, 1966.

RECEIVED  
JUN 1 1966  
STATE ENGINEER  
STATE OF OREGON

CHRIS L. WHEELER  
STATE ENGINEER  
By *Tony W. Jelousch*  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.07 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is group domestic

If for irrigation, this appropriation shall be limited to \_\_\_\_\_ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed \_\_\_\_\_ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 5, 1966

Actual construction work shall begin on or before May 17, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 17th day of May, 1967

*Chris L. Wheeler*

STATE ENGINEER

PL

Application No. G- 3482

Permit No. G- G 3283

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of May, 1966, at 5:00 o'clock A. M.

Returned to applicant:

Approved:

May 17, 1967

Recorded in book No. \_\_\_\_\_ of Ground Water Permits on page G-3283

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 18 page 33

State Printing

420