

RECEIVED
AUG 3 1936

CERTIFICATE NO. 35406

Permit No. G- G 3305

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Myron F. & Elaine A. Duxek
(Name of applicant)
of Rte. 1, Box 26, Banks, county of Washington,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated East Dairy Creek
(Name of stream)

tributary of Tualatin River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 70 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 1320 ft. S and 1260 ft. E from the NW corner of Section 5
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 5, Twp. 11, R. 3W, W. M., in the county of Washington

5. The Portable Pipe to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Myron F. Duxek

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one having a
(Give number of wells, tunnels, etc.)
diameter of 6 inches and an estimated depth of 425 feet. It is estimated that 370 feet of the well will require steel casing. Depth to water table is estimated 422
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3305

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2760 ft.; size at intake, 4 in.; in size at 2200 ft. from intake 4" in.; size at place of use 3 in.; difference in elevation between intake and place of use, level ft. Is grade uniform? YES Estimated capacity, 0.20 sec. ft.

10. If pumps are to be used, give size and type 3 H.P. cent. gt. top
at well

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>1N</u>	<u>3W</u>	<u>5</u>	<u>SW 1/4 NE 1/4</u>	<u>4</u>
			<u>SE 1/4 NW 1/4</u>	<u>10</u>
				<u>14</u>

(If more space required, attach separate sheet)

Character of soil medium

Kind of crops raised strawberries & cucumbers

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.18 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 3, 1966

Actual construction work shall begin on or before May 17, 1968 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 17th day of May, 1967

Chris L. Wheeler

STATE ENGINEER

PC

Application No. G-3511
Permit No. G-3305

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the

office of the State Engineer at Salem, Oregon,

on the 26th day of May, 1966, at 11:30 o'clock P. M.

Returned to applicant:

Approved:

May 17, 1967

Recorded in book No. of

Ground Water Permits on page G 3305

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 3 page 9702

State Printing

4/15