

Permit No. G- G 3331

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Walter Brown (Name of applicant)
of Rt 1 Box 287, Independence (Postoffice Address), county of Polk,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Hayden Slough (Name of stream)

tributary of Bicknell Creek

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic
feet per second or 800 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located 803 ft. S (N. or S.) and 695 ft. E (E. or W.) from the SW
corner of Joshua Shaw D1C (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the SE 1/4 of Sec. 35, Twp. 7S, R. 7W,
W. M., in the county of Polk

5. The _____ (Canal or pipe line) to be _____ miles
in length, terminating in the _____ of Sec. _____, Twp. _____,
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 drilled well (Give number of wells, tunnels, etc.) having a
diameter of 12 inches and an estimated depth of 90 feet. It is estimated that 90
feet of the well will require steel (Kind) casing. Depth to water table is estimated 5 (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used 40 hp electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
800' E/SE to Hayden Slough - Well is 20' higher than stream bed

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
7S	4W	35	NE 1/4 of the SW 1/4	5.8
7S	4W	35	NW 1/4 of the SE 1/4	25.8
7S	4W	35	SE 1/4 of the SE 1/4	26.1
				<u>57.7</u>

(If more space required, attach separate sheet)

Character of soil Silt Loam
Kind of crops raised Cannery Crops

G 333.1

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

Walter H. Brown
(Signature of applicant)

.....
STATE ENGINEER

By ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.72 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 14, 1966

Actual construction work shall begin on or before May 17, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 17th day of May, 1967

Chris L. Wheeler
STATE ENGINEER

170

Application No. G-3541
Permit No. G-3331

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 14th day of June,
1966, at 3:20 o'clock P. M.

Returned to applicant:

Approved: May 17, 1967
Recorded in book No. of
Ground Water Permits on page G 3331

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 2 page 97D3