## Permit No. G. G. 3355

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, EAPL S. DOUGLAS
of 6724 FRUIT LAND RD NE, county of MARION,
state of RECON do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated LITTLE PUDDING CREEK (Name of stream)
tributary of LITTLE PUDDING RIVE
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied is Anne Latien 03
BLACK BERRIES - BLUE BERRIES + CHERRIES
4. The well or other source is located from ft. $\frac{1355}{100}$ and $\frac{1355}{100}$ from the N W
corner of SEC 37 T 75 P 2 W (Section or subdivision)
(If preferable, give distance and bearing to section corner)
being within the NEGNWG of Sec. 27, Twp. 75, R. 4W,
W. M., in the county of MALLON
5. The to be miles
in length, terminating in the of Sec, Twp, (Smallest legal subdivision)
R
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of ONE WELL having a (Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will require X 4 BLACK (Rok casing. Depth to water table is estimated Feet)
***************************************

feet; depth of water	sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channels, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development in elevation between the stream bed and the ground surface at the source of development in elevation between the stream bed and the ground surface at the source of development in elevation between the stream bed and the ground surface at the source of development in elevation of area to be irrigated, or place of use  Township  Earnier Township  Earnier of the well in the surface of use  Number Acres	(b) At	sand feet; depth of waterfeet; grade	water line)
sand feet.  (b) At	sand feet.  (b) At	(b) At	(b) At	water line)
(b) At	(b) At	(b) At	(b) At	in.; in size at
feet; width on bottom	feet; width on bottom feet; depth of water feet; depth of water feet fall per one thousand feet.  (c) Length of pipe, ft.; size at intake in.; in size at intake in.; in size at intake in.; difference in elevation between the stream of the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fitural stream or stream channels, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fitural stream.	(c) Length of pipe,	feet; width on bottom	in.; in size at
feet fall per one thousand feet.  (c) Length of pipe, ft.; size at intake in.; in size at intake in.; in size at intake in.; in size at intake in.; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated capes sec. ft.  10. If pumps are to be used, give size and type into interpretation of the used interpretation of the well, tunnel, or other development work is less than one-fourth mile ural stream or stream channel, give the distance to the nearest point on each of such channel difference in elevation between the stream bed and the ground surface at the source of development interpretation in the stream bed and the ground surface at the source of development interpretation in the stream bed and the ground surface at the source of development interpretation in the stream bed and the ground surface at the source of development interpretation in the stream bed and the ground surface at the source of development interpretation in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed and the ground su	de	feet fall per one thousand feet.  (c) Length of pipe,	feet fall per one thousand feet.  (c) Length of pipe,	in.; in size at
(c) Length of pipe, ft.; size at intake in.; in size at	(c) Length of pipe, ft.; size at intake in.; in size at	(c) Length of pipe,	(c) Length of pipe,	Estimated capace  is less than one-fourth mile froint on each of such channels face at the source of development.
intake	in intake	in.; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated capacing sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile futural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile futural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile futural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile futural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile futural stream or stream or stream channels difference in elevation of the well, tunnel, or other development work is less than one-fourth mile futural stream or stream or stream channels difference in elevation of the well, tunnel, or other development work is less than one-fourth mile futural stream.	in intakein.; size at place of useinke and place of use,ft. Is grade uniform?sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work tural stream or stream channel, give the distance to the nearest p difference in elevation between the stream bed and the ground sur  12. Location of area to be irrigated, or place of use	Estimated capace  is less than one-fourth mile froint on each of such channels face at the source of development.
Township  Townsh	ke and place of use,	ke and place of use,	ke and place of use,	is less than one-fourth mile froint on each of such channels face at the source of development
Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream channel, give the distance to the nearest point on each of such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream channel, give the distance to the nearest point on each of such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream channel, give the distance to the nearest point on each of such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel life tural stream or stream chann	Sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation of area to be irrigated, or place of use  12. Location of area to be irrigated, or place of use  Township  Range E or W of N or S. Willamette Meridian  Section  Forty-acre Tract  Number Acres To Be Irrigated	Sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation of area to be irrigated, or place of use  12. Location of area to be irrigated, or place of use  Township  Range E or W of N or S. Willamette Meridian  Section  Forty-acre Tract  Number Acres To Be Irrigated	10. If pumps are to be used, give size and type	c is less than one-fourth mile froint on each of such channels face at the source of developm
10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream channel, give the distance to the nearest point on each of such channel lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the nearest point on each of such channel give the distance to the	10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile futural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream bed and the ground surface at the source of developm like the stream like the stream like the stream bed and the ground surface at the source of developm like the stream lik	10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile futural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream difference in elevation between the stream difference in elevation between the stream difference in elevation difference in elevation difference in elevation d	10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used	c is less than one-fourth mile froint on each of such channels of ace at the source of developm
Give horsepower and type of motor or engine to be used	Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm  12. Location of area to be irrigated, or place of use  Township Range E or W of Williams Section Forty-acre Tract Number Acres To Be Irrigated	Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile futural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm  12. Location of area to be irrigated, or place of use  Township  Range E or W. of N. or S.  Range E or W. of Number Acres To Be Irrigated	Give horsepower and type of motor or engine to be used	c is less than one-fourth mile fooint on each of such channels face at the source of developm
Give horsepower and type of motor or engine to be used	Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm  12. Location of area to be irrigated, or place of use  Township Range E or W of Williams Section Forty-acre Tract Number Acres To Be Irrigated	Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile futural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of developm difference in elevation of area to be irrigated, or place of use  12. Location of area to be irrigated, or place of use  Township  Range E or W. of N or S.  Range E or W. of Number Acres To Be Irrigated	Give horsepower and type of motor or engine to be used	c is less than one-fourth mile froint on each of such channels of ace at the source of developm
11. If the location of the well, tunnel, or other development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream or stream or such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream or stream or surface at the source of development work is less than one-fourth mile tural stream or str	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fatural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation difference in elevation difference in elevation between the stream bed and the ground surface at the source of development difference in elevation diff	Range Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	11. If the location of the well, tunnel, or other development work stural stream or stream channel, give the distance to the nearest possible difference in elevation between the stream bed and the ground sure the stream of the ground sure the gro	s is less than one-fourth mile froint on each of such channels of face at the source of developm
11. If the location of the well, tunnel, or other development work is less than one-fourth mile tural stream or stream channel, give the distance to the nearest point on each of such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream or stream or such channel lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile tural stream or stream or stream or stream or surface at the source of development work is less than one-fourth mile tural stream or str	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fitural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation difference in elevation difference in elevation between the stream bed and the ground surface at the source of development difference in elevation d	11. If the location of the well, tunnel, or other development work is less than one-fourth mile fractural stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation between the stream bed and the ground surface at the source of development difference in elevation difference in elevation difference in elevation between the stream bed and the ground surface at the source of development difference in elevation	11. If the location of the well, tunnel, or other development work stural stream or stream channel, give the distance to the nearest positive in elevation between the stream bed and the ground sure the stream of the ground sure the	s is less than one-fourth mile froint on each of such channels of face at the source of developm
tural stream or stream channel, give the distance to the nearest point on each of such channel lifterence in elevation between the stream bed and the ground surface at the source of develop  12. Location of area to be irrigated, or place of use  Township  Range E. or W. of N. or S.  Range Willamette Meridian Section Forty-acre Tract  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township N. or S. Willamette Meridian  Township E. or W. of N. or S. Willamette Meridian  Section  The distance to the nearest product of the nearest p	oint on each of such channels face at the source of developm
12. Location of area to be irrigated, or place of use  Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township Range E or W. of N. or S. Willamette Meridian Section Forty-acre Tract  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract	face at the source of developm
12. Location of area to be irrigated, or place of use  Township Range E. or W. of Number Acres To Be Irrigated  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	12. Location of area to be irrigated, or place of use  Township Range E or W. of N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	12. Location of area to be irrigated, or place of use	
12. Location of area to be irrigated, or place of use  Township Range E. or W. of Number Acres To Be Irrigated  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	12. Location of area to be irrigated, or place of use  Township Range F. or W. of N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	12. Location of area to be irrigated, or place of use	
12. Location of area to be irrigated, or place of use  Township Range E. or W. of Number Acres To Be Irrigated  Number Acres To Be Irrigated	12. Location of area to be irrigated, or place of use  Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	12. Location of area to be irrigated, or place of use  Township Range F. or W. of N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	12. Location of area to be irrigated, or place of use	•••••••••••••••••••••••••••••••••••••••
Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Range Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Range Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Range Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract	
Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Range Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Range Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Range Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract	
Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Township E. or W. of Number Acres N. or S. Willamette Meridian Section Forty-acre Tract To Be Irrigated	Township E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract	
75 2EU 27 NE/4 NW/4 == 10	75 280 27 NE/4 NW/4 = 10° NW/4 NW/4 10° 20°	75 2EV 27 NE/4 NW/4 = 10° 20° 20°	75 2 EV 27 NE14 NU	
NW/4 NW/4 10	NW/4 NW/4 10° 20°	Nully Nully 10°2 20°2	NW/ N	11/4 = 10=
	70°	70°	<b>,</b>	W/4 10°
200				200
				· .
*	· · · · · · · · · · · · · · · · · · ·			<del>(1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1</del>
$oldsymbol{arphi}$				
			· · · · · · · · · · · · · · · · · · ·	
			·	
	·			
			v ·	
	· ·		tan di kacamatan di Kacamatan di kacamatan di kacama	·

Y CHERRIES

ASSISTANT

	PAL SUPPLY—  To supply the city of	·	•	· .		G OOL
						,
	stimated population of					
		QUESTIONS 14, 35,		18 IN ALL CASE	:s	•
. 14.	Estimated cost of pro	posed works. \$	1400_	• .		
15.	Construction work wi	ll begin on or befo	Te			
	Construction work wi					
	The water will be con					1967
	If the ground water					
	r permit, permit, cert					
applicant		•			****	•••••
		***************************************		<i>4</i>		
				Sand Signature	of applicant)	llev
Re	marks: PER	FORATI	0N5	Clas	ED U	PIN
011	8" WELL	, This	WELL	ATTAK	PRESEN	<u> </u>
15 P.	RO DULÍNG	66 GPM	4 41	122 Be	RESER	RVED
o R	Hause Usa	5 6 N/LL			**************************	
-						
***********		***************************************		*****************************	<del></del>	
•••••••				***************************************	•••••••••••	
					***************************************	**********************
	······································	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				••••••••••
*************		**************************************			••••••	
					·	
STATE (	OF OREGON, ss.					
Count	ty of Marion,		•			
Th	is is to certify that I h	ave examined the	foregoing o	application, toge	ther with the d	iccompanyir
maps and	d data, and return the s	ame for	••••••	***************************************	*******************	******************
•••••••••••	· .				••••••	
In	order to retain its prio	rity, this applicati	on must be	returned to the	State Engineer	, with corre
tions on o	or before		, 19			
	•	· ·			•	
W	ITNESS my hand this	day of	******	***************************************		19
	•			•		
		•	*************			'ATE ENGINEER

Вy

## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein granted	is limited to the amor	int of water wh	ich can be applied to	beneficial use
and shall n	ot exceed 0.25	cubic feet per seco	ond measured at	the point of diversion	from the well
or source o	f appropriation, or its	s equivalent in case of	rotation with c	other water users, from	n a well
The	use to which this wat	er is to be applied is .	irrigation		
If for	r irrigation, this appr	opriation shall be limi		/80th of one cubic f	foot per second
or its equiv	valent for each acre in	rigated and shall be j	urther limited t	o a diversion of not to	exceed .2½
acre feet pe	er acre for each acre	irrigated during the i	rrigation season	of each year;	
	<i>y</i> .	***************************************			•••••••••••••••••••••••••••••••••••••••
***************************************	•••••••••••••••••••••••••••••••••••••••		•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	••••••
	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	•	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
				ered by the proper sta	
The a line, adequ The p shall keep	works constructed shate to determine was permittee shall instal a complete record of	all include an air line er level elevation in	and pressure go the well at all t , meter, or oth d water withdr	ier suitable measurin awn.	for measuring
•		shall begin on or befo			and shall
				ed on or before Octob	er 1, 19 <u>68</u>
Com	plete application of tl	ne water to the propos	ed use shall be t	made on or before Oct	ober 1, 19 <u>.69</u>
WIT	NESS my hand this.	26th. day of	June	, 19.67	•
			C.K.	The los	TATE ENGINEER
	· · · · · · · · · · · · · · · · · · ·	n, ne	 	5 to	·
Application No. G-6-38'04  Permit No. G-3355	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the se of the State Engineer at Salem, Oregon, he was of Eb.	urned to applicant:	roved: June 26, 1967 Recorded in book No. und Water Permits on page G 335	OHRIS L. MHEELLIN Stainage Basin No. 2. page 977