

RECEIVED
MAY 24 1966
STATE ENGINEER
SALEM OREGON

RECEIVED
JUN 13 1966
STATE ENGINEER
SALEM OREGON

RECEIVED
1966
STATE ENGINEER
OREGON

Permit No. G- **G 3358**

CERTIFICATE NO. **39761**
39448

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Adolf J. Kisle Kisle Ranch, Hines, Oregon
(Name of applicant)

of 185 Del Monte Ave, Los Altos, (Postoffice Address), county of Santa Clara

state of Calif., do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Sagehen Creek
(Name of stream)

tributary of Silvies River

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 900 gallons per minute.

3. The use to which the water is to be applied is Irrigation by sprinkling

WITH A CIRCULAR SPRINKLING SYSTEM

4. The well or other source is located 450 ft. South and 85 ft. East from the N. W. corner of Sec 17
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N.W. 1/4 N.W. 1/4 Twp. 24 of Sec. 17, Twp. 24, R. 30, W. M., in the county of Harney

5. The _____ to be _____ miles in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Kisle Well No. 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 12 inches and an estimated depth of 225 feet. It is estimated that 60 feet of the well will require steel casing. Depth to water table is estimated 15 appr.
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3358

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 75 HP Western Turbine

Give horsepower and type of motor or engine to be used 103 HP Moline Propane Engine

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Harney County

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
24 S.	30 E.	7	SE $\frac{1}{4}$ SE $\frac{1}{4}$	24
24 S.	30 E.	8	SW $\frac{1}{4}$ SW $\frac{1}{4}$	25.5
24 S.	30 E.	8	SE $\frac{1}{4}$ SW $\frac{1}{4}$	1.5
24 S.	30 E.	18	NW $\frac{1}{4}$ NE $\frac{1}{4}$	4.5
24 S.	30 E.	18	NE $\frac{1}{4}$ NE $\frac{1}{4}$	40.
24 S.	30 E.	18	SE $\frac{1}{4}$ NE $\frac{1}{4}$	18.20
24 S.	30 E.	17	NW $\frac{1}{4}$ NW $\frac{1}{4}$	40.00
24 S.	30 E.	17	NE $\frac{1}{4}$ NW $\frac{1}{4}$	9.4
24 S.	30 E.	17	SW $\frac{1}{4}$ NW $\frac{1}{4}$	20.8
24 S.	30 E.	17	SE $\frac{1}{4}$ NW $\frac{1}{4}$.6
24 S.	30 E.	7	SW $\frac{1}{4}$ SE $\frac{1}{4}$.3

total 184.50

184.80

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Hay and grains

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ ~~5,500.00~~ \$26,000.00
- 15. Construction work will begin on or before May 1966
- 16. Construction work will be completed on or before July 1967
- 17. The water will be completely applied to the proposed use on or before July 1968

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

John Rossberg
(Signature of applicant)

Remarks: Mr. John Rossberg drilled the well on 4-30-66

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 12, 1966

WITNESS my hand this 12th day of July, 1966

RECEIVED
SEP 2 1966
STATE ENGINEER
CAL M. OREGON

CHRIS L. WHEELER
STATE ENGINEER

Tony W. Johnson
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.01 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied is irrigation.....

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;.....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 1, 1966.....

Actual construction work shall begin on or before June 29, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.....

Complete application of the water to the proposed use shall be made on or before October 1, 1969.....

WITNESS my hand this 29th day of June, 1967.....

Chris L. Wheeler

STATE ENGINEER

PC?

Application No. G-3560
Permit No. G-3358

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of July, 1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 29, 1967

Recorded in book No. G 3358 of Ground Water Permits on page 32

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 12 page 32

\$29.25