

1968

CERTIFICATE NO. 41386

Permit No. G-3385

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, BARNETT - RUGG, INC. (Name of applicant)

of P.O. Box 475, ATHENA, county of UMATILLA (Postoffice Address)

state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

FEB. 1958, ATHENA, OREGON

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated SPRING HOLLOW CREEK (Name of stream)

tributary of WILD HORSE CREEK

2. The amount of water which the applicant intends to apply to beneficial use is 7.00 cubic feet per second or 3142 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION (PRIMARY)

4. The well or other source is located 1320 ft. N. and 2574 ft. E. from the COMMON corner of 23, 24, 13, 14 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4, SW 1/4, S.E. 1/4 of Sec. 13, Twp. 3N, R. 34 E, W. M., in the county of UMATILLA

5. The PIPE LINE (Canal or pipe line) to be 5534 ft. miles in length, terminating in the N.E. 1/4 of Sec. 23, Twp. 3N, R. 34 E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is MARTIN WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of ONE WELL (Give number of wells, tunnels, etc.) having a diameter of 16 inches and an estimated depth of 1200 feet. It is estimated that 300 feet of the well will require STANDARD (Kind) casing. Depth to water table is estimated 500 (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3385

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 6534 ft.; size at intake 12 in.; in size at ..... ft. from intake ..... in.; size at place of use 5 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? YES. Estimated capacity, 7.00 sec. ft.

10. If pumps are to be used, give size and type ..... UNKNOWN AT THIS TIME

Give horsepower and type of motor or engine to be used ..... 300 H.P. ELECTRIC

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ..... BARNETT-RUGG-RANCH-INC.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 N.	34 E.	13	NW, SW	40
"	" "	13	NE, SW	40
"	" "	13	SE, SW	40
"	" "	13	SW, SW	40
"	" "	13	NW, SE	40
"	" "	13	NE, SE	40 36 <sup>2</sup>
"	" "	13	SW, SE	40
"	" "	13	SE, SE	40
3N	34 E	14	NE, SE	40
"	" "	14	SE, SE	40
3N	34 E	23	NW, NE	40
"	" "	23	NE, NE	40
"	" "	23	SW, NE	40
"	" "	23	SE, NE	40

MARTIN WELL  
Pump 24

556<sup>2</sup>

(If more space required, attach separate sheet)

Character of soil ..... WALLA WALLA SILT LOAM

Kind of crops raised ..... ROW CROPS, LEGUMES

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 40,000 .....
- 15. Construction work will begin on or before JUNE 25, 1966 .....
- 16. Construction work will be completed on or before JUNE 25, 1967 .....
- 17. The water will be completely applied to the proposed use on or before JUNE 1968 .....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

*Barnett-Rugg Inc.*  
*Martin J. Rugg*  
(Signature of applicant)

Remarks: .....

..... UNDER A SEPERATE MAP AND APPLICATION ANOTHER WELL IS TO BE DRILLED AND THE TWO  
..... WILL BE TIED TOGETHER BY ONE MAIN LINE. THIS WELL TO BE PRIMARY AND ALL LANDS  
..... IN 3N 34E, S. SEC. 13, 14, AND 23. IF THIS WELL IS DEFECIENT IN SUPPLY MAP  
..... THE OTHER WELL WILL BE SUPPLEMENTAL. ....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... ~~completion and correction~~ .....  
Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~October 5th~~ ....., 19.66

~~January 18th~~ 67  
January 30th 67  
WITNESS my hand this ~~5th~~ day of ~~August~~ ....., 19.66  
~~18th~~ November 66  
28th November 66



CHRIS L. WHEELER  
STATE ENGINEER

By *Larry W. Sebousek*  
Larry W. Sebousek, ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 6.96 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 29, 1966

Actual construction work shall begin on or before June 29, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 29th day of June, 1967

*Chris L. Wheeler*

STATE ENGINEER

Application No. G-3578  
Permit No. G-3385

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 29th day of July,  
1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

June 29, 1967

Recorded in book No. \_\_\_\_\_ of

Ground Water Permits on page G 3385

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 7 page 57

PC