## Permit No. G. G 3387

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Lauren A. DeWeese, Mayor City of Rogue River (Name of applicant)					
of Rogue River , county of Jackson ,					
state ofOregon , do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:					
If the applicant is a corporation, give date and place of incorporation					
1912, City of Rogue River					
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Evans Creek					
(Name of stream)					
tributary of Rogue River					
2. The amount of water which the applicant intends to apply to beneficial use is 0.534 cubic feet per second or 240 gallons per minute. (120 gpm initially from each well.)					
3. The use to which the water is to be applied is Water supply for City of Rogue					
River, Oregon					
No. 5  4. The well/exotherson coers to ested 2220 to ft. N and 305 to ft. W from the SE (N. or S.)					
corner of Section 16, T 36S, R4W and Well No. 4 is located 2, 220 feet N, and					
(Section or subdivision)  400- feet W. from the SE corner of Section 16, T 36S, R4W.  (If preferable, give distance and bearing to section corner)					
(If there is more than one well, each must be described. Use separate sheet if necessary)					
being within the NE 1/4 of the SE 1/4 of Sec. 16 Twp. 36S, R. 4W,					
W. M., in the county ofJackson					
feet  5. The					
in length, terminating in theeast line of Sec16, Twp36S,					
R. 4W, W. M., the proposed location being shown throughout on the accompanying map.					
6. The name of the well or other works is Well No. 4 and Well No. 5					
DESCRIPTION OF WORKS					
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.					
Wells are non-artesian					
8. The development will consist of two drilled wells having a (Give number of wells, tunnels, etc.)					
diameter of 6 and 8 inches and an estimated depth of 150 & 200 feet. It is estimated that 150 No. 5					
feet of the well/will requiresteelcasing. Depth to water table is estimated					
No. 4 well will require 98 feet of 8-inch casing.					

	feet; depth of wo	ıter <del>-</del>	feet; grade	feet fall per one
sand feet.	•			
(b) At	m	iles from he	eadgate: width on top (at water line	e)
			feet; depth of water	
de	feet fall	per one thou	ısand feet.	<b>b.</b>
(c) Length	of pipe,3	60 ft	;; size at intake,4 in.;	in size at
			of use6 in.; differe	• •
ike and place o	of use,	<u>0</u> ft	t. Is grade uniform?yes	Estimated capacity,
0.333	sec. ft.			
10. If pum	ps are to be used,	give size and	d type 120 gpm submersi	ible turbine
ell No. 5)	(Well No. 4	1not.dete	rmined.yet)	
Give horsep	power and type of	f motor or en	ngine to be used20 hp elec	ctric submersible
		·		•••••
difference in d	elevation between	ı the stream	bed and the ground surface at th	•
ill No. 4 ap	elevation between  pproximately 2  pproximately 2  Vells = 1,000	the stream 200 feet fi 270 feet fi St	bed and the ground surface at the rom Evans Creek  rom Evans Creek  ream Bed = 970 <sup>±</sup> Within limits of solution of the companying	service area as show
ell No. 4 apell No. 5 apevation at V	elevation between  pproximately 2  pproximately 2  Vells = 1,000	the stream 200 feet fi 270 feet fi St	bed and the ground surface at the nom Evans Creek  rom Evans Creek  ream Bed = 970 <sup>±</sup>	service area as show
ell No. 4 apell No. 5 apell No	proximately 2 proximately 2 proximately 2 Vells = 1,000 on of area to be in	200 feet from 270 feet from St. St. Section	rom Evans Creek  rom Evans Creek  rom Evans Creek  ream Bed = 970 <sup>±</sup> Within limits of solace of use On accompanying of L. dated July 1  Forty-acre Tract	service area as show drawing C4076.6, S
ell No. 4 apell No. 5 apevation at V  12. Locatio  Township N. or S.	proximately 2 proximately 2 proximately 2 Vells = 1,000 on of area to be in  Range E. or W. of Willamette Meridian	the stream 200 feet fr 270 feet fr St rigated, or r	rom Evans Creek  rom Evans Creek  ream Bed = 970 <sup>±</sup> Within limits of solace of use on accompanying of 1, dated July 1  Forty-acre Tract  SE1/4 of the NE1/4	service area as show drawing C4076.6, S
ell No. 4 apell No. 5 apell No	proximately 2 proximately 2 proximately 2 Vells = 1,000 on of area to be in  Range E. or W. of Willamette Meridian  4W	200 feet from St. St. Section	rom Evans Creek  rom Evans Creek  rom Evans Creek  ream Bed = 970 <sup>±</sup> Within limits of solace of use On accompanying of L. dated July 1  Forty-acre Tract	service area as show drawing C4076.6, S
difference in a lil No. 4 appell No. 5 appel	proximately 2 proximately 2 proximately 2 Vells = 1,000 on of area to be in  Range E. or W. of Willamette Meridian  4W  4W  4W	200 feet from 270 feet from St. St. rigated, or p. Section	rom Evans Creek  rom Evans Creek  rom Evans Creek  ream Bed = 970 <sup>†</sup> Within limits of solace of use On accompanying of 1. dated July 1  Forty-acre Tract  SE1/4 of the NE1/4  NE1/4 of the SE1/4	service area as show drawing C4076.6, S
difference in a ll No. 4 appell No. 5 appell	proximately 2 proximately 2 proximately 2 Vells = 1,000 on of area to be in  Range E. or W. of Willamette Meridian  4W  4W  4W  4W	200 feet from 270 feet from St. St. St. Section 16	when the ground surface at the som Evans Creek  rom Evans Creek  ream Bed = 970 <sup>±</sup> Within limits of some of l. dated July leader of the NE1/4  NE1/4 of the NE1/4  SE1/4 of the SE1/4	service area as show drawing C4076.6, S
difference in a sell No. 4 appell No. 5 appe	proximately 2 pr	200 feet from 270 feet from St. St. St. St. St. Section 16 16 16 15	within limits of solace of use On accompanying of 1. dated July 1  Forty-acre Tract  SE1/4 of the NE1/4  NE1/4 of the SE1/4  SW1/4 of the NW1/4	service area as show drawing C4076.6, S
difference in a sell No. 4 appell No. 5 appe	proximately 2 proximately 2 proximately 2 Vells = 1,000 m of area to be ir  Range E. or W. of Willamette Meridian  4W  4W  4W  4W  4W	the stream 200 feet fr 270 feet fr St rigated, or r Section  16 16 16 15	rom Evans Creek  rom Evans Creek  rom Evans Creek  ream Bed = 970 <sup>±</sup> Within limits of solace of use On accompanying of L. dated July 1  Forty-acre Tract  SE1/4 of the NE1/4  NE1/4 of the SE1/4  SW1/4 of the NW1/4  NW1/4 of the SW1/4	service area as show drawing C4076.6, S
ll No. 4 ap ll No. 5 ap evation at V  12. Locatio  Township N. or S.  36S 36S 36S 36S 36S 36S	proximately 2 proximately 2 proximately 2 Vells = 1,000 on of area to be in  Range E. or W. of Willamette Meridian  4W  4W  4W  4W  4W  4W	200 feet fr 270 feet fr 270 feet fr St rigated, or r Section  16 16 16 15 15	within limits of solace of use on accompanying of 1. dated July 1  Forty-acre Tract  SE1/4 of the NE1/4  NE1/4 of the SE1/4  SW1/4 of the SW1/4  SW1/4 of the SW1/4  SW1/4 of the SW1/4	service area as show drawing C4076.6, S
difference in 6 11 No. 4 ap 11 No. 5 ap evation at V  12. Locatio  Township N. or S.  36S  36S  36S  36S  36S  36S  36S	proximately 2 pr	the stream 200 feet fr 270 feet fr St rigated, or r Section 16 16 15 15 15	within limits of solace of use on accompanying of 1. dated July 1  Forty-acre Tract  SE1/4 of the NE1/4  NE1/4 of the SE1/4  SW1/4 of the SW1/4  SW1/4 of the SW1/4  SE1/4 of the SW1/4	service area as show drawing C4076.6, S
difference in 6 11 No. 4 ap 11 No. 5 ap 11 No. 5 ap 12 Locatio  Township N. or S.  36S 36S 36S 36S 36S 36S 36S 36S	proximately 2 pr	the stream 200 feet fr 270 feet fr St rigated, or r section 16 16 15 15 15 15	within limits of solace of use on accompanying of 1, dated July 1  Forty-acre Tract  SE1/4 of the NE1/4  NE1/4 of the SE1/4  SW1/4 of the NW1/4  NW1/4 of the SW1/4  SE1/4 of the SW1/4  SE1/4 of the SW1/4  NW1/4 of the SW1/4  NE1/4 of the SW1/4	service area as show drawing C4076.6, S
difference in 6  11 No. 4 ap  11 No. 5 ap  evation at V  12. Locatio  Township N. or S.  36S  36S  36S  36S  36S  36S  36S  3	proximately 2 pr	the stream 200 feet fr 270 feet fr St rigated, or r section 16 16 15 15 15 15	sed and the ground surface at the from Evans Creek  from Evans Creek  ream Bed = 970 <sup>±</sup> Within limits of solace of use on accompanying of 1. dated July 1  Forty-acre Tract  SE1/4 of the NE1/4  NE1/4 of the SE1/4  SW1/4 of the NW1/4  NW1/4 of the SW1/4  SW1/4 of the SW1/4  SE1/4 of the SW1/4  NW1/4 of the SW1/4  NW1/4 of the NE1/4  NW1/4 of the NE1/4  NW1/4	service area as show drawing C4076.6, S

13. To supply the cit	y ofRogue River	r, Oregon	
n Jackson	county, having a pres	ent population of70	00
nd an estimated population	i of	n 1970.	
ANS	WER QUESTIONS 14, 15, 16	, 17 AND 18 IN ALL CASES	· •
14. Estimated cost of	proposed works, \$25,00	0	
15. Construction wor	k will begin on or before	25 March 1966	
16. Construction wor	k will be completed on or b	efore 30 September	1966
17. The water will be	completely applied to the	proposed use on or before.	30 June 1967
		al to an existing water su right to appropriate wat	
pplicant. Permit No.	G-1471 and Certi	ficate No. GR-3823	3
		ausen d. (Signature of	Manual Ma
Remarks:	•••••••••••••••••••••••••••••••		,
······			
••••••			ч
<u> </u>		····	•••••
			•••••
		······	
TATE OF OREGON, )			
County of Marion,	•		
This is to certify that	I have examined the for	egoing application, together	r with the accompany
		4	
In order to retain its	priority, this application n	nust be returned to the Sta	te Engineer, with corre
ions on or before	, 19.	••••••	
			•
WITNESS my hand th	is day of		19
	•		STATE ENGINEER

By .....

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .....Q.54...... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from .Wells. Nos. 4.... and 5, being 0.27 from each The use to which this water is to be applied is municipal If for irrigation, this appropriation shall be limited to ....................... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...... acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. Actual construction work shall begin on or before ......June 29, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...68..... Complete application of the water to the proposed use shall be made on or before October 1, 19...69... WITNESS my hand this 29th day of June STATE ENGINEER Drainage Basin No. <u>. 1.5....</u> page ...?..?. ×

Application No. G-13/all

APPROPRIATE THE GROUND WATERS OF THE STATE OREGON This instrument was first received in the office of the State Engineer at Salem, Oregon,

2.ad o'clock day of at 90

Returned to applicant:

Approved:

Recorded in book No.

Ground Water Permits on page ....(3.

CHRIS L. WHEELER STATE ENGINEER