

Permit No. G-3393

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Clifford S. Trygg, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated BROWN'S CREEK tributary of COLUMBIA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 40 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located 535 ft. S. and 815 ft. E. from the corner of Section 12, T. 1 North, Range 12 East of the Willamette Meridian.

being within the NW 1/4 SW 1/4 of Sec. 12, Twp. 1 N., R. 12 E., W. M., in the county of Wasco.

5. The pipe line to be 600 feet in length, terminating in the NW 1/4 SW 1/4 of Sec. 12, Twp. 1 North, R. 12 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is TRYGG WELL

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described. Well is now constructed and no artesian water was found.

8. The development will consist of 1 WELL having a diameter of 6 inches and an estimated depth of 232 feet. It is estimated that 232 feet of the well will require WELDED-IRON casing. Depth to water table is estimated 193 feet.

CANAL SYSTEM OR PIPE LINE—

G 3393

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake 3 in.; in size at 600 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 75 ft. Is grade uniform? yes Estimated capacity, 0.1 sec. ft.

10. If pumps are to be used, give size and type 2 1/2 inch.

Give horsepower and type of motor or engine to be used single phase 220 volt.

5 H.P. SUBMERSIBLE PUMP

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Browns Creek is approximately one half mile distance and 500 feet lower in elevation than the top of well.

12. Location of area to be irrigated, or place of use 28 acres in N 1/2 SW 1/4 Sec. 12, T. 1 N., R. 12 E. W. M.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N.	12 E.	12	NW 1/4 SW 1/4	20
1 N.	12 E.	12	NE 1/4 SW 1/4	8

(If more space required, attach separate sheet)


Character of soil volcanic loam
Kind of crops raised Cherries and permanent pasture.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$2000.....
- 15. Construction work will begin on or before October 1, 1966.....
- 16. Construction work will be completed on or before October 1, 1967.....
- 17. The water will be completely applied to the proposed use on or before October 1, 1968.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. this is not supplemental irrigation water......


 (Signature of applicant)

Remarks: Recorded deed to property of applicant, from Volume 140, page 329 of Wasco County Deed Records. "All that part of the Southwest quarter (SW $\frac{1}{4}$) of Section 12, lying Northerly and Westerly of the fence along the crest of the divide between Mill Creek and Chenoweth Creek, in Township 1 North, Range 12 East of the Willamette Meridian. All that part of the Northeast quarter (NE $\frac{1}{4}$) of Section 11, T. 1 N., R. 12 E.W.M., lying East of the center of Chenoweth Creek. Also the Northeast quarter of the Southeast quarter (NE $\frac{1}{4}$ SE $\frac{1}{4}$) of Section 11, T. 1 N., R. 12 E.W.M....."

(Note, it is apparant that where "Chenowath" Creek is mentioned in this description it a ctually referred to what is "Brown's" Creek. These two small streams are tributary to each other).

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

140 - 329

.....
 STATE ENGINEER
 By
 ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.09..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, froma well.....

The use to which this water is to be applied isirrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed3..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isAugust 8, 1966.....

Actual construction work shall begin on or beforeJune 29, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.....

Complete application of the water to the proposed use shall be made on or before October 1, 1969.....

WITNESS my hand this ..29th..... day ofJune....., 1967..

Chris L. Wheeler
STATE ENGINEER

PC

Application No. G-3601
Permit No. G-C-3393

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 29th day of August
1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 29, 1967

Recorded in book No. of

Ground Water Permits on page G-3393

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 4 page 39

113