Permit No. G-----G--3405

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

MOORHOUSE
I, RICHARD MOREHOUSE of RF. 180X62, HUBBARD, county of CLACKAMAS,
Of 3 B + 1 80 "ma (Marrie of applicant) and
of
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated <u>Creamery Creek</u> (Name of stream)
tributary of Gribble Creek
2. The amount of water which the applicant intends to apply to beneficial use iscubic feet per second or gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is locatedftandftfrom the
corner of Well is located N 78° 58'E, 3604Ft From (Section or subdivision)
the SW corner of section 3/ (If preferable, give distance and bearing to section corner)
being within the SWY SEY of Sec. 31, Twp. 45, R. 25,
W. M., in the county of
5. The
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of Well tunnels, etc.) having a
diameter of
diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require feet of the well will require feet of the well will require feet

lgate. At head				
	feet; width on bo			
	feet fall per			
ısand feet.		·		
(b) At	n	niles from hed	adgate: width on top (at wate	er line)
	feet; width or	r bottom	feet; depth of u	vater
de	feet fall	per one thou	sand feet.	•
(c) Length	of pipe,	ft.	; size at intake,	in.; in size at
n intake	in.,	; size at place	of use in.; d	lifference in elevation betv
ıke and place o	of use,	ft.	Is grade uniform?	Estimated capa
••••••	sec. ft.		Perl	less Turbing
10. If pump	ps are to be used	, give size and	Peer / type	an at this t
6" 01	sch.			
Give horsez	power and type	of motor or en	gine to be used 60 H	I.P. Elec
			•	,
			•	
The state of the s		irrigated, or p	lace of use	
12. Locatio	n of area to be i	irrigated, or p	lace of use	Number Acres To Be Irrigated
Township	Range			Number Acres
Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township N. or S.	Range E. or W. of Willamette Meridian	Section 3/	SELY SWLY SELY SWLY	Number Acres To Be Irrigated
Township N. or S. 4S 4S	Range E. or W. of Willamette Meridian 2 E	3 / 3 /	SELYNWY NEW SWY SELYSWY NWY SELY	Number Acres To Be Irrigated † 9. 0 21. 0
Township N. or S. 4S 4S 4S	Range E. or W. of Willamette Meridian 2E 2E 2E	3 / 3 / 3 /	SELY SWLY SELY SWLY	Number Acres To Be Irrigated + 9.0 21.0 13.0
Township N. or S. 4S 4S 4S	Range E. or W. of Willamette Meridian 2 E 2 E 2 E	3 / 3 / 3 / 3 /	SELYNWLY NELYSWLY SELYSWLY NWLYSELY SWLYSELY NWLYSELY NELYSELY	Number Acres To Be Irrigated † 9. 0 21. 0 13. 0 /6. 0
Township N. or S. 4S 4S 4S 4S	Range E. or W. of Willamette Meridian 2E 2E 2E 2E 2E	3 / 3 / 3 / 3 / 3 /	SELYNWLY NELYSWLY SELYSWLY NWLYSELY SWLYSELY SWLYSELY	Number Acres To Be Irrigated † 9. 0 21. 0 13. 0 /6. 0
Township N. or S. 4S 4S 4S 4S 4S	Range E. or W. of Willamette Meridian 2E 2E 2E 2E 2E 2E 2E	3 / 3 / 3 / 3 / 3 / 3 /	SELYNWLY NELYSWLY SELYSWLY NWLYSELY SWLYSELY NWLYSELY NELYSELY	Number Acres To Be Irrigated † 9. 0 21. 0 13. 0 16. 0 7. 0
Township N. or S. 4S 4S 4S 4S	Range E. or W. of Willamette Meridian 2E 2E 2E 2E 2E 2E 2E	3 / 3 / 3 / 3 / 3 / 3 /	SELYNWLY NELYSWLY SELYSWLY NWLYSELY SWLYSELY NWLYSELY NELYSELY	Number Acres To Be Irrigated † 9.0 21.0 13.0 16.0 7.0 19.0
Township N. or S. 4S 4S 4S 4S 4S	Range E. or W. of Willamette Meridian 2E 2E 2E 2E 2E 2E 2E	3 / 3 / 3 / 3 / 3 / 3 /	SELYNWLY NELYSWLY SELYSWLY NWLYSELY SWLYSELY NWLYSELY NELYSELY	Number Acres To Be Irrigated † 9.0 21.0 13.0 16.0 7.0 19.0
Township N. or S.	Range E. or W. of Willamette Meridian 2E 2E 2E 2E 2E 2E 2E	3 / 3 / 3 / 3 / 3 / 3 /	SELYNWLY NELYSWLY SELYSWLY NWLYSELY SWLYSELY NWLYSELY NELYSELY	Number Acres To Be Irrigated † 9.0 21.0 13.0 16.0 7.0 19.0
Township N. of S. 4S 4S 4S 4S 4S	Range E. or W. of Willamette Meridian 2E 2E 2E 2E 2E 2E 2E	3 / 3 / 3 / 3 / 3 / 3 /	SELYNWLY NELYSWLY SELYSWLY NWLYSELY SWLYSELY NWLYSELY NELYSELY	Number Acres To Be Irrigated † 9.0 21.0 13.0 16.0 7.0 19.0

county, 1	having a present population of
nd an estimated population of	in 19
ANSWER QUESTIC	ONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cost of proposed wo	orks, \$ 7,000.00
•	on or before Sept / Se
	pleted on or before Sept / & T
	applied to the proposed use on or before
tion for permit, permit, certificate or	s supplemental to an existing water supply, identify any approach adjudicated right to appropriate water, made or held by
plicant	
	x Suchan Moorlouse
Romanka: Orillet 410	(Signature of applicant) (Signature of applicant) (So in)
1966	(John)

	•
,	
·i······	· · · · · · · · · · · · · · · · · · ·
County of Marion 888.	•
County of Marion,	
This is to certify that I have exam	nined the foregoing application, together with the accompany

To an Jan As watch 14	***************************************
	application must be returned to the State Engineer, with corr
ns on or before	, 19
\	
WITNESS my hand this	. day of 19
	1

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

shall not exceed		right herein granted is li					eficial use and	
The use to which this water is to be applied isirrigation	shall not es	cceed1.26	ubic feet per seco	nd measur	red at the point o	f diversion fro	m the well or	
If for irrigation, this appropriation shall be limited to 1/80\(\text{\te	source of a	ppropriation, or its equiv	alent in case of ro	tation wit	h other water use	ers, from <u>.a\</u>		
are feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 16, 1966 Actual construction work shall begin on or before June 29, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68. Complete application of the water to the proposed use shall be made on or before October 1, 19.69.	The	use to which this water	is to be applied is	1	rrigation			
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The priority date of this permit is		-						
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	_						•	
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 16, 1966 Actual construction work shall begin on or before June 29, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.69. Complete application of the water to the proposed use shall be made on or before October 1, 19.69.	acre feet p	er acre for each acre irr						
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	***************************************				•	•		
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is		,	***************************************					
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 16, 1966 Actual construction work shall begin on or before June 29, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68 Complete application of the water to the proposed use shall be made on or before October 1, 19.69.								,
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 16, 1966 Actual construction work shall begin on or before June 29, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68. Complete application of the water to the proposed use shall be made on or before October 1, 19.69.							A.	i
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is	. *************************************			•		.•		
	The the works The line, adequate The keep a con The Actuate thereafter	well shall be cased as n shall include proper cap works constructed shall uate to determine water permittee shall install a nplete record of the amo priority date of this permal construction work shall be prosecuted with recording the application of the	ecessary in accorping and control include an air li level elevation ind maintain a we unt of ground water to the prop	dance wi valve to 1 ne and pr n the wel cir, meter tter withd cfore	th good practice prevent the waste essure gauge or of at all times. The correction of the completed on or shall be made on the correction of the correction	and if the fle of ground we in access port measuring de 1966	ow is artesian ater. for measuring vice, and shall and shall and shall ar 1, 19 68	•
	Application No. G-36-22 Permit No. G- G 3405	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the 16th day of the gust. 19 le, at 41/23 o'clock M.	Returned to applicant:	Approved: June 29, 1967	Recorded in book No. G 3405 Ground Water Permits on page	CHRIS. L. WHEELER STATE ENGINEER Drainage Basin No. 2. page 9722	

7