

Permit No. G- **G 3437**

CERTIFICATE NO. **39789**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, JAMES T. BLACK
(Name of applicant)

of RT. 1, BOX 262, GERVAIS, county of MARION,
(Postoffice Address)

state of OREGON; do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated WILLAMETTE RIVER
(Name of stream)

tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 310 gallons per minute.

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located N. 22° E 80 FT ft. W and _____ ft. W from the NE corner of Sec 20 SW 1/4 SW 1/4 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 20, Twp. 5 south, R. 2 west, W. M., in the county of MARION

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of _____ having a diameter of 8 inches and an estimated depth of 125 feet. It is estimated that all feet of the well will require _____ casing. Depth to water table is estimated 40
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3437

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 8 Stage Turbine

Give horsepower and type of motor or engine to be used 10 horse Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<i>See Remarks</i>				
5 South	2 West	CLAIM #90	Sec 19&20	15

Beginning on the South line of the Toby Marchetti Donation Land Claim #90, in Township 5 South, Range 2 West of the Willamette Meridian, in Marion County, Oregon, at a point South 0°17' East 12.94 chains, and west 10.52 chains, and South 15.37 chains, and South 89°15' West 40.62 chains, from the Northeast corner of said Claim#90; thence South 89°15' West along the south line of said Claim #90, 28.59 chains; thence North 1°10' West 3.945 chains to the South line of a 15-acre tract described by deed recorded in Volume 348, page 496, Deed Records of Marion County, Oregon; thence North 89°15' East parallel with the South line of said Claim #90, and along the South line of said 15-acre tract, 40.508 chains to the center line of the County Road, thence South 24°48' West along the center line of said County Road, 4.372 chains to the point of beginning.
 Character of soil Willamette
 Kind of crops raised ... Pasture

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....\$3,500.00....
- 15. Construction work will begin on or before Aug 2, 1966.....
- 16. Construction work will be completed on or before Aug 31, 1966.....
- 17. The water will be completely applied to the proposed use on or before Sep 15, 1966.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.not supplemental.....

James T. Black
(Signature of applicant)
By - *Mrs. James Black*

Remarks:

55	2 W	19	NE SE	4.5	MB.
			NW SE	1.5	
			SW SE	1.0	
			SE SE	4.5	
		20	NW SW	2.5	
			SW SW	2.0	
				<u>16.0</u>	

J. F. Terrell, Drilled well

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 8, 1966

Actual construction work shall begin on or before June 29, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 29th day of June, 1967

Chris L. Wheeler

STATE ENGINEER

PC

Application No. G-3661
Permit No. G-3437

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 8th day of September,
1966, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

June 29, 1967

Recorded in book No. of

Ground Water Permits on page G 3437

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 9705

\$15.