

RECEIVED
SEP 12 1966

STATE ENGINEER
STATE OF OREGON

Permit No. G- G 3440

CERTIFICATE NO. 41268

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Charles W. Kliphardt

(Name of applicant)

of P.O. Box 35 Alicel, county of Union

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

N/A

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Five Miles North Of Grande Ronde River

(Name of stream)

tributary of Snake River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 1500 gallons per minute.

3. The use to which the water is to be applied is Irrigation Of Field Crops

4. The well or other source is located 50 ft. South and 1143 ft. East from the N.W. corner of S.W. Quarter Of Section 18

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N.E. Quarter Of S.W. Quarter Sec. 18, Twp. 2 South, R. 39 East, W. M., in the county of Union

5. The Main Line to be One miles in length, terminating in the See Remarks of Sec. 7 & 19, Twp. 2 South R. 39 East, W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is Kliphardt Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

N/A

8. The development will consist of One Well having a diameter of 16 inches and an estimated depth of 1000 feet. It is estimated that 1000 feet of the well will require Steel casing. Depth to water table is estimated 12

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

G 3440

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) N/A feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At N/A miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, N/A ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type Berkeley 9 Stage Turbine Pump
Enclosed Impeller 1760 RPM

Give horsepower and type of motor or engine to be used 125 HP, 440 Volt - Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

N/A

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 South	39 East	7	N.W. Qr. of S.W. Qr.	35.1
2 South	39 East	7	N.E. Qr. of S.W. Qr.	38.8
2 South	39 East	7	N.W. Qr. of S.E. Qr.	17.2
2 South	39 East	7	S.W. Qr. of S.W. Qr.	36.3
2 South	39 East	7	S.E. Qr. of S.W. Qr.	39.9
2 South	39 East	7	S.W. Qr. of S.E. Qr.	10.7
2 South	39 East	18	N.E. Qr. of N.W. Qr.	39.1
2 South	39 East	18	N.W. Qr. of N.E. Qr.	1.7
2 South	39 East	18	S.E. Qr. of N.W. Qr.	31.4
2 South	39 East	18	N.W. Qr. of S.W. Qr.	34.6
2 South	39 East	18	N.E. Qr. of S.W. Qr.	20.9
2 South	39 East	18	S.W. Qr. of S.W. Qr.	34.2

(If more space required, attach separate sheet)

Character of soil Sandy Loam

Kind of crops raised Wheat - Barley - Peas - Grass

Township N. or S.	E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 South	39 East	18	S.E. Qr. of S.W. Qr.	11.5
2 South	39 East	19	N.W. Qr. of N.W. Qr.	33.5
2 South	39 East	19	N.E. Qr. of N.W. Qr.	2.1
2 South	39 East	19	S.W. Qr. of N.W. Qr.	27.0
				<u>413.4</u>

G 3440

MUNICIPAL SUPPLY—

13. To supply the city of N/A
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 41,000.00
- 15. Construction work will begin on or before October 30, 1966
- 16. Construction work will be completed on or before November 30, 1966
- 17. The water will be completely applied to the proposed use on or before June 30, 1967
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Charles W. Kliphardt
(Signature of applicant)

Remarks: Mainline To Be Portable Above Ground - 8 And 10 inch
Aluminum Terminating At N.E. Corner Of S.W. Quarter
Of Section 7, Also To Be Moved To Terminate At S.W.
Corner Of N.W. Quarter Of Section 19.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.30 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 12, 1966

Actual construction work shall begin on or before June 29, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 29th day of June, 1967

Chris L. Wheeler
STATE ENGINEER

PC

Application No. G-3664
Permit No. G-G 3410

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 12th day of September,
1966, at 8:00 o'clock A M.

Returned to applicant:

Approved:

June 29, 1967

Recorded in book No. _____ of

Ground Water Permits on page G 3410

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 41

State Printing
94120