

## Permit No. G- G 3441

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

I, Mrs. Cyrene Elizabeth Hardie (Name of applicant)
of Route 1, Box 632, Beaverton , county of Washington , (Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Tualatin River (Name of stream)
tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is
3. The use to which the water is to be applied is to irrigate strawberries, cucumbers,
pasture, and nursery stock.
4. The well or other source is located 88.4 ft. S and 52.1 ft. E from the N.W. corner of Lot 9 "Shield's Little Farms", a subdivision in the NW 1/4, SE 1/4 of Section
(Section or subdivision)
T1S, R1W, W.M., Washington County, Oregon. Said N.W. corner of Lot 9 being (If preferable, give distance and bearing to section corner)
north 1980.30 ft. and S 89°46' W 1753.49 ft. from the southeast corner of  (If there is more than one well, each must be described. Use separate sheet if necessary)
heinensikbinnik of Sec. 29 , Twp. 15 , R. 1W ,
W. M., in the county of
5. The to be miles
in length, terminating in the of Sec, Twp,  (Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . under the ownership of Mrs. C. E. Hardie
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
***************************************
8. The development will consist of
diameter of
feet of the well will requiresteel casing. Depth to water table is estimated(Feet)

	DAAA	
U	3441	

CARTAT	CSZCZZZZZA	$\Delta D$	TOTTOTA	T TATES
CANAL	SYSTEM	UK	PIPE	LINE

gate. At hea				
	feet; depth of wo	ıter	feet; grade	feet fall per one
sand feet.				•
(b) At	mile	s from head	lgate: width on top (at water l	ine)
•	feet; width on be	ottom	feet; depth of wat	er feet
le`	feet fall pe	er one thouse	and feet.	•.
(c) Length	of pipe,	ft.;	size at intakein.	; in size atft
ı intake	in.; siz	e at place of	f use in.; differ	ence in elevation between
ke and place	of use,	ft. i	Is grade uniform?	Estimated capacity
•••••	sec. ft.			
	÷	ive size and t	ype Fairbanks-Morse.	3 hp. 8 stage.
			00' of depth	
			gine to be used 3 hp. s	
			gine to be useu	
tural stream lifference in	or stream channel, elevation between	give the dis the stream b	ther development work is less stance to the nearest point on sed and the ground surface at	each of such channels and the source of development
tural stream difference in	or stream channel, elevation between to be irri	give the dis the stream b	stance to the nearest point on sed and the ground surface at	each of such channels and the source of development
tural stream difference in	or stream channel, elevation between	give the dis the stream b	stance to the nearest point on sed and the ground surface at	each of such channels and the source of development
tural stream difference in  12. Locatio	or stream channel, elevation between to be irri	give the dis the stream b	atance to the nearest point on sed and the ground surface at	each of such channels and the source of development
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between on of area to be irri	give the dis the stream b	tance to the nearest point on sed and the ground surface at a surface	Number Acres To Be Irrigated
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A
tural stream difference in  12. Location Township N. or S.	or stream channel, elevation between to be irriverse E. or W. of Willamette Meridian	give the dis the stream b	tance to the nearest point on sed and the ground surface at acce of use  Forty-acre Tract  in NW 1/4SE 1/4.	Number Acres To Be Irrigated  3.4 A

CHRIS L. WHEELER

STATE ENGINEER

ASSISTANT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SUBJECT 7	TO EXISTING RIGH	ITS and the following	limitations and condit	ions:
The r	right herein granted i	is limited to the amour	it of water which can	be applied to beneficial use
and shall no	ot exceed0.12	cubic feet per secor	nd measured at the poi	nt of diversion from the well
or source of	f appropriation, or its	equivalent in case of	rotation with other wa	iter users, from .awall
The v		er is to be applied is	irrigation	•
	· irrigation, this appro	•	·	of one cubic foot per second
or its equiv	alent for each acre ir	rigated and shall be fu	erther limited to a dive	rsion of not to exceed2½
acre feet pe	er acre for each acre	irrigated during the ir	rigation season of each	year;
				7
The reline, adeque The reshall keep of The relation Actual thereafter in	works constructed shate to determine wat permittee shall instal a complete record of priority date of this pal construction work be prosecuted with a plete application of the prosecuted of the prosecuted with a plete application of the pros	ter level elevation in tall and maintain a weir, the amount of ground overmit isshall begin on or before easonable diligence are water to the propose	and pressure gauge or he well at all times.  meter, or other suit water withdrawn.  Septembere June 29, and be completed on or ed use shall be made or	an access port for measuring able measuring device, and r 12, 1966  1968 and shall before October 1, 1968
WIT	NESS my hand this .	29th day of	June	, 19.67
		1004	CHICA	STATE ENGINEER
Application No. G-3/e/65.  Permit No. G-G-34.11	PERMIT  TO APPROPRIATE THE GROUND  WATERS OF THE STATE  OF OREGON	This instrument was first received in the se of the State Engineer at Salem, Oregon, he 12th day of September, 6, at 8:000'clock M.	urned to applicant:	Secorded in book No. of and Water Permits on page. G. 34.11  CHAIS L. WHEELER  STATE ENGINEER  Drainage Basin No. 2. page 97205

20