

Permit No. G- G 3442

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Frederick L. Siki (Name of applicant)
of 7303 S.E. Lake Road, Milwaukie (Postoffice Address), county of Clackamas,
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Clackamas River (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic
feet per second or 100 gallons per minute.

3. The use to which the water is to be applied is Irrigation ~~and domestic~~
for use in truck farming ~~and in the house~~

4. The well or other source is located 280 ft. S (N. or S.) and 160 ft. E (E. or W.) from the SW 1/4
corner of SEC. 7 T2S R3E (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of Sec. 7, Twp. 2S, R. 3E,
W. M., in the county of Clackamas

5. The Pipe line (Canal or pipe line) to be 1500 foot
in length, terminating in the S.W. 1/4 (Smallest legal subdivision) of Sec. 7, Twp. 2S,
R. 3E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is .

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 well (Give number of wells, tunnels, etc.) having a
diameter of 10 inches and an estimated depth of 350 feet. It is estimated that 330'
feet of the well will require steel (Kind) casing. Depth to water table is estimated 120' (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 6" submersible

Give horsepower and type of motor or engine to be used 10 H.P. Franklin motor or General Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 2S	R. 3E	7	NW 1/4 SW 1/4	15

(If more space required, attach separate sheet)

Character of soil Clay loam
Kind of crops raised Vegetables

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 5,500
- 15. Construction work will begin on or before Jan. 1966
- 16. Construction work will be completed on or before Sept 1966
- 17. The water will be completely applied to the proposed use on or before During the year 1967
as soon as I can move to the new farm
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Fred L. Dix
(Signature of applicant)

Remarks:

*Government corner is the brass monument
that is in the middle of Co. Rd. #62 that
divides sections 12 and 7.*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 21st, 19 66

WITNESS my hand this 21st day of September, 19 66

RECEIVED
OCT 4 1966
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER

Tarryl P. ...
STATE ENGINEER
ASSISTANT

County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.19..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied is ...irrigation.....

If for irrigation, this appropriation shall be limited to1/30th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .2 1/2..... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 14, 1966.....

Actual construction work shall begin on or before June 29, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.....

Complete application of the water to the proposed use shall be made on or before October 1, 1969.....

WITNESS my hand this 29th day of June 19 67.....

Chris J. Wheeler

STATE ENGINEER

B

PC

Application No. G-3666
Permit No. G-3412

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 14th day of September, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 29, 1967

Recorded in book No. of Ground Water Permits on page G 3412

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 9706

57-13-00