

ASSIGNED, See Misc. Rec., Vol. 5 Page 834

Permit No. G- G 3458

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

. و4	HELEN KATHLEEN WEST , JAMES WHITNEY WEST and SUSAN CHRISTINE KERR , each
	havin g a 1/3 interest, (Name of applicant) Olex (Postoffice Address) HELEN KATHLEEN WEST, JAMES WHITNEY WEST and SUSAN CHRISTINE KERR Olex County of Gilliam (Postoffice Address)
of	Olex county of Gilliam (Postoffice Address)
state of	Oregon, do hereby make application for a permit to appropriate the g described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If t	the applicant is a corporation, give date and place of incorporation
1.	Give name of nearest stream to which the well, tunnel or other source of water development is
situated .	Rock Creek (Name of stream)
	tributary of John Day River
	The amount of water which the applicant intends to apply to beneficial use is cubic second or1800 gallons per minute.
3.	The use to which the water is to be applied is <u>Irrigation</u>
	The well or other source is located 560 ft. $\frac{N_{\bullet}}{(N_{\bullet} \text{ or S.})}$ and $\frac{500}{(E_{\bullet} \text{ or W.})}$ from the $\frac{SW}{(E_{\bullet} \text{ or W.})}$
corner of	f NE4SW4 of Section 15, Township 2 South, Range 22 East, W.M. (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
***************************************	(If there is more than one well, each must be described. Use separate sheet if necessary)
being wit	thin the NE4SW4 of Sec. 15 Twp. 2S., R. 22 E.
W. M., in	the county ofGilliam
5.	The to be miles
	n, terminating in the NE4NW4 and NW4NW4 of Sec. 15 Twp. 2 S. (Smallest legal subdivision)
R22	, W. M., the proposed location being shown throughout on the accompanying map.
6.	The name of the well or other works is . West Well
	DESCRIPTION OF WORKS
	If the flow to be utilized is artesian, the works to be used for the control and conservation of the then not in use must be described.
	The development will consist of one (1) well having a
	The development will consist of one (1) well having a feet. It is estimated that
LLLLTILL	
	he well will requirecasing. Depth to water table is estimated

0	2/	58
1-	•) 4	

CANAL	SYSTEM	OR.	PIPE	LINE-

	תה מדמייויים דממממת	p (at water line))		feet; width on bo	ttom
aagate. At ne	augute. Wiath on to					
	feet; depth of u	ater	feet; grade	***************************************	feet fall per	one
ousand feet.			· · · · · · · · · · · · · · · · · · ·			
(b) At	mil	es from headgat	e: width on top ((at water line)		
	feet; width on l	bottom	feet; de	pth of water	•••••	feet:
	feet fall p			•		• •
			•		•	
	th of pipe,	,			٠.	
m intake	in.; st	ize at place of us	e	in.; difference	in elevation beta	veen
ake and place	e of use,	ft. Is g	rade uniform?		Estimated capa	icity,
***************************************	sec. ft.		•			
10. If mur	nps are to be used, g	give size and tun	2,250 gallo	on per minute	a Larre Bowler	
•						••••••
pump, c	urbine type					•••••
Give hors	epower and type of	motor or engine	to be used			•••••
		•••••			••••••	
e difference in Well ab	n or stream channent elevation between out 50 feet from er in creek and	the stream bed	and the ground s Water in wel	surface at the s	source of develops	nent
e difference in Well ab the wat	out 50 feet fro	the stream bed m Rock Creek. ab out 12 fe	and the ground s Water in wel et above the c	surface at the s	source of developm out 9 feet abov	nent
e difference in Well ab the wat	elevation between out 50 feet fro	the stream bed m Rock Creek. ab out 12 fe	and the ground s Water in wel et above the c	surface at the s	source of developm out 9 feet abov	nent
Well ab the wat 12. Locat	er in creek and ion of area to be irr	the stream bed m Rock Creek. ab out 12 fe	and the ground s Water in wel et above the common of use	surface at the s	Number Acres To Be Irrigated Supple-	nent
Well ab the wat 12. Locat Township N. or S.	er in creek and ion of area to be irr Range E. or W. of Willamette Meridian	the stream bed m Rock Creek. ab out 12 fe rigated, or place section	and the ground s Water in wel et above the c of use NE4SW4	et Primary 20.0	Number Acres	ment ve To
well ab the wat 12. Locat Township N. or S.	elevation between out 50 feet from the feet from the creek and the increek and	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section	and the ground s Water in wel et above the c of use	surface at the surfac	Number Acres To Be Irrigated Supple- mental	ment ve
the wat Township N. or S.	er in creek and ion of area to be irrowing to the control of the	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section	and the ground s Water in wel et above the c of use Forty-acre Trac NE4SW4 NW4SW4 NW4NW4 NW4NW4	ct Primary 20.0 10.8 -5.0	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9	To 20
the wat Township N. or S.	er in creek and ion of area to be irr Range E or W of Willamette Meridian	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section	and the ground s Water in wel et above the c of use Forty-acre Trac NE4SW4 NW4SW4 NE4NW4 NW4NW4 SW4NW4	Primary 20.0 10.8 -5.0 32.0	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5	To 26
Well ab the wat 12. Locat Township N. or S.	er in creek and ion of area to be irr Range E. or W. of Williamette Meridian	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section	and the ground s Water in wel et above the c of use Forty-acre Trac NE4SW4 NW4SW4 NW4NW4 NW4NW4	ct Primary 20.0 10.8 -5.0	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9	To 20
the wat 12. Locat Township N. or S.	er in creek and ion of area to be irrown will amette Meridian 22 E. "" "" "" "" "" "" "" "" ""	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section 15 "" "" "" 16 9	and the ground s Water in wel et above the c of use NE4SW4 NW4SW4 NE4NW4 NW4NW4 SW4NW4 SW4NW4 SE4NW4 SE4NW4 SE4NW4 SE4NW4 SE4NW4	Primary 20.0 10.8 - 5.0 - 32.0 - 14.6	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5*	To 26
the wat 12. Locat Township N. or S.	relevation between out 50 feet from the first creek and from the first constant of the f	ab out 12 fe rigated, or place Section 15 """ "" 16 9 ""	and the ground s Water in wel et above the c of use Forty-acre Trac NE4SW4 NW4SW4 NW4NW4 NW4NW4 SW4NW4 SE4NW4 NE4NE4 SE4NW4 SE4NW4	Primary 20.0 10.8 - 5.0 - 32.0 - 14.6	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8	To 20 30 30 20 10 11 11 11 11 11 11 11 11 11 11 11 11
the wat 12. Locat Township N. or S.	er in creek and ion of area to be irrown will amette Meridian 22 E. "" "" "" "" "" "" "" "" ""	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section 15 "" "" "" 16 9	and the ground s Water in wel et above the c of use Forty-acre Trac NE4SW4 NW4SW4 NW4NW4 NW4NW4 SW4NW4 SW4NW4 SE4NW4 NE4NE4 SW4NE4 SE4NW4 NE4SW4	ct Primary 20.0 10.8 - 5.0 32.0 -14.6 -10.8	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8 3.3	To 26 24 16
the wat 12. Locat Township N. or S.	er in creek and ion of area to be irrown will amette Meridian 22 E. "" "" "" "" "" "" "" "" "" ""	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section 15 "" "" "" "16 9 "" 9	and the ground s Water in wel et above the c of use Forty-acre Trac NEASW4 NWASW4 NWANW4 SEANW4 NEANW4 NEANW4 SEANW4 NEANW4 NEASW4	Primary 20.0 10.8 - 5.0 - 32.0 - 14.6	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8 3.3 23.2 7.2	To 20 30 30 20 10 11 11 11 11 11 11 11 11 11 11 11 11
the wat 12. Locat Township N. or S.	er in creek and ion of area to be irr Range E. or W. of Williamette Meridian	ab out 12 fe ab out 12 fe rigated, or place Section 15 "" "" "16 9 "" 9 ""	and the ground s Water in wel et above the c of use Forty-acre Trac NE4SW4 NW4SW4 NW4SW4 NW4NW4 SE4NW4 NE4NW4 NE4NW4 NE4NE4 SE4NW4 NE4SW4 NE4SW4 NW4SE4	ct Primary 20.0 10.8 - 5.0 32.0 -14.6 -10.8	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8 3.3 23.2 7.2 13.8	To 26 27 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28
the wat 12. Locat Township N. or S.	relevation between out 50 feet from the first creek and for the first considering the fi	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section 15 "" "" "" 16 9 "" 9	and the ground s Water in wel et above the c of use Forty-acre Trac NEASW4 NWASW4 NWANW4 SEANW4 NEANW4 NEANW4 SEANW4 NEANW4 NEASW4	20.0	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8 3.3 23.2 7.2	To 26 10 24 10 25 25 25 25 25 25 25 25 25 25 25 25 25
the wat 12. Locat Township N. or S.	relevation between out 50 feet from the first creek and for the first considering the fi	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section 15 "" "" "" 16 9 "" 9 "" "" "" "" "" "" "" "" "" "" ""	and the ground s Water in wel et above the c of use Forty-acre Trac NEASW4 NWASW4 NWANW4 SEANW4 NEANW4 NEANW4 SEANW4 NEANW4 NEASW4	20.0	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8 3.3 23.2 7.2 13.8	To 26 27 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28
the wat 12. Locat Township N. or S.	relevation between out 50 feet from the first creek and for the first considering the fi	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section 15 "" "" "" 16 9 "" 9 "" "" "" "" "" "" "" "" "" "" ""	and the ground s Water in wel et above the c of use Forty-acre Trac NEASW4 NWASW4 NWANW4 SEANW4 NEANW4 NEANW4 SEANW4 NEANW4 NEASW4	20.0	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8 3.3 23.2 7.2 13.8	To 26 27 26 27 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28
the wat 12. Locat Township N. or S.	relevation between out 50 feet from the first creek and for the first considering the fi	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section 15 "" "" "" 16 9 "" 9 "" "" "" "" "" "" "" "" "" "" ""	and the ground s Water in wel et above the c of use Forty-acre Trac NEASW4 NWASW4 NWANW4 SEANW4 NEANW4 NEANW4 SEANW4 NEANW4 NEASW4	20.0	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8 3.3 23.2 7.2 13.8	To 26 27 26 27 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28
the wat 12. Locat Township N. or S.	relevation between out 50 feet from the first creek and for the first considering the fi	the stream bed m Rock Creek. ab out 12 fe rigated, or place Section 15 "" "" "" 16 9 "" 9 "" "" "" "" "" "" "" "" "" "" ""	and the ground s Water in wel et above the c of use Forty-acre Trac NEASW4 NWASW4 NWANW4 SEANW4 NEANW4 NEANW4 SEANW4 NEANW4 NEASW4	20.0	Number Acres To Be Irrigated Supplemental 6.1 1.2 15.9 4.5 9.5* 2.8 18.8 3.3 23.2 7.2 13.8	To 26 27 26 27 26 27 27 28 28 28 28 28 28 28 28 28 28 28 28 28

Kind of crops raised ..hay..and..pasture..grass....

IUNICIPAL SUPPLY— 13. To supply the city of			·
co1	unty, having a	present population	of
nd an estimated population of		in 19	•
ANSWER QU	ESTIONS 14, 15	, 16, 17 AND 18 IN	ALL CASES
14. Estimated cost of propos	ed works, \$. <u>20</u> %000800	
15. Construction work will b	egin on or befo	ore	, mara, an ba
16. Construction work will b			n •
			on or before
18. If the ground water sup	oply is supplen	nental to an existi	ng water supply, identify any applicopriate water, made or held by the
plicant. Application No. U	13438; Permi	L No. U-409 (car	ncelled)
		Helen Kath	leenknikes trapplicant)
Remarks:		uames Whitn	ey West
			(il de la company)
		Susan Chris	in Christine Dest

The second secon			
n in the state of			ethorograms and section of the secti
	••••••••••••••••••••••••••••••••••••••		
TATE OF OREGON, ss.			.i
County of Marion,		•	
This is to certify that I have	e examined th	e foregoing applica	tion, together with the accompanying
aps and data, and return the sam			
		rection mpletion	
In order to retain its priorit			ed to the State Engineer, with correc-
ons on or before	Territoria de la companya della companya della companya de la companya della comp	, 19.166mm	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
June 5t		4.67. Julia	Property of the second second
July 111 WITNESS my hand this		67 October	, 19.66.
	Oth	April	67-
	llth	May	67
10 K 11 K 11 P P E		CHRIS L.	WHEELER STATE ENGINEER

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
nd shall not exceed
r source of appropriation, or its equivalent in case of rotation with other water users, from
The use to which this water is to be applied isirrigation and supplemental irrigation
If for irrigation, this appropriation shall be limited to
r its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed3
cre feet per acre for each acre irrigated during the irrigation season of each year; .provided further.
that the right allowed herein shall be limited to any deficiency in the available.
-supply-of-any-prior-right-existing-for-the-same-land-and-shall-not-exceed-the-
limitation allowed herein.
······································
nd shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The well shall be cased as necessary in accordance with good practice and if the flow is artesian he works shall include proper capping and control valve to prevent the waste of ground water.
The works constructed shall include an air line and pressure gauge or an access port for measuring ine, adequate to determine water level elevation in the well at all times.
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and hall keep a complete record of the amount of ground water withdrawn.
The priority date of this permit isMarch 22, 1967
Actual construction work shall begin on or before July 24, 1968 and shall
hereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68
Complete application of the water to the proposed use shall be made on or before October 1, 1969
WITNESS my hand this 24th day of July 1967
chie L. Marlow
STATE ENGINEER
m
dund definition of of the second of the sec

Permit No. G- G- 345 Application No. G.Z.

TO APPROPRIATE THE GRO WATERS OF THE STATE OF OREGON

This instrument was first receiv office of the State Engineer at Salen on the 28-th. day of \sim 1966, at 1. 1'20 o'clock.

Returned to applicant:

Ground Water Permits on page ... Recorded in book No.

Approved:

CHRIS L. WHEELER

- Drainage Basin No. ... 6.... page