

RECEIVED  
JAN 17 1967  
ENGINEER  
GREGGSON

Permit No. G-3463

CERTIFICATE NO. 43690

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, TUALATIN DEVELOPMENT CO., INC.  
(Name of applicant)  
of 15375 SW Royalty Parkway, Tigard, Oregon 97223, county of Washington  
(Postoffice Address)  
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation  
November 22, 1963 - Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Tualatin River  
(Name of stream)  
tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is golf course irrigation

4. The well or other source is located 100.6' @ S- 36° 27' 30" - W ft. and ft. from the NW corner of Lot 25, Block 7, King City #3 recorded subdivision  
(N. or S.) (E. or W.)  
(Section or subdivision)  
N 43° 11' 29" E. 828.35 ft. from SW cor Sec 10  
(If preferable, give distance and bearing to section corner)  
being within the SW 1/4 SW 1/4 1/4 3-7-67  
(If there is more than one well, each must be described. Use separate sheet if necessary)  
being within the duly recorded plat of King City #3 Sec. 10, Twp. 2-S, R. 1-W, W. M., in the county of Washington

5. The pipe line to be 40 feet in length, terminating in the plat of King City #5 of Sec. 10, Twp. 2-S, R. 1-W, W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line) (Smallest legal subdivision)  
King City

6. The name of the well or other works is golf course irrigation well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.  
not artesian

8. The development will consist of one (1) well having a diameter of 8" inches and an estimated depth of 805' feet. It is estimated that 350' feet of the well will require 8" steel casing. Depth to water table is estimated 600'  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) None feet; width on bottom None feet; depth of water None feet; grade None feet fall per one thousand feet.

(b) At None miles from headgate: width on top (at water line) None feet; width on bottom None feet; depth of water None feet; grade None feet fall per one thousand feet.

(c) Length of pipe, None ft.; size at intake, None in.; in size at None ft. from intake None in.; size at place of use None in.; difference in elevation between intake and place of use, None ft. Is grade uniform? None Estimated capacity, None sec. ft.

10. If pumps are to be used, give size and type 6" Western Turbine

Give horsepower and type of motor or engine to be used 40 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use golf course recorded plats King City 2,3,4,5

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T-2 South	R-1W	10	N.E. ¼ of S.W. ¼	6.79
T-2S	R-1W	10	S.E. ¼ of S.W. ¼	4.05
T-2S	R-1W	10	S.W. ¼ of S.W. ¼	14.44
T-2S	R-1W	15	N.W. ¼ of N.W. ¼	15.66
T-2S	R-1W	15	S.W. ¼ of N.W. ¼	2.44
				<u>43.38</u>

(If more space required, attach separate sheet)

Character of soil Lt. Brown Clay

Kind of crops raised None

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 15,000.....
- 15. Construction work will begin on or before May 15, 1966.....
- 16. Construction work will be completed on or before March, 1967.....
- 17. The water will be completely applied to the proposed use on or before June 30, 1967.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Not applicable.....

*Frederic B. Jensen*  
(Signature of applicant)

Remarks: The water obtained from the well will be pumped into our golf course holding pond and then pumped out onto the golf course through our underground sprinkler system.....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 17th, 19 67.

WITNESS my hand this 16th day of February, 19 67.

RECEIVED  
FEB 27 1967

CHRIS L. WHEELER  
STATE ENGINEER

*Tony W. Johnson*  
ASSISTANT

STATE ENGINEER  
OREGON

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.54 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 17, 1967

Actual construction work shall begin on or before August 10, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 10th day of August, 1967.

James W. Carver  
STATE ENGINEER

PL

Application No. G-3777  
Permit No. G-G 3463

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 17th day of January,  
1967, at 8:00 o'clock A M.

Returned to applicant:

Approved:

August 10, 1967 of  
Recorded in book No. G 3463

Ground Water Permits on page G 3463

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 97F

State Printing

1710