

RECEIVED
DEC 13 1966

CERTIFICATE NO. 37317

STATE ENGINEER
SALEM, OREGON

Permit No. G- **G 3469**

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Willson C. and Maxine E. Rich
(Name of applicant)
of Rt. 2, Box 483, Lebanon
(Postoffice Address), county of Linn

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation:

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated unnamed stream
(Name of stream)

tributary of Burkhart

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 50 gallons per minute.

3. The use to which the water is to be applied is Irrigation

N. 46° E. 31.5 chains

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the SW corner of S. 20
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of SW 1/4 of Sec. 20, Twp. 11 S, R. 2 W, W. M., in the county of Linn

5. The main pipeline to be 870 feet miles in length, terminating in the NW 1/4 of SW 1/4 and NE 1/4 of SW 1/4 of Sec. 20, Twp. 11 S, R. 2 W, W. M., the proposed location being shown throughout on the accompanying map.
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is Rich No. 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pump well having a diameter of 6 inches and an estimated depth of 60 feet. It is estimated that 60 feet of the well will require steel casing. Depth to water table is estimated 8
(Give number of wells, tunnels, etc.) (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 870 ft.; size at intake, 3 in.; in size at 270 ft. from intake 2 in.; size at place of use 2 in.; difference in elevation between intake and place of use, -6 ft. Is grade uniform? Yes Estimated capacity, 0.2 sec. ft.

10. If pumps are to be used, give size and type Fairbanks Morse deep well turbine.....

Give horsepower and type of motor or engine to be used 3 H. P. electric.....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Well site is approximately 210 feet from channel of unnamed stream. The stream bed is approximately 8 feet lower than the well site.

12. Location of area to be irrigated, or place of use S. 20, T. 11 S., R. 2 W

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	2 W	20	NW ¹ / ₄ of SW ¹ / ₄	2.2
11 S	2 W	20	SW ¹ / ₄ of SW ¹ / ₄	0.7
11 S	2 W	20	SE ¹ / ₄ of SW ¹ / ₄	5.6
11 S	2 W	20	NE ¹ / ₄ of SW ¹ / ₄	5.4
			Total	13.9

(If more space required, attach separate sheet)

Character of soil Amity, Dayton and Willamette.....

Kind of crops raised Forage and Garden.....

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..2000.00.....
- 15. Construction work will begin on or before well drilled in 1959.....
- 16. Construction work will be completed on or before 1959.....
- 17. The water will be completely applied to the proposed use on or before October 1, 1969.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Wilson C. and Maxine E. Rich
(Signature of applicant)

Remarks:
by Wilson C. Rich

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.11 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is December 2, 1966

Actual construction work shall begin on or before September 1, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 1st day of September, 1967

Chris L. Wheeler
STATE ENGINEER

PC

Application No. G-3740
Permit No. G-3469

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 2nd day of December,
1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

September 1, 1967
Recorded in book No. G-3469 of

Ground Water Permits on page G-3469

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2, page 97F

State Printing

#15-00