

Permit No. G- G 3472

APPLICATION FOR A PERMIT

CERTIFICATE NO. 46149

To Appropriate the Ground Waters of the State of Oregon

Pacific Power & Light Company (Name of applicant)
of920 S. W. Sixth Avenue, Portland, county ofMultnomah
state of Oregon 97204 does hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
June 16, 1910 State of Maine
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated
tributary of North Umpqua River
2. The amount of water which the applicant intends to apply to beneficial use is .0.111 cubic feet per second or50 gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is located 500 ft. South and 400 ft. East from the NW (N. or S.) corner of SW4 of Section 36, T 26 S, R 3 E, W.M. (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW1 of SW1 of Sec. 36 , Twp. 268 , R. 3E ,
W. M., in the county of Douglas
5. The Pipeline to be 0.15 miles
in length, terminating in the NW of SW of SW of Sec. 36. Twp. 268.
(Smallest legal subdivision) R3E, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . Clearwater Village Well
6. The name of the well or other works is .
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Flow is not artesian
8. The development will consist of
diameter of6 inches and an estimated depth of55 feet. It is estimated that54
feet of the well will requiresteel casing. Depth to water table is estimated28
from ground surface

4 4 4 7 A 7 A 7	. on name =			G 3472
	I OR PIPE LINE- e dimensions at eac		nal where materially change	d in size, stating miles from
	•	_	e)	
			feet; grade	•
housand feet.	, , ,		, , ,	
	mile	s from heada	ate: width on top (at water	line)
			feet; depth of wa	
	feet fall pe		v •	•.
	_		rize at intake2 ir	ı.: in size at f
•			use 2 in.; diffe	• •
			grade uniform? No	
0,111		•		
	•	ina siza and ta	pe 50 gpm deepwell	turbine pump
10. If pants	os are to be usea, g		pe	
Give horsep	oower and type of	motor or engi	ne to be used5horsepo	wer electric motor
11. If the lo natural stream o the difference in e	ocation of the well, or stream channel, elevation between	, tunnel, or oth , give the dist the stream be	er development work is less ance to the nearest point on d and the ground surface at	than one-fourth mile from each of such channels an the source of developmen
11. If the lo natural stream o the difference in e	ocation of the well, or stream channel, elevation between	, tunnel, or oth , give the dist the stream be earwater Rice	her development work is less	than one-fourth mile from each of such channels an the source of developmen
11. If the lo natural stream o the difference in e	ocation of the well, or stream channel, elevation between 5. feet from Cle	, tunnel, or oth , give the dist the stream be earwater Rice	er development work is less ance to the nearest point on d and the ground surface at	than one-fourth mile from each of such channels an the source of developmen
11. If the lost natural stream of the difference in each	ocation of the well, or stream channel, elevation between 5. feet from Cle O feet above st	tunnel, or oth give the dist the stream be earwaterRiv tream bed	ner development work is less ance to the nearest point on d and the ground surface at	s than one-fourth mile from each of such channels and the source of developmen
11. If the lost natural stream of the difference in each	ocation of the well, or stream channel, elevation between 5. feet from Cle O feet above st	tunnel, or oth give the dist the stream be earwaterRiv tream bed	er development work is less ance to the nearest point on d and the ground surface at	s than one-fourth mile from each of such channels and the source of developmen
11. If the lost natural stream of the difference in each of the difference in the di	ocation of the well, or stream channel, elevation between 5. feet. from Cle O feet above st	tunnel, or oth give the dist the stream be earwater Riv tream bed igated, or place	er development work is less ance to the nearest point on d and the ground surface at series. Ter	s than one-fourth mile from each of such channels and the source of developmen Village Number Acres
11. If the lost natural stream of the difference in each of the difference in the di	ocation of the well, or stream channel, elevation between 5. feet. from Cle O feet above st on of area to be irrown of willamette Meridian 3. E	tunnel, or oth give the distribute stream bed tream bed section	ner development work is less ance to the nearest point on d and the ground surface at series. Ter Clearwater Forty-acre Tract	s than one-fourth mile from each of such channels an the source of developmen Village Number Acres To Be Irrigated
11. If the lost natural stream of the difference in each of the differ	ocation of the well, or stream channel, elevation between 5. feet. from Cle O feet above st on of area to be irre Range E. or W. of Willamette Meridian 3 E 3 E	tunnel, or oth give the distribute stream bed tream bed section 35	rer development work is less ance to the nearest point on d and the ground surface at the surfac	than one-fourth mile from each of such channels and the source of development with the source of the source of the source of development with the source of the s
11. If the lost natural stream of the difference in each of the difference in the di	ocation of the well, or stream channel, elevation between 5. feet. from Cle O feet above st on of area to be irre Range E. or W. of Willamette Meridian 3 E 3 E 3 E	tunnel, or oth give the district the stream bed stream bed section section 35 36 36	rer development work is less ance to the nearest point on d and the ground surface at the second surface at th	s than one-fourth mile from each of such channels and the source of development with the source of the source of development with the source of development
11. If the lost natural stream of the difference in each of the differ	ocation of the well, or stream channel, elevation between 5. feet. from Cle O feet above st on of area to be irre Range E. or W. of Willamette Meridian 3 E 3 E	tunnel, or oth give the distribute stream bed tream bed section 35	rer development work is less ance to the nearest point on d and the ground surface at the surfac	than one-fourth mile from each of such channels and the source of development with the source of the source of development with the source of development w
11. If the lost natural stream of the difference in each of the difference in the di	ocation of the well, or stream channel, elevation between 5. feet. from Cle O feet above st on of area to be irre Range E. or W. of Willamette Meridian 3 E 3 E 3 E	tunnel, or oth, give the distribute stream bed tream bed section 35 36 36 36	rer development work is less ance to the nearest point on d and the ground surface at the second surface at th	than one-fourth mile from each of such channels and the source of development with the source of the source of development with the source of development w
11. If the lost natural stream of the difference in each of the difference in the di	ocation of the well, or stream channel, elevation between 5. feet. from Cle O feet above st on of area to be irre Range E. or W. of Willamette Meridian 3 E 3 E 3 E	tunnel, or oth, give the distribute stream bed tream bed section 35 36 36 36	rer development work is less ance to the nearest point on d and the ground surface at the second surface at th	than one-fourth mile from each of such channels and the source of development with the source of the source of development with the source of development w
11. If the lost natural stream of the difference in each of the difference in the di	ocation of the well, or stream channel, elevation between 5. feet. from Cle O feet above st on of area to be irre Range E. or W. of Willamette Meridian 3 E 3 E 3 E	tunnel, or oth, give the distribute stream bed tream bed section 35 36 36 36	rer development work is less ance to the nearest point on d and the ground surface at the second surface at th	than one-fourth mile from each of such channels and the source of development with the source of the source of development with the source of development w

(If more space required, attach separate sheet)

Character of soil. The supply is fo	r domestic use and n	ot irrigation
Citatactor of con	The season of the season of	,
Kind of crops raised		

.

ASSISTANT

MUNICIPAL SUPPLY— 13. To supply the city of	Pacific Power & Light Company's Clearwater Vill					
Douglas county, h	aving a present population of45 to 80					
nd an estimated population of same	in 19.76					
ANSWER QUESTION	IS 14, 15, 16, 17 AND 18 IN ALL CASES					
14. Estimated cost of proposed wor	ks, \$ 9,000.00					
15. Construction work will begin or	or before December 1, 1966					
	oleted on or before December 31, 1966.					
17. The water will be completely a	oplied to the proposed use on or before December 31, 19					
18. If the ground water supply is	18. If the ground water supply is supplemental to an existing water supply, identify any apation for permit, permit, certificate or adjudicated right to appropriate water, made or held by					
pplicant. The supply from the we	Ll will be primary and not supplemental					
	PACIFIC POWER & LIGHT COMPANY					
	By: Signature of applicant) Property Department Manager					
Remarks:						

	<u> </u>					
STATE OF OREGON, ss. County of Marion,						
	nined the foregoing application; together with the accompan					
	1: Engineer spith con					
	application must be returned to the State Engineer, with con					
tions on or before						
● ** *** ** **						
WITNESS my hand this	. day of, 19,					
	STATE ENGIN					

By

SUBJECT	TO EXISTING RIG	HTS and the followin	g limitations and conditi	ons:
The	right herein granted	l is limited to the amo	unt of water which can	be applied to beneficial use
and shall r	not exceed 0.11	cubic feet per sec	ond measured at the poin	t of diversion from the well
or source d	of appropriation, or i	ts equivalent in case o	f rotation with other wa	ter users, from a. well
The				earwater Village
If fo	or irrigation, this app	ropriation shall be lim	ited to .	of one cubic foot per second
or its equi	valent for each acre	irrigated and shall be	further limited to a diver	sion of not to exceed
acre feet p	per acre for each acre	irrigated during the	irrigation season of each	year; and shall be
.further	limited.to.appro	priation.of.water	only to the extent	that it does not impair
orsubsta	antially interfer	ewithexistings	urface.water.rights.	of others
***************************************	••••		••••••	
***************************************	***************************************			
				•••••••••••••••••••••••••••••••••••••••
and shall h	ne subject to such rea	somable rotation susta	n as may be ordered by t	ha manan atata affican
the works	shall include proper	capping and control ve	ilve to prevent the waste	
The line, adequ	works constructed sl late to determine wa	hall include an air line ter level elevation in	e and pressure gauge or a the well at all times.	n access port for measuring
The	permittee shall insta		r. meter. or other suita	ble measuring device, and
				·
The	priority date of this	permit is	November 10, 1966.	
Actu	ial construction work	shall begin on or befo	reSeptember29,1	968 and shall
			•	before October 1, 1968
		•	· · · · · · · · · · · · · · · · · · ·	or before October 1, 1969.
		29thday of		
			ef Z	
	**************************************	,		STATE ENGINEER
	1	the Jon,		3472
	р.	in th regon		Y S HEAT
28	GROUND	alem, Or	7961	G 32 EER 37
34		sale	. 68	() () () () () () () () () ()
G 3	THE THE SON	first er at		n pag
Vo. C	PERMIT PPRIATE THE GROTES OF THE STATE	vas j gine of	licant:	ook No. Tmits on This on I No.
on N o. G	PE)	te Engi day of	applicant:	book ermi in N
Application No. Permit No. G	PERMIT APPROPRIATE THE WATERS OF THE S OF OREGON	trument was f State Enginee LL. day of	app	rded in book No. Water Permits on page. CHRIS L. WHE sna uage Basin No. 14. pag
App Pern	1	ins f the	turned to proved:	Recorded in book No. ound Water Permits or CHRIS Drainage Basin No.
_	10	This fice of the the	turned proved:	Recon ound Drain