

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Everett J. and Dorothy L. Becraft
(Name of applicant)
of S.R. 6. Box 556 Lakeview, county of Lake
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Lakeview Water Users Canal
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 1600 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located _____ ft. _____ and _____ ft. _____ from the SE.
(N. or S.) (E. or W.)
corner of Section 24
(Section or subdivision)
N. 73° 15' W. 1399 feet
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 SE 1/4 of Sec. 24, Twp. 40S., R. 18E.,
W. M., in the county of Lake

5. The Pipe line and Canal to be 3.5 miles
(Canal or pipe line)
in length, terminating in the SW 1/4 NW 1/4 of Sec. 25, Twp. 40S.,
(Smallest legal subdivision)
R. 18E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Becraft Number 1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well having a
(Give number of wells, tunnels, etc.)
diameter of 14 inches and an estimated depth of 334 feet. It is estimated that 102
feet of the well will require Perforated casing. Depth to water table is estimated 30
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 3 feet; width on bottom 1 feet; depth of water 1.5 feet; grade 1 feet fall per one thousand feet.

(b) At 1/8 miles from headgate: width on top (at water line) 3 feet; width on bottom 1 feet; depth of water 1.5 feet; grade 1 feet fall per one thousand feet.

(c) Length of pipe, 3500 ft.; size at intake, 12 in.; in size at 1122 ft. from intake 10 in.; size at place of use 10 in.; difference in elevation between intake and place of use, 8 ft. Is grade uniform? NO Estimated capacity, 3.5 sec. ft.

10. If pumps are to be used, give size and type Turbine 10 inch Column

Give horsepower and type of motor or engine to be used 40 H.P. Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
40S.	18E.	24	NE 1/4 SE 1/4	5.
40S.	18E.	24	NW 1/4 SE 1/4	32.5
40S.	18E.	24	SE 1/4 SE 1/4	38.7
40S.	18E.	24	SW 1/4 SE 1/4	40.
40S.	18E.	24	NE 1/4 SW 1/4	1.8
40S.	18E.	24	SE 1/4 SW 1/4	23.5
40S.	18E.	25	NE 1/4	160.
40S.	18E.	25	NE 1/4 NW 1/4	39.4
40S.	18E.	25	NW 1/4 NW 1/4	7.7
40S.	18E.	25	SE 1/4 NW 1/4	38.8
40S.	18E.	25	SW 1/4 NW 1/4	1.
				<u>388.4</u>

(If more space required, attach separate sheet)

Character of soil Sandy loam; Clay loam

Kind of crops raised Grain - Hay - Pasture - Row crops

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 20,000.....
- 15. Construction work will begin on or before 4/7-1967 - well completed 5/25/67
by Jack Stooksberry
- 16. Construction work will be completed on or before July 15, 1970.....
- 17. The water will be completely applied to the proposed use on or before July 15 1968
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Everett J. Bacraft
(Signature of applicant)

Remarks: The ditch and flood system is temporary.
The final application of water will be
by sprinkler system for better utilization
of water. Some of this property will not be
irrigated more than twice a year depending on
crops raised.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction
Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 28th, 19 67
November 14th 67

WITNESS my hand this 28th day of July, 19 67
14th September 67

CHRIS L. WHEELER
STATE ENGINEER

By *Taylor W. Johnson*
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.6 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 12, 1967

Actual construction work shall begin on or before October 10, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 10th day of October, 1967

Chris L. Wheeler
STATE ENGINEER

Application No. G-3990
Permit No. G-3529

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of July, 1967, at 8:00 o'clock A. M.

Returned to applicant:
Approved: October 10, 1967
Recorded in book No. of G 3529

Ground Water Permits on page G 3529
CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 13 page 58

State Printing

449 95

PC