Permit No. G-... G 3530

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Scone Machinery Co. by Howard Stone, President (Name of applicant)	*************
of	······································
state of	oriate the
If the applicant is a corporation, give date and place of incorporation	
February 1956, Washington (authorized to do business in Oregon)	
1. Give name of nearest stream to which the well, tunnel or other source of water development	
	=
situated Butter Creek (Name of stream)	••••••••••
tributary ofUmatilla Riv_#1	10-5- 4
2. The amount of water which the applicant intends to apply to beneficial use is #2 feet per second or gallons per minute. #14,7\frac{1}{2}-2,019.6 #24\frac{1}{9}-8.8	±9-cubic6
3. The use to which the water is to be applied is	*******
irrigation	
4. The well or other source is located ft. ft. and ft. ft. from the contract of the first of the contract of the contra	re
corner of	***********
#1 S. 41°-11'-30" W 5239.5 ft. to S.W. Corner Sec. 18 (If preferable, give distance and bearing to section corner)	***********
#2 S. 80°-04' W 303' to S. one quarter Corner Sec. 6 (If there is more than one well, each must be described. Use separate sheet if necessary)	
being within the of Sec, Twp. 3 N. , R. 2	28 E.,
W. M., in the county of Umatilla	
5. The to be to be	miles
in length, terminating in the	
R, W. M., the proposed location being shown throughout on the accompanying map.	
6. The name of the well or other works is . Stone Well #1 and Stone Well #2	· · · · · · · · · · · · · · · · · · ·
DESCRIPTION OF WORKS	
7. If the flow to be utilized is artesian, the works to be used for the control and conservation supply when not in use must be described.	on of the
No.	

8. The development will consist of 2 Wells, each (Give number of wells, tunnels, etc.)	
diameter of	
feet of the well will requirestandard casing. Depth to water table is estimated	200 (Feet)
Construction not started yet.	
· · · · · · · · · · · · · · · · · · ·	

G 353 0
e, stating miles from
et; width on bottom
feet fall per one
feet;
e at ft.
ı elevation between
Estimated capacity,
information
ne-fourth mile from f such channels and
rce of development
Number Acres
To Be Irrigated
· · · · · · · · · · · · · · · · · · ·

9. (a) G	4			
headgate. At he	eadgate: width on top	(at water line)		feet; width on bott
••••••••••••••••••••••••••••••••••••••	feet; depth of wat	terfeet;	grade	feet fall per
housand feet.				
(b) At	miles	from headgate: width o	n top (at water li	ne)
•••••	feet; width on bo	ttom f	eet; depth of wate	r fo
See	attached sheet	one thousand feet. t . ft.; size at intak	?in.:	in size at
		e at place of use		
		loverft. Is grade unif		
sently unk				•
		ve size and typeEle	etric - furth	ner information
		ls completed		
		notor or engine to be use		
Give nors	sepower and type of n	notor or engine to be use		
natural stream the difference in tone Well tone Well o. I lower	n or stream channel, n elevation between to No. 1 to Butte No. 2 to Westl than Butter C	tunnel, or other developmed to the distance to the he stream bed and the grand Canal - App. 6 and Canal - App. 10. 12 highs	nearest point on e round surface at t 30! one-fourth a	mile
a natural streamenthe difference in tone Well tone Well tone I lower	n or stream channel, n elevation between to No. 1 to Butte No. 2 to Westl than Butter C	give the distance to the he stream bed and the great - App. 6 and Canal - App.	nearest point on e round surface at t 30! one-fourth a	mile
a natural streamenthe difference in tone Well tone Well tone I lower	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter Cotion of area to be irrig	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30! one-fourth a	mile
a natural stream the difference in tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter Cotion of area to be irriger of Westle of Westle Cot W	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference in tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference in tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
natural stream the difference is tone Well tone Well o. I lower 12. Loca	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
natural stream the difference is tone Well tone Well o. I lower 12. Loca	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference i tone Well tone Well O. I lower 12. Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference i tone Well tone Well O. I lower 12. Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference i tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference in tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference in tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference in tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference in tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte No. 2 to Westle than Butter C tion of area to be irriguished to the Range E. or W. of Willamette Meridian	give the distance to the he stream bed and the great recent recen	nearest point on e round surface at t 30' one-fourth t er than Cana	mile Number Acres
a natural stream the difference in tone Well tone Well tone Well Loca Township N. or S.	n or stream channel, in elevation between the No. 1 to Butte. No. 2 to Westl. than Butter Continuous area to be irrigued to the irrigues of Willamette Meridian. Eached sheet.	give the distance to the he stream bed and the great recent recen	nearest point on eround surface at t 30 ' one—fourth are than Cana	mile Number Acres

STONE WELL NO. 1

6600 feet of 6" mainline

feet of 4" lateral wheelmove figures not available

feet of 3" lateral handmove at this time

Acres to be Irrigated

Township	Range E.W.M.	Section Primary	Forty acre Tra	ct No. of Acres
3N	28	7	SESE	24 ·
		7	NESE	9. 9.
·		7	NWSE	40
		. 8	NWSW	2
		18	NENE	32.5
		18	SWNE	5
				112.5

Supplemental

Township	Range E.W.M.	Section	Forty Acre Tract	No. of Acres	Cert. No.
3N	28	7	SWSE	40	2691
•		7	SESE	16	2691
		7	NESE	31	2691
		8	NWSW	38	2691
		18 .	NWSE	40	32696,8795
		18	SWNE	3 5	32696,8795
		18	NWNE	40	2691
		18	NENE	7.5	2691
			•	247.5	

STONE WELL NO. 2

5280 feet of 6" mainline

feet of 4" lateral

feet of 3" lateral

Acres to be Irrigated

Township	Range E.W.M.	Section	Forty Acre Tra	
		Primary	<u>.</u>	. '
3N	28	6	NWSE	40
		6	NESE	11.3
	÷	6	SWSE	40°
		6	SESE	18 9.1999 49. 18 99 999 2.1999 4
		7	NWNE	40
	,	7	NENE	. 25 ⁻
		7	SWNE	40
		7	SENE	21
		8	NWNW	7
•	•	•		242.3

Supplemental

Township	Range E.W.M.	Section	Forty Acre Tract	No. of Acres	Certificate No.
3N	28	5	NWSW	40	2847, 7400, Decree Vol. 16, P. 457, 27583
		5	SWSW	40	2847, 7400, Decree Vol. 3, P. 246, 27583
		6	NESE	28.7	7400, 2847, Decree Vol. 16, P. 457
		6	SESE	22	7400, 2847, Decree Vol. 16, P. 457, 27583
		7	NENE	15	7400, 27583
		7	SENE	19	2691
		8	MMMM	33	7400, Decree Vol. 16, P. 457, 27583
		8	SWNW	40.	2691, 7400, Decree Vol. 3, P. 246

10000

WUNICIPAL SUPPLY— 13 To supply the city of		•
7. 0	county, having a present population of	
nd an estimated population of		, .
*,		• •
* · · ·	QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES	
·	posed works, \$18,000/well	
15. Construction work wi	ill begin on or before May 1, 1968	·
16. Construction work wi	ill be completed on or before May 1, 1969	
17. The water will be con	npletely applied to the proposed use on or before	May 1, 1970
	supply is supplemental to an existing water supp rificate or adjudicated right to appropriate water,	
pplicant. See attache	d sheet.	
:	STONE MACHINERY COM	PANY
	By: Howard Sta	MO
See attac	ched sheet. (Signature of app	licant)
Remarks:		······································
	•••••••••••••••••••••••••••••••••••••••	

•	<u> </u>	
		1

		•••••
STATE OF OREGON, County of Marion, ss.		
This is to certify that I h	have examined the foregoing application, together	with the accompanyin
naps and data, and return the s	same forCompletion	:
In order to retain its prio	ority, this application must be returned to the State	Engineer, with correc
ions on or beforeAugustl	5th, 1967.	
WITNESS my hand this .	15th day ofJune	, 19. <u>6</u> 7

CHRIS L. WHEELER STATE ENGINEER

BEOLUM ASSISTANT

Remarks: This application covers two wells, neither of which have been constructed. Consequently, no accurate estimate or prediction can be made regarding the productive capacity of either well.

The application covers 840 acres and is for a total of 10.5 cubic feet per second or 4,712.4 gallons per minute from both wells. The acreage lines and yields for each well have been arbitrarily fixed at the request of the Oregon State Engineer and will be adjusted to the actual yields of the two wells.

Any increase in yield-use from one well will require an equal decrease from the other. The actual maximum flows for each of the wells will be established prior to the Certificates being issued, but the maximum potential yield for each well is 10.5 cubic feet per second or 4,712.4 gallons per minute which is also the maximum for both wells.

The land to be irrigated from each well will also be finally determined prior to the Certificates being issued and adjustment may be made in the arbitrary acreage-well plan submitted herewith subject to the maximum acreage limitation of 840 acres.

0307177 21867

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .10.5..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ... two wells being 4.5 cfs from well #1 and 6.0 cfs from well #2 The use to which this water is to be applied is ..irrigation and supplemental irrigation or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed3.... acre feet per acre for each acre irrigated during the irrigation season of each year; ..provided further. that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation...allowed..herein...and..the..right..allowed..herein...shall..not..authorize.appropriation from the aquifer supplying those wells described in the State Engineer's Ground Water Report No. 11 as "Deep Wells in Basalt", unless appropriations are permitted in the final order of the State Engineer declaring that aquifer a critical ground water area and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. Actual construction work shall begin on or before October 11, 1968...... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...69.... Complete application of the water to the proposed use shall be made on or before October 1, 19...99 WITNESS my hand this ... 11th ... day of October I , 1967....

STATE ENGINEER

Permit No. G-...

Application No. G-.Z...

APPROPRIATE THE GROUND

To

WATERS OF THE STATE

OREGON

OF

This instrument was first received in

office of the State Engineer at Salem, Oregon × 00:/ /, at . 196

Returned to applicant.

Ground Water Permits on page in book No. Recorded

CHRIS. L. WHEELER page No. Basin Drainage