

RECEIVED
DEC 7 1966

CERTIFICATE NO. 37743

STATE ENGINEER
LEBANON

Permit No. G- G 3539

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Leonard C. and Ruth L. Donovan (Name of applicant)

of Rt. 2, Box 411, Lebanon (Postoffice Address), county of Linn

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Santiam River (Name of stream)

tributary of Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or .350 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located N. 26° E. 26.0 chains ft. and ft. from the SW (N. or S.) (E. or W.)

corner of SE1/4 of S. 23, T. 11 S., R. 2 W. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW1/4 of SE1/4 of Sec. 23, Twp. 11 S., R. 2 W., W. M., in the county of Linn

5. The main line pipe (Canal or pipe line) to be 1300 feet miles in length, terminating in the NE1/4 of SW1/4 and NE1/4 of SE1/4 of Sec. 23, Twp. 11 S., R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Donovan No. 3

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one pump well having a diameter of 10 inches and an estimated depth of 26 feet. It is estimated that 26 feet of the well will require steel casing. Depth to water table is estimated 12 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1300 ft.; size at intake 5 in.; in size at 700 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, +2 ft. Is grade uniform? Yes Estimated capacity, 0.9 sec. ft.

10. If pumps are to be used, give size and type 2½" centrifugal

Give horsepower and type of motor or engine to be used 20 H. P. electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

the well is approximately 890 feet from the channel of a slough off the South Santiam River. The stream bed is approximately 15 feet lower than the ground surface at the well site.

12. Location of area to be irrigated, or place of use S. 23, T. 11 S., R. 2 W.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S	2 W	23	SE¼ of SW¼	1.5
11 S	2 W	23	NE¼ of SW¼	13.2
11 S	2 W	23	NW¼ of SE¼	15.7
11 S	2 W	23	SW¼ of SE¼	3.2
11 S	2 W	23	SE¼ of SE¼	1.9
11 S	2 W	23	NE¼ of SE¼	2.8
total				38.3

(If more space required, attach separate sheet)

Character of soil Chehalis silty clay loam

Kind of crops raised Berries, Vegetables, Grain, Nuts

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 2500.00
- 15. Construction work will begin on or before October 25, 1966
- 16. Construction work will be completed on or before October 27, 1966
- 17. The water will be completely applied to the proposed use on or before October 1, 1968

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. _____

Remarks: _____

Leonard C. & Ruth L. Donovan
(Signature of applicant)
By Leonard C. Donovan

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.48..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied isirrigation.....

If for irrigation, this appropriation shall be limited to1/80th... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...2 1/2... acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isDecember 7, 1966.....

Actual construction work shall begin on or beforeOctober 19, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.....

Complete application of the water to the proposed use shall be made on or before October 1, 1970...

WITNESS my hand this19th..... day ofOctober....., 1967.

Chris L. Wickham

STATE ENGINEER

PL

Application No. G- 3747
Permit No. G- G 3539

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 7th day of December,
1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 19, 1967

Recorded in book No. of
Ground Water Permits on page G 3539

CHRIS L. WICKHAM
STATE ENGINEER

Drainage Basin No. 2 page 97F

1635