

Permit No. G-356

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Leonard C. and Ruth L. Donovan (Name of applicant)

of Rt. 2, Box 146, Lebanon, county of Linn (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated South Santiam River (Name of stream)

tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 160 cubic feet per second or gallons per minute from each well.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located No. 1 N. 88° 10' E. 6.26 chains Alternate No. 1 N. 79° 19' E. 1.18 chains No. 2 N. 88° 22' E. 18.26 chains from the SW corner of S. 25, T. 11 S., R. 2 W. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

If there is more than one well, each must be described. Use separate sheet if necessary.

bearing to the SW 1/4 of SW 1/4 of Sec. 25, Twp. 11 S., R. 2 W.

W. M. of the county of Linn

The main pipe lines No. 1 & alt. 420 feet No. 2 600 feet at length terminating in the SW 1/4 of SW 1/4 (No. 1 & alt.) of Sec. 25, Twp. 11 S., R. 2 W. No. 2 - SW 1/4 of SW 1/4 & SE 1/4 of SW 1/4 W. M. the proposed location being shown throughout on the accompanying map.

The name of the well or other works is Donovan No. 1, Alternate No. 1 & Donovan No. 2

DESCRIPTION OF WORKS

If the water to be utilized is artesian, the works to be used for the control and distribution of the water must be described

The proposed project will consist of two pump wells with alternate (Give number of wells to be constructed)

8 inches and an estimated depth of 25 feet. It is estimated that 25

will be used. The pipe is steel (Give diameter of pipe) Depth to water table is estimated to be 8

CANAL SYSTEM OR PIPE LINE--

9. (a) Give dimensions at each point of canal where materially changed in size stating mile or

headgate. At headgate: width on top (at water line) _____ feet, width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(b) At _____ miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, 420 - No. 1 & alt. 5 in.; in size at 420 ft. from intake 5 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 2 ft. Is grade uniform? yes Estimated capacity .6 sec. ft.

10. If pumps are to be used, give size and type 3" centrifugal - No. 1 & alt.
1 1/2" " - No. 2

Give horsepower and type of motor or engine to be used 15 H.P. electric - No. 1 & alt.
10 H. P. electric - No. 2

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development.

Well No. 1 is 1584 feet from the South Santian River. Stream bed is approximately 30 feet below the ground surface. Alternate well No. 1 is 1914 feet from South Santian River. Difference in elevation same as for No. 1. Well No. 2 is approximately 825 feet from South Santian River. Stream bed is approximately 30 feet below the ground surface at well.

12. Location of area to be irrigated, or place of use (See below)

Well No.	Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acre to be irrigated
Well No. 1 and alt.	11 S	2 W.	26	SE 1/4 of SE 1/4	6.8
	11 S	2 W.	25	SW 1/4 of SW 1/4	9.5
					<u>16.3</u>
Well No. 2	11 S	2 W	25	SW 1/4 of SW 1/4	3.0
	11 S	2 W	25	SE 1/4 of SW 1/4	4.5
					<u>7.5</u>

If more space required, state in separate sheet

Chehalis and Newberg

Berries and Vegetables

MUNICIPAL SUPPLY

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19 _____

14. Estimated cost of proposed works, \$ 3000.00

15. Construction work will begin on or before Sept. 6, 1957

16. Construction work will be completed on or before October 1, 1957

17. The water will be completely applied to the proposed use on or before October 1, 1958

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Remarks:

Leonard C. Ruth L. Donovan
(Signature of applicant)
By Leonard C. Donovan

If sufficient water isn't secured at Site No. 1, I wish to drill at

Alternate Site No. 1

STATE OF OREGON,)
) ss.
County of Marion,)

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections, on or before November 27, 1956.

WITNESS my hand this _____ day of September, 1956.

By _____ STATE ENGINEER
Chris L. Stewart
Chris L. Stewart, Assistant

STATE OF OREGON, }
County of Marion, }

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from Donovan Wells Numbers 1, Alternate and 2

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line adequate to determine water level elevation in the well at all times.

The priority date of this permit is 0.2 c.f.s. for September 7, 1956
0.1 c.f.s. for October 1, 1956

Actual construction work shall begin on or before October 10, 1957 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1958

Complete application of the water to the proposed use shall be made on or before October 1, 1959
The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

WITNESS my hand this 10th day of October, 1956

LEWIS A. STANLEY

STATE ENGINEER

By Max F. Rogers
Max F. Rogers, Deputy

56-467
356

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,

on the 7th day of September
1956 at 8:00 o'clock A. M.

Returned to applicant

Approved:

October 16, 1956

Recorded in book No. 2

Ground Water Permits on page 356

STATE ENGINEER