

Permit No. G-3568

APPLICATION FOR A PERMIT

CERTIFICATE NO. 53248

To Appropriate the Ground Waters of the State of Oregon

I, Hila Timm (Name of applicant) of Rt #1, Box 227 Pendleton, Oregon, county of Umatilla, state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Tutuilla Creek (Name of stream) tributary of Umatilla River

2. The amount of water which the applicant intends to apply to beneficial use is 1.98 cubic feet per second or 883 gallons per minute.

3. The use to which the water is to be applied is Sprinkler irrigation and domestic

4. The well or other source is located 699.6 ft. S (N. or S.) and 1452 ft. E (E. or W.) from the corner of NW corner of the SW 1/4 Sec. 1 T. 1 N. R. 32 E. W. M. (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the NE 1/4 of SW 1/4 of Sec. 1, Twp. 1 N., R. 32 E., W. M., in the county of Umatilla

5. The pipeline (Canal or pipe line) to be 1/4 miles in length, terminating in the NW 1/4 of SW 1/4 (Smallest legal subdivision) of Sec. 1, Twp. 1 N., R. 32 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is .

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 8 inches and an estimated depth of 375 feet. It is estimated that 210 feet of the well will require 1/4" x 8" steel casing. Depth to water table is estimated 93 feet (Feet) 165' of 6" well.

CANAL SYSTEM OR PIPE LINE—

G 3568

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1320 ft.; size at intake 6 in.; in size at ft. from intake in.; size at place of use 6 in.; difference in elevation between intake and place of use, 22 ft. Is grade uniform? no Estimated capacity, 2.0 sec. ft.

10. If pumps are to be used, give size and type 6" column 7 7/8" bowls lineshaft turbine, Western turbine

Give horsepower and type of motor or engine to be used 30 Horsepower "Western" 3 phase

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use SW 1/4 of Sec. 1, T. 1 N., 32 E. W. M.

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 1 N.	32 E. W. M.	1	NE 1/4 of SW 1/4	39.52
			SE 1/4 of SW 1/4	39.54
			SW 1/4 of SW 1/4	39.54
			NW 1/4 of SW 1/4	24.38
			NW 1/4 of SW 1/4 supplemental	14.4 acres
<u>supplemental water for Permit No. U-694</u>				11200 15738

(If more space required, attach separate sheet)
 Character of soil Pilot Rock Silt Loam & McKay Silt Loam Hermiston Very fine.
 Kind of crops raised cereal grains - alfalfa

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$ 17,000.⁰⁰

15. Construction work will begin on or before Nov. 5, 1966

16. Construction work will be completed on or before Oct. 1, 1969

17. The water will be completely applied to the proposed use on or before Oct. 1, 1969

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Supplemental to Permit No. U-694 14.4 acres

Hila Timm
(Signature of applicant)

Remarks: Primary application for 142.98 acres
and supplemental application for 14.4 acres
making a total application for 157.38 acres

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER

By
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.97 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is January 18, 1967

Actual construction work shall begin on or before October 19, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 19th day of October, 1967

Chris L. Whemler
STATE ENGINEER

Application No. G- 3783
Permit No. G- G 3568

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
Office of the State Engineer at Salem, Oregon,
on the 18th day of January,
1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

October 19, 1967

Recorded in book No. _____ of _____

Ground Water Permits on page G 3568

CHRIS L. WHEMLER
STATE ENGINEER

Drainage Basin No. 7 page 58

Handwritten initials