Permit No. G. G 3574

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Eugene Sand & Grovel , Inc
of P.O. Bay 1667 Eugene, Olegan county of Sane
of P.O. But 1667 Engine, Overall, country of Jene state of Orlegan described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation Outgon Consoration (August 8, 1960)
1. Give name of nearest stream to which the well, tunnel or other source of water development is situated
tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or
3. The use to which the water is to be applied is Washing Sund and Junel.
4. The well or other source is located 7534 ft. and ft. from the corner of 5. 66 16 ft. from 500, Corner 12-7, 13-18 (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary) being within the ME 14 of the NW14 of Sec. 8, Twp. 175, R. 3W,
W. M., in the county of LANE
5. The to be miles
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is . EUGENE SAND & GRAVEC, INC
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of having a (Give number of wells, tunnels, etc.)
diameter of inches and an estimated depth of feet. It is estimated that
feet of the well will require casing. Depth to water table is estimated

CANAL SYSTEM OR PIPE LINE—	G 3574
9. (a) Give dimensions at each point of canal where mater	
headgate. At headgate: width on top (at water line)	feet; width on bottom
feet; depth of waterfeet; grad	le feet fall per one
thousand feet.	
(b) At miles from headgate: width on to	
feet; width on bottom feet;	depth of water feet;
grade feet fall per one thousand feet.	
(c) Length of pipe, ft.; size at intake	the contract of the contract o
from intake in.; size at place of use	
intake and place of use, ft. Is grade uniform?	Estimated capacity,
sec. ft.	
10. If pumps are to be used, give size and type	
10. If punites are to be used, give once and type	
Give horsepower and type of motor or engine to be used	
the difference in elevation between the stream bed and the groun	· · · · · · · · · · · · · · · · · · ·
12. Location of area to be irrigated, or place of use for	NOOSTRIAZ WATER
Range Township E. or W. of N. or S. Willamette Meridian Section Forty-acre	Number Acres Tract To Be Irrigated
175 3W 18 NE1/40	4 NW14 -
TAX LOT # 1100 - BEGINNING AT A POINT 30.0 A	FEET WEST OF A PAINT ON THE
WEST LINE OF THE DANIES SNELLING DONATION	
TOWNSHIP 17 SOUTH, RANGE 3 WEST OF THE WILL	
SOUTH O'19' FAST OF THE NORTHWEST CORNER	
(SAID DOINT OF BEGINNING BEING ON THE WES	
WIDE ROADINAY AND RUNNING THENCE WEST 70 30' WEST 5148 FEET. THENCE NORTH 16° 70' WE	1.0 FEET; THENCE NORTH 640
646.13 FEET TO THE WESTERLY LINE OF A 30.	S FEET WIDE RUADWAY
DEEDED TO WILLIAM A. AYRES BY DEED IN BOOK OREGON RECORD OF DEEDS; THENCE SOUTH 605	185, PAGE 68, LANE LOUNTY, B' FAST ALONG THE WESTERLY
LINE OF SAID ROADWAY 358.17 FEET; THENCE EAST	ALONG SOUTHERLY RIGHT OF
WHY OF POAD 171.61 FEET TO THE WESTERLY LIN ROADWHY! THENCE SOUTH O' 19' EAST 570.60 FE	ET TOTHE PLACE OF
BEGINNING IN LAWE COUNTY, OREGON	

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

	PAL SUPPLY—			te.	g in the second	1.
13.	To supply the city of	·	•••••			er y
	C					
and an es	timated population of		in 19			• • • •
*	ANSWER G	QUESTIONS 14, 15,	16, 17 AND 18	IN ALL CASES	•	•
14.	Estimated cost of prop	osed works, \$	3 ,600			
15.	Construction work wil	l begin on or befor	re Jan	may 16,1	967	
16	Construction work will	l he completed on	or before	February	15.1967	
17	The water will be com	nlataly applied to	the proposed a	Use on or before	February	15,196
18.	If the ground water s r permit, permit, certif	upply is supplem	ental to an ex	risting water su	pply, identify	any appli-
applicant.			•••••		***************************************	
Pa	narks:		Mind	Signature of	Contrall	, T
1661	1441 No	***************************************				
		***************************************				••••••
***************************************	••••••	***************************************				•••••

			•••••			
•••••••						
••••••			•••••	***************************************		
•••••					•••••	***************************************
•••••			***************************************			
						••••••
						•••••
						•••••
	OF OREGON, ss. y of Marion,					
Th	is is to certify that I ho	ive examined the	foregoing app	lication, togethe	er with the acco	mpanying
maps and	l data, and return the so	me for Comp	letion			
In	order to retain its prior	ity, this application	on must be ret	urned to the Sto	ate Engineer, w	ith correc-
tions on c	or beforeApril	17th	., 1967.			. •
W	ITNESS my hand this	17th day of	Februa	ary	, 19.	67

CHRIS L. WHEELER

TATE ENGINE

By

ASSISTA

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed3.34....... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ..a..well...... The use to which this water is to be applied is ...gravel washing. If for irrigation, this appropriation shall be limited to ____ ... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. Actual construction work shall begin on or before October 19, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.69...... Complete application of the water to the proposed use shall be made on or before October 1, 19... 70... 19.67... WITNESS my hand this 19th day of October STATE ENGINEER 9 57 office of the State Engineer at Salem, Oregon This instrument was first received in APPROPRIATE THE GROUND WATERS OF THE STATE Ground Water Permits on page OREGON Recorded in book No. Basin No. applicant.

to

at

Returned

Application No. G-Permit No. G-.