

RECEIVED
1957
ENGINEER
DIVISION

RECEIVED
1957
ENGINEER
DIVISION

Permit No. G-G 3587

APPLICATION FOR A PERMIT

CERTIFICATE NO. 39132

To Appropriate the Ground Waters of the State of Oregon

I, Dorrine M. May (Name of applicant)

of Rt. #3 Box 949, Hood River (Postoffice Address), county of Hood River

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Hood River (Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 60 cubic feet per second or 60 gallons per minute. Well #1 - 40 g.p.m.
Well #2 - 20 g.p.m.

3. The use to which the water is to be applied is Orchard Spraying

4. The well or other source is located 210 ft. N. and 0 ft. E. or W. from the S $\frac{1}{4}$ corner of Section 11, T. 2 N., R. 10 E. and 563' N. and 570' E. from S $\frac{1}{4}$ corner Section 11, T. 2 N., R. 10 E. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

Both being within the SW $\frac{1}{4}$, SE $\frac{1}{4}$ of Sec. 11, Twp. 2N, R. 10 E., W. M., in the county of Hood River

5. The NA (Canal or pipe line) to be NA miles in length, terminating in the NA of Sec. NA, Twp. NA, R. NA, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is N.A.

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

When not in use, the water will normally drain into a protected channel and eventually enter Hood River

8. The development will consist of 400 feet clay tile (Give number of wells, tunnels, etc.) having a diameter of 6 inches and an estimated depth of 4 feet. It is estimated that NA feet of the well will require NA casing. Depth to water table is estimated NA (Feet)

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ Existing.....
- 15. Construction work will begin on or before Existing since 1945.....
- 16. Construction work will be completed on or before Existing.....
- 17. The water will be completely applied to the proposed use on or before 1945.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Doraine M. May
(Signature of applicant)

Remarks: The water in question originates from underground seep areas, and will be removed at two points. Some time ago, tile drains were so placed that the water is intercepted and now flows by gravity to the protected outlets. Simple sumps within the tile system will allow the placement of a small portable pump to remove the water as needed for spray use. In the early spring and late fall, irrigation water is not normally available for protective sprays on the deciduous fruit trees - thus the reason to use supplemental water.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER

By
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.13..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells (tile drain field) being 0.04 cfs from well No. 1 and 0.09 cfs from well No. 2.....

The use to which this water is to be applied is orchard spraying.....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is February 7, 1967.....

Actual construction work shall begin on or before November 21, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.....

Complete application of the water to the proposed use shall be made on or before October 1, 1970.....

WITNESS my hand this 21st..... day of November....., 1967.....

Chris L. Wheeler

STATE ENGINEER

Application No. G- 3801
Permit No. G- G 3587

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of February, 1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

November 21, 1967

Recorded in book No. of

Ground Water Permits on page G 3587

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 4 page 40

Handwritten initials