Permit No. G- G 3612

SUPERSEDED 46834

## APPLICATION FOR A PERMIT

ASSIGNED, See Misc. Rec., Vol. 5 Page 798

## To Appropriate the Ground Waters of the State of Oregon

I, Boise Cascade Corporation
of P. O. Box 610 La Grande (Name of applicant)  (Postoffice Address)  (Name of applicant)  (Postoffice Address)
Oregon
state of
If the applicant is a corporation, give date and place of incorporation
incorporated 1913 - incorporation amended May 9, 1960, Wilmington, Delaware
1. Give name of nearest stream to which the well, tunnel or other source of water developmen
situated Phillips Creek (Name of stream)
tributary of Grande Ronde
2. The amount of water which the applicant intends to apply to beneficial use is cu feet per second or gallons per minute.
3. The use to which the water is to be applied is log sprinkling, initially, fire protection at a later date.
tection at a later date.
The sent tarted to the water will be used a description protection
4. The well or other source is located 267 ft. N. and 55 ft. From the
corner of Southwest corner of the Northwest Quarter of the Southeast Quarter (NW) (Section or subdivision)
of Section 16, Township 1 North, Range 39 East of the Willamette Meridian.  (If preferable, give distance and bearing to section corner)
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the North Coarter Southeast Quarter Sec. 16 Twp. 1N R. 39E
W. M., in the county ofUnion
5. The pipeline 8" - 500 6" - 800 to be 1,300 ft hd
in length, terminating in the NWZ SEZ of Sec. 16 Twp. 1N (Smallest legal subdivision)
R. 39E
6. The name of the well or other works is . "log deck sprinkler well"
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described.
will seal well in conformity with state specifications for both artesian and sur
water. A 10" stop valve will be installed at top of casing.
8. The development will consist of one well havin (Give number of wells, tunnels, etc.)
diameter of20" inches and an estimated depth of300 feet. It is estimated that500 an additional 200 ft.
feet of the well will require <u>stee1</u> casing. Depth to water table is estimated <u>400</u> (Kind)
casing will be perforated.

$\sim$ $^{\wedge}$	A TA	T	SYSTEM	$\Delta D$	מחזמ	T TRIVE
-			2 X 2 I L'IVI	ואו	P1P6.	1.1 N F.

9. (a) G	·			
adgate. At h	eadgate: width on to	p (at water line	) <u>8" pipe</u>	feet; width on bottom
	feet; depth of w	oater	feet; grade	feet fall per one
ousand feet.				
(b) At	500 ft. Hile	ds from headgar	te: width on top (at water	r line)6" pipe
	feet; width on b	oottom	feet; depth of w	ater feet;
ıde	feet fall p	er one thousand	feet.	
(c) Leng	th of pipe,1,30	0 ft.; siz	ze at intake8" i	n.; in size at500 ft.
m intake	6'' in.; si	ze at place of us	se in.; diff	erence in elevation between
ake and plac	e of use,	ft. Is g	grade uniform? .,	Estimated capacity,
.3	sec. ft.			
10. If pu	mps are to be used, g	give size and type	e 1,500 gal. per m	in. bowl type pump
to be set	at pumping leve	1 of approx.	250 ft.	
Give hor:	sepower and type of	motor or engine	e to be used 125 HP	vertical mounted
h <b>ollow</b> sha		·		
atural strear	n elevation between	, give the distan the stream bed	ace to the nearest point or and the ground surface a In elevation approx.	t the source of development
atural strear	n or stream channel, n elevation between	, give the distan the stream bed	and the ground surface a	t the source of development
atural strear	n or stream channel, n elevation between 50 ft	, give the distan the stream bed difference i	and the ground surface a	t the source of development 10 ft.
atural strear	n or stream channel, n elevation between 50 ft	, give the distan the stream bed difference i	and the ground surface a	t the source of development 10 ft.
atural stream e difference in  12. Locat	n or stream channel, n elevation between 50 ft  tion of area to be irrection of area to be irrection.	, give the distanthe stream bed difference i	and the ground surface a in elevation approx.  of use	t the source of development  10 ft.  Number Acres To Be Irrigated
tatural stream a difference in the difference in	n or stream channel n elevation between 50 ft  tion of area to be irr  Range E or W of Willamette Meridian	, give the distanthe stream bed difference in the stream bed difference in	and the ground surface a In elevation approx.  of use  Forty-acre Tract	t the source of development  10 ft.  Number Acres To Be Irrigated
12. Locate Township N. or S.	n or stream channel, n elevation between 50 ft  tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	n or stream channel, n elevation between 50 ft  tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	n or stream channel, n elevation between 50 ft  tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	n or stream channel, n elevation between 50 ft  tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	n or stream channel, n elevation between 50 ft  tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	n or stream channel, n elevation between 50 ft  tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink
12. Locate Township N. or S.	tion of area to be irr  Range E. or W. of Willamette Meridian  R39E	give the distanthe stream bed difference in the stream bed difference in t	and the ground surface a in elevation approx.  of use  Forty-acre Tract  NWZ SEZ	t the source of development  10 ft.  Number Acres To Be Irrigated  Log decks sprink

MUNICIPAL SUPPLY—			
13. To supply the city of	N/A	•••••	
in	county, having a	present population of	····
and an estimated population of .		in 19	
ANSWER (	QUESTIONS 14, 15,	16, 17 AND 18 IN ALL CASE	es ·
14. Estimated cost of prop	osed works, \$	25,000.	
15. Construction work wil	l begin on or befo	re April 1, 1967	
16. Construction work wil	l be completed on	or beforeJuly 1, 19	967
4	•	the proposed use on or befo	•
18. If the ground water s cation for permit, permit, certification	upply is supplem ficate or adjudice	nental to an existing water ated right to appropriate u	supply, identify any appli- vater, made or held by the
applicant. Permit #G2550	andG2035	•	
;	*****		-4
			Corp by Kenneth It of applicant) Chief Fords
		ement the water supply.	
under permit #G2550. Tho 600 GPM from it.	ugh this permi	Lt.is.for.2,500 GPM we.	are able to pump only.
Well under perm	it #G2035 is h	peing fully utilized do	mestic purposes in
the plywood plant and stu	dmill.		
	•••••••••••••••••••••••••••••••••••••••		•••••••••••••••••••••••••••••••••••••••
······································	••••••		
	•••••••••••••		•••••••••••••••••••••••••••••••••••••••
	••••••		
	••••••	······································	•••••••••••••••••••••••••••••••••••••••
	***************************************		
CTATE OF ORECOM			
STATE OF OREGON, ss. County of Marion,			
		foregoing application, toget	
maps and data, and return the sa	me for	Completion and Correct	5101
In order to retain its priori	ty, this application	on must be returned to the S	State Engineer, with correc-
tions on or before		., 19,,67,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,
		,	
WITNESS my hand this	28th day of	March May	
		<b>~</b> 	•
	1 - 7		
And the second second		ATIONA T TERMINA	r ram
		CHRIS L. WHEE	LER
in the second of	1	CHRIS L. WHEEL	

STATE OF OREGON,	)
County of Marion,	ss.

## PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and shall no	ot exceed3.3	is limited to the amou cubic feet per seco s equivalent in case of	nd measured a	t the point o	of diversion	from the well
The 1	use to which this wat	er is to be applied is				
		opriation shall be limi	•	•		
	;	rrigated and shall be f				
acre feet pe	er acre for each acre	irrigated during the i	rrigation seaso	n of each ye	ar;	
			••••••		······	••••••••
		•••••••••••••••••••••••••••••••••••••••				
				·····		
•••••	•••••••••••••••••••••••••••••••••••••••			••••••		•••••••••••••••••••••••••••••••••••••••
				•••••••		
and shall be	e subject to such reas	onable rotation system	n as may be or	dered by the	proper stat	e officer.
The a	well shall be cased as	s necessary in accorda apping and control va	nce with good	practice an	d if the flo	ow is artesian
		all include an air line ter level elevation in t				
The n	oermittee shall instal	l and maintain a weir	. meter, or ot	her suitable		
shall keep	a complete record of	the amount of groun	d water withd	rawn.		
The	priority date of this	permit is	March 7	. 1967		
		shall begin on or befo			.968	and shall
				•		•
		reasonable diligence a				
		he water to the propos		made on or	_	ber 1, 19 <u>19</u>
WIT	NESS my hand this .	21stday ofNo	vember	)	, 1967	,
		***	Chair		S	TATE ENGINEER
ı			n' •		<b>*</b>	7
	Q	n thu			of 22.2	VEER
6 03	DUN	n, Or M.		2	361	ENGI
$\mathcal{Z}_{\mathcal{Z}_{\mathcal{Z}}}$	E GROI STATE	tt receiu at Saler greh O		1961	り	STATE Page
12 c2	MIT E THE THE S	irst 1 1 at 1		77,	page	WHEKLER STAT
. G	PERMIT PRIATE THE RS OF THE OF OREGON	tent was firte Engineer day of	t:	November	No. ts on	•
on N o. G-	PEI PRIA RS OF	ent ue Ençe Ençe Bay o	lican	over	book ermi	CHRIS lasin N
Application No. G	PERMIT APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of Mech.	Returned to applicant:	Ž	Recorded in book No Ground Water Permits on page	CHRIS L Drainage Basin No.
Appl Pern	· ·	inst f the 74.	ed to	ed:	ordeo Wat	nage
	TO	This instrum office of the Sta on the 74h	turn	Approved:	Recc	Drai
	·	off on 19.4	Re	Ap	5	