

RECEIVED
JAN 10 1937
ENGINEER
SALEM, OREGON

CERTIFICATE NO. 40333

Permit No. G- G 3619

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Donald Kuhn (Name of applicant)
of 1326 Plaza Street, Salem, county of Marion (Postoffice Address),
state of Oregon, do hereby make application for a permit to appropriate the
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Lambert Slough (Name of stream)
tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.79 cubic
feet per second or 250 gallons per minute.

3. The use to which the water is to be applied is 0.23 Irrigation ~~artesian~~ & ^{0.1K}
0.56 cfs for frost protection

4. The well or other source is located ft. and ft. from the
(N. or S.) (E. or W.)
corner of South 17°30' East, 1280 feet from the Northeast corner
(Section or subdivision)
of the Henry Hewitt D.L.C.
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SE 1/4 of NE 1/4 of Sec. 16, Twp. 5S, R. 3W,
W. M., in the county of Yamhill

5. The (Canal or pipe line) to be miles
in length, terminating in the (Smallest legal subdivision) of Sec. Twp.,
R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the
supply when not in use must be described.

8. The development will consist of 1 WELL (Give number of wells, tunnels, etc.) having a
diameter of 10 inches and an estimated depth of 125 feet. It is estimated that 125
feet of the well will require Steel (Kind) casing. Depth to water table is estimated 40 ft (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 20 H.P Electric

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5S	3W	16	SE $\frac{1}{4}$ of NE $\frac{1}{4}$	14 Acres
5S	3W	15	SW $\frac{1}{4}$ of NW $\frac{1}{4}$	4 Acres
				<u>18</u>

(If more space required, attach separate sheet)

Character of soil Willimate

Kind of crops raised Cherry & Pears

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$.....1800.00.....
- 15. Construction work will begin on or before
- 16. Construction work will be completed on or before3-1-67.....
- 17. The water will be completely applied to the proposed use on or before1968.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.none.....

Donald R. K... ..
(Signature of applicant)

Remarks: The frost protection I am intending to use is in the
talking stage as of now
They are trying it in the Medford some
If it prove out i would like to use it here in the place
of oil
I would like to ^{KEEP}~~keep~~ this part open for now

*The frost protection is for solid set
of sprinklers in pear orchard. D.K*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same forCompletion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or beforeMay 29th....., 1967..

WITNESS my hand this28th day ofMarch....., 1967.....

CHRIS L. WHEELER
STATE ENGINEER
By *[Signature]*
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.56 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation, and frost protection being 0.23 cfs for irrigation and 0.56 cfs for frost protection

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is March 13, 1967

Actual construction work shall begin on or before November 21, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 21st day of November, 1967

Charles L. Wheeler

STATE ENGINEER

Application No. G-3842
Permit No. G-G 3619

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of March, 1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

November 21, 1967

Recorded in book No. _____ of _____

Ground Water Permits on page G 3619

CHARLES L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 976

State Printing

430.00