

RECEIVED  
FEB 27 1963  
STATE ENGINEER

Permit No. G- G 3633

APPLICATION FOR A PERMIT

CERTIFICATE NO. 38854

# To appropriate the Ground Waters of the State of Oregon

I, Pete Locati  
(Name of applicant)  
of Route 2, Box 229, Walla Walla, county of Walla Walla,  
(Postoffice Address)

state of Washington, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

not a corporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated East Mud Creek  
(Name of stream)

tributary of Walla Walla River

2. The amount of water which the applicant intends to apply to beneficial use is 300 cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 3150 ft. N and 1010' ft. E from the SW corner of   
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 22, Twp. 6 N, R. 35 E,  
W. M., in the county of Umatilla

5. The  to be  miles  
(Canal or pipe line)  
in length, terminating in the  of Sec. , Twp. ,  
(Smallest legal subdivision)  
R. , W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

## DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

not artesian

8. The development will consist of one well having a  
(Give number of wells, tunnels, etc.)  
diameter of 8 inches and an estimated depth of 160 feet. It is estimated that 42  
feet of the well will require steel casing casing. Depth to water table is estimated 55 ft.  
(Kind) (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(b) At ... miles from headgate: width on top (at water line) ... feet; width on bottom ... feet; depth of water ... feet; grade ... feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 3 in.; in size at ... ft. from intake ... in.; size at place of use ... in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? undulating. Estimated capacity, .67 sec. ft.

10. If pumps are to be used, give size and type Submersible 15 HP

Give horsepower and type of motor or engine to be used 15 HP electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

500' West and 20' higher than East Mud Creek

12. Location of area to be irrigated, or place of use

Table with 5 columns: Township N. or S., Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Row 1: 6 N, 35 E, 22, SW 1/4 of NW 1/4, 30.

(If more space required, attach separate sheet)

Character of soil Yakima Cobbly Loam and Ritzville very fine sandy loam

Kind of crops raised Orchard and vegetables; pasture, berries.

MUNICIPAL SUPPLY—

13. To supply the city of ..... not municipal .....

in ..... county, having a present population of .....

and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

14. Estimated cost of proposed works, \$..... 3,000 .....

15. Construction work will begin on or before ..... Aug 11, 1960 .....

16. Construction work will be completed on or before ..... August 28, 1960 .....

17. The water will be completely applied to the proposed use on or before ..... May 15, 1961 .....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Supplemental to existing right from East Mud Creek on ..... west 20 acres, not supplemental for East 10 acres. ....

*Gene J. Louati*  
(signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... July, 19 63.

WITNESS my hand this 30..... day of ..... April ..... 19 63.

RECEIVED  
AUG 31 1964  
By *Chris L. Wheeler*  
CHRIS L. WHEELER  
STATE ENGINEER  
*Walter N. Perry*  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.38 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 31, 1964

Actual construction work shall begin on or before December 22, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 22nd day of December, 1967

STATE ENGINEER

Application No. G- 2555  
Permit No. G- G 3633

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of February, 1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

December 22, 1967

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_

Ground Water Permits on page G 3633

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 7 page 52

State Printing

971503