

Permit No. G- G 3683

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Robert L. Janzen (Name of applicant)

of Rt. 2, Box 69, Dayton, Oregon, county of Yamhill (Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Palmer Creek (Name of stream)

tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 1.99 cubic feet per second or being 0.33 well #1, 0.22 well #2, 0.33 well #3, 0.33 well #4, 0.22 well #5 & 0.56 well #6 gallons per minute.

3. The use to which the water is to be applied is Irrigation & supply

4. Well # 1, (existing) N13°W, 200 feet from S.W. corner of D.B. Matheny D.L.C. in SE NW sec 29

Well # 2, (existing) S70°E, 780 feet from S.E. corner of R.B. O'Dell D.L.C. in NE SW sec 29

Well # 3, (existing), N8°W, 290 feet from S.E. corner of R.B. O'Dell D.L.C. in SE NW sec 29

Well #4, (existing), S22°W, 680 feet from S.E. corner of R.B. O'Dell D.L.C. in NE SW sec 29

Well #5, (new), S87°E, 970 feet from S.W. corner of D.B. Matheny D.L.C. in SE NW sec 29

Well #6, (new), S55°W, 220 feet from S.E. corner of R.B. O'Dell D.L.C. in NE SW sec 29 also in T 5 S R 3 W

R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Janzen Wells #1 & 6

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 6 wells (Give number of wells, tunnels, etc.) having a diameter of 8 inches and an estimated depth of 35 feet. It is estimated that 20 feet of the well will require steel (Kind) casing. Depth to water table is estimated 5 (Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 6 Cent. pumps rated at 150 gpm

Give horsepower and type of motor or engine to be used .....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use .....

| Township<br>N. or S. | Range<br>E. or W. of<br>Willamette Meridian | Section      | Forty-acre Tract | Number Acres<br>To Be Irrigated | Suppl.<br>Wells No 5 & 6 | Primary<br>All Wells |  |       |
|----------------------|---|--------------|------------------|---------------------------------|--------------------------|----------------------|--|-------|
| 5S                   | 3W  | 28           | SW - NW          |                                 |                          | 40                   |  |       |
|                      |   |              | SE - NW          |                                 |                          | 7.9                  |  |       |
|                      |   | 29           | NE - SW          |                                 |                          | 0.6                  |  |       |
|                      |   |              | NW - SW          |                                 |                          | 9.1                  |  |       |
|                      |   |              | SW - NE          | 16.4                            |                          |                      |  |       |
|                      |   |              | SE - NE          | 35.8                            |                          | 4.2                  |  |       |
|                      |   |              | SE - NW          | 21.8                            |                          |                      |  |       |
|                      |   |              | NE - SW          | 19.7                            |                          |                      |  |       |
|                      |   | NE - SE      | NW - SW          | 17.0                            |                          |                      |  |       |
|                      |   |              | NE - SE          |                                 |                          | 5.9                  |  |       |
|                      |   |              |                  |                                 |                          | 110.7                |  | 67.7  |
|                      |   | <u>Total</u> |                  |                                 |                          |                      |  | 178.4 |

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 3100
- 15. Construction work will begin on or before started
- 16. Construction work will be completed on or before Oct. 1, 1969
- 17. The water will be completely applied to the proposed use on or before Oct. 1, 1970

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. 40876 & G-3104

*Robert J. Ganger*  
(Signature of applicant)

Remarks: The Wells will be operated as a manifold system with all wells being pumped into res. (Per. No. 4596) for distribution in one system. LD is File no 40876. New survey of property has shown minor discrepancies which will be confirmed at time of final proof survey. New map is correct

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.99 cubic feet per second measured at the point of diversion from the well

or source of appropriation, or its equivalent in case of rotation with other water users, from six wells being 0.33 cfs from well No. 1, 0.22 cfs from well No. 2, 0.33 cfs from well No. 3, 0.33 cfs from well No. 4, 0.22 cfs from well No. 5 and 0.56 cfs from well No. 6

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 10, 1967

Actual construction work shall begin on or before December 27, 1968 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 27th day of December, 1967

*Charles L. Hubble*  
STATE ENGINEER

Application No. G-3972  
Permit No. G-3683

PERMIT

TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 10<sup>th</sup> day of May,  
1967, at 10:50 o'clock A M.

Returned to applicant:

Approved:

December 27, 1967 of  
Recorded in book No. G-3683

Ground Water Permits on page G-3683

CHARLES L. HUBLEL  
STATE ENGINEER

Drainage Basin No. 2 page 971

4/3945