

Permit No. G-3701

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Ione-Lexington Cemetery District (Name of applicant)

of Ione (Postoffice Address), county of Morrow

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willow Creek (Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 67 cubic feet per second or 67 gallons per minute.

3. The use to which the water is to be applied is Cemetery Sprinkling System

4. The well or other source is located 1097 ft. North and 304 ft. East from the SW corner of Section 34, Township 1 South, Range 25 East, Willamette Meridian, Morrow County, Oregon (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary) being within the SW corner of the SE of Sec. 34, Twp. 1 S., R. 25 E., W.M. W. M., in the county of Morrow

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Lexington Cemetery Well

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Well will be used from approximately May 1 to October 1 of each year.

8. The development will consist of One well (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 405 feet. It is estimated that feet of the well will require ? casing. Depth to water table is estimated 220 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type .....

Give horsepower and type of motor or engine to be used .....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ..... (See legal description) .....

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 South	25 E., W.M.	34	NW $\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	1.29 acres 1.37 acres
			TOTAL	2.66 acres
(Legal description of Cemetery)				
Beginning with the Northwest corner of the SW $\frac{1}{4}$ of the Southeast $\frac{1}{4}$ of Section 34, T. 1 South, R. 25 East, W.M. and running thence South 5.25 chains; thence East 4.29 chains; thence North 5.26 chains; thence West 4.29 chains to the place of beginning, containing 2.25 acres.				
The Old Penland Cemetery located in the Northwest one-quarter of the Southeast one-quarter of Section 34, Township 1 South, Range 25, East, Willamette Meridian.				
And the Original I.O.O.F. Cemetery located in the Southwest one-quarter of the Southeast one-quarter of said Section 34.				

(If more space required, attach separate sheet)

Character of soil .....

Kind of crops raised .....

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$(Pump-\$3464)-(Well-\$4339) Total \$7813.00
- 15. Construction work will begin on or before ..Soon as possible after June 1, 1967.....
- 16. Construction work will be completed on or before ..Soon as possible after June, 1967.....
- 17. The water will be completely applied to the proposed use on or before ..Same as above.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....Ione-Lexington Cemetery District.....

Remarks: .....

*Ione-Lexington Cemetery Dist.*  
(Signature of applicant)  
*By Carl Goldson Sec. & Treas.*

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 26, 1967

Actual construction work shall begin on or before January 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 18th day of January, 1968

*Chris L. Wheeler*

STATE ENGINEER

pc  
Application No. G-3944  
Permit No. G-3701

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of May 1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

January 18, 1968

Recorded in book No. of G 3701  
Ground Water Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 7 page 58

State Printing

\$70.00