

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, DWIGHT G. HULLIT
(Name of applicant)
of ROUTE 1, BOX 133, HERMISTON
(Postoffice Address), county of UMATILLA
state of OREGON, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated COLUMBIA RIVER
(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 836 gallons per minute. No. 1 102 GPM No. 3 309 GPM
No. 2 203 GPM No. 4 222

3. The use to which the water is to be applied is IRRIGATION

4. The well or other source is located ft. (N. or S.) and ft. (E. or W.) from the corner of SEE ATTACHED.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the of Sec., Twp., R., W. M., in the county of

5. The MAIN PIPE LINE to be 4,000 FT. miles
(Canal or pipe line) in length, terminating in the SW. 1/4 of Sec. 36, Twp. 4N,
(Smallest legal subdivision) R. 27E, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is WELL No. 1, 2, 3, & 4

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

NOT APPLICABLE

8. The development will consist of SEE ATTACHED having a
(Give number of wells, tunnels, etc.) diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated
(Kind) (Feet)

WELL No. I - 350' S.; 175' E., N. $\frac{1}{4}$ COR. SEC. 36, BEING WITHIN THE NW, NE, SEC. 36 - DRILLED 1948; 6" STANDARD CASING, 117' DEEP, 60' STATIC WATER LEVEL, 100 GPM, 7 $\frac{1}{2}$ HP, LANE-BOLER PUMP.

WELL No. II - 300' S., 400' E., N. $\frac{1}{4}$ COR. SEC. 36, BEING WITHIN THE NW, NE, SEC. 36 - DRILLED JUNE, 1962; 8" STANDARD CASING, 187' DEEP, CASED 100', 54' STATIC WATER, 200 GPM; 15 HP FAIRBANKS-MORSE.

WELL No. III - 150' S.; 870' W, COM. COR. 36, 31, 25, 30., BEING WITHIN THE NE, NE, SEC. 36; DRILLED 1951 OR 1952, 8" DIA., 213' DEEP, 80' CASING, 70' STATIC WATER, 300 GPM., 25 HP FAIRBANKS-MORSE.

WELL No. IV - 120' N; 1340' W, E $\frac{1}{4}$ COR., SEC. 36, BEING WITHIN SW, NE., SEC. 36, DRILLED APRIL, 1967, 10" DIA., 185' DEEP, 100' CASING, 33' STATIC WATER, 350 GPM, 25 HP FAIRBANKS-MORSE.

All in T. 4 N., R. 27 E., W.M.,

REMARKS:	WELL No. 1	COVERS	18 ACRES - PRIMARY
	" "	2 "	36.4 ACRES - PRIMARY
	" "	3 "	55 ACRES - PRIMARY
	" "	4 "	39.6 ACRES - PRIMARY - PLUS SUPPLEMENTAL TO THE OTHER THREE WELLS.

ALSO I GAVE MY PERMISSION TO HAVE THE ABANDONED WELL USED FOR OBSERVATION.

149.0

COUNTY of UMATILLA

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 4000 ft.; size at intake 6 in.; in size at ft. from intake in.; size at place of use 4 in.; difference in elevation between intake and place of use, ft. Is grade uniform? YES Estimated capacity, 2 sec. ft.

10. If pumps are to be used, give size and type SEE ATTACHED

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use T.4N., R.27 E.W.M.

	Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
WELL # 1	4 N.	R. 27	36	NW, NE	18.0
WELL # 2	"	"	"	NW, NE	21.4
WELL # 3	"	"	"	SW NE	15.0
	"	"	"	NE NE	30.0
WELL # 4	"	R. 27 E	30	SE NE	25.0
	"	"	"	SE NE	14.6
	"	"	"	SW NE	25.8
				SE NE	39.0

11/01 E

(If more space required, attach separate sheet)

Character of soil SANDY LOAM

Kind of crops raised HAY, PASTURE

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.86 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from four wells being 0.22 cfs from well No. 1, 0.44 cfs from well No. 2, 0.69 cfs from well No. 3 and 0.51 cfs from well No. 4

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 4, 1967

Actual construction work shall begin on or before January 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 18th day of January 1968

Chris L. Wheeler

STATE ENGINEER

Application No. G- 3945
Permit No. G- G 3702

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 26th day of May,
1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

January 18, 1968

Recorded in book No. G 3702

Ground Water Permits on page 58

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 58

43300
Revised 4/95