

Permit No. G- G 3705

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, Ross H. Levanger (Name of applicant)

of Box 192, Juntura, Oregon, county of Malheur

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Granite Creek, normally dry except during spring runoff

(Name of stream)

tributary of S. Fork Malheur River

2. The amount of water which the applicant intends to apply to beneficial use is 1.5 cubic feet per second or gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 300 ft. south and 125 ft. east of the west 1/4 corner of Section 12,

(N. or S.)

(E. or W.)

(Section or subdivision)

Township 24 South, Range 38 East, W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 12, Twp. 24 S., R. 38 E.,

W. M., in the county of Malheur

5. The main ditch to be 0.72 miles in length, terminating in the SW 1/4 NE 1/4 of Sec. 11, Twp. 24 S.,

(Canal or pipe line)

(Smallest legal subdivision)

R. 38 E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Levanger Well #1

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

Artesian flow not anticipated but if so developed

adequate controls will be installed.

8. The development will consist of one well having a diameter of 12 inches and an estimated depth of 300 feet. It is estimated that 16

(Give number of wells, tunnels, etc.)

feet of the well will require steel casing. Depth to water table is estimated 180

(Kind)

(Feet)

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 10 feet; width on bottom 2 feet; depth of water 1 feet; grade 0.6 feet fall per one thousand feet.

(b) At no change miles from headgate: width on top (at water line) _____ feet; width on bottom _____ feet; depth of water _____ feet; grade _____ feet fall per one thousand feet.

(c) Length of pipe, _____ ft.; size at intake _____ in.; in size at _____ ft. from intake _____ in.; size at place of use _____ in.; difference in elevation between intake and place of use, _____ ft. Is grade uniform? _____ Estimated capacity, _____ sec. ft.

10. If pumps are to be used, give size and type not determined

Give horsepower and type of motor or engine to be used not determined

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

Approximately 2000 feet from main channel of Granite Creek, which is dry except during spring runoff.

12. Location of area to be irrigated, or place of use _____

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
24 S.	38 E.	11	SW $\frac{1}{4}$ NE $\frac{1}{4}$	22
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	30
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	33
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	26
Total				111.0

(If more space required, attach separate sheet)

Character of soil sandy loam and clay

Kind of crops raised grain and feed

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 5000.00
- 15. Construction work will begin on or before June 1
- 16. Construction work will be completed on or before July 1
- 17. The water will be completely applied to the proposed use on or before July 1

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

NO app - recorded in State Board of Water Right, Vol. 7 page 6861 - Tract #1. Also recorded in Vol. 14 page 20178 known as Easterday Reservoir.
Russ H. Swanger
(Signature of applicant)

Remarks: Legal description of our deeded land is as follows.

E 1/2 of Sec. 35
All of Sec. 36 in Twp. 23 S. Range 38 East of the Willamette Meridian Also the
W 1/2 of Sec. 1
E 1/2 of Sec. 2
E 1/2 of Sec. 11
E 1/2 of Sec. 12; W 1/2 of W 1/2 of Sec. 12; NE 1/4 of NW 1/4 of 12; SE 1/4 of SW 1/4 of 12.
E 1/2 of NE 1/4 of 13; NW 1/4 of NE 1/4 of 13.
All in Twp. 24 S. Range 38 East of the Willamette Meridian

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 20th, 1967.....

WITNESS my hand this 20th day of September, 19..... 67

CHRIS L. WHEELER
STATE ENGINEER
By [Signature]
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed1.39..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is ..supplemental irrigation

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3..... acre feet per acre for each acre irrigated during the irrigation season of each year; ..provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 31, 1967

Actual construction work shall begin on or before January 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.....

Complete application of the water to the proposed use shall be made on or before October 1, 1970..

WITNESS my hand this 18th day of January 1968

Chris L. Wheeler

STATE ENGINEER

pc

Application No. G-3948
Permit No. G-3705

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 15th day of May
1967, at 8:00 o'clock P. M.

Returned to applicant:

Approved:

January 18, 1968

Recorded in book No. of
Ground Water Permits on page G 3705

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 10 page 11

103122