

MAR 31 1907

Permit No. G- G. 3706
APPLICATION FOR A PERMIT

CERTIFICATE NO. 45712

To appropriate the Ground Waters of the State of Oregon

I, FRANK A. TETRAULT
(Name of applicant)
of Medical Springs Stage
(Postoffice Address), county of Baker
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Baldock Slough
(Name of stream)
tributary of Powder River

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 800 gallons per minute.

3. The use to which the water is to be applied is crop land irrigation

4. The well or other source is located 500 ft. N and 450 ft. E from the S.W. corner of the South West Quarter of the North East Quarter of Section 14 Township 8 South
(Section or subdivision)
Ranger 90 E.W.M.
(If preferable, give distance and bearing to section corner)

being within the SW 1/4 NE 1/4 of Sec. 14, Twp. 8 S, R. 40 W. M., in the county of Baker

5. The Pipe Line to be 8740 ft. miles in length, terminating in the South West Quarter of South West Quarter
(Canal or pipe line)
(Smallest legal subdivision) of Sec. 2, Twp. 8 S, R. 40, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is TAR'S POND

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Pond (see remarks) having a diameter of inches and an estimated depth of feet. It is estimated that feet of the well will require casing. Depth to water table is estimated
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

—D—(a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 7720 ft.; size at intake 8 in.; in size at 5280 ft. from intake 6 in.; size at place of use 8 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? YES Estimated capacity, 2 sec. ft.

10. If pumps are to be used, give size and type 37B 50-2 CORNELL
HERTZ CLOSE COUPLED PUMP

Give horsepower and type of motor or engine to be used 3 phase 3450 i.p.m.
electrical 50 h.p. motor

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

60 ft distance between stream
channel and slough water.
1 ft difference in elevation

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 S	40 EWM	2	SW 1/4, SE 1/4	40 ⁰
8 S	40 EWM	2	(Part) SE 1/4, SE 1/4	10 ⁰
8 S	40 EWM	11	NW 1/4, NE 1/4	40 ⁰
8 S	40 EWM	11	SW 1/4, NE 1/4	40 ⁰
8 S	40 EWM	11	NW 1/4, SE 1/4	40 ⁰
8 S	40 EWM	11	SW 1/4, SE 1/4	40 ⁰
8 S	40 EWM	13	NW 1/4, NW 1/4	40 ⁰
8 S	40 EWM	13	SW 1/4, NW 1/4	40 ⁰
8 S	40 EWM	13	NE 1/4, NW 1/4	40 ⁰
8 S	40 EWM	13	SE 1/4, NW 1/4	40 ⁰
8 S	40 EWM	13	SW 1/4, NE 1/4	40 ⁰
8 S	40 EWM	11	SE 1/4, SE 1/4	38 ⁶
SEE REMARKS (If more space required, attach separate sheet)				448 ⁶

Character of soil Sand Loam

Kind of crops raised grain & hay

MUNICIPAL SUPPLY—

13. To supply the city of _____
in _____ county, having a present population of _____
and an estimated population of _____ in 19_____

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1200.00
- 15. Construction work will begin on or before 15 April 1967
- 16. Construction work will be completed on or before 3 May 1968
- 17. The water will be completely applied to the proposed use on or before 15 June 1969
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None involved

Frank A. Petrucci
(Signature of applicant)

Remarks: No: 8 one pond 200 ft long, 70 ft wide and 20 ft deep.

No: 12				448.6
8-5	40 EWM	11	(part) NE 1/4, SE 1/4	34 3/4
8-5	40 EWM	11	(part) SE 1/4, NE 1/4	29 3/4
8-5	40 EWM	11	(part) NE 1/4, NE 1/4	20 3/4
8-5	40 EWM	13	NW 1/4, NE 1/4	40
8-5	40 EWM	12	(part) SW 1/4, SW 1/4	58
Total				578 1/2 Acres
				578 =

NOTE: This irrigation system is a sprinkler type which can be movable on the above described acreage at the desire of the user.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ Completion and Correction _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~August 28th~~, 1967
November 13th 67

WITNESS my hand this 27th day of June, 1967
12th September 67

CHRIS L. WHEELER
STATE ENGINEER
By *Tammy W. Powell*
ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.78 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a pond well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is May 31, 1967

Actual construction work shall begin on or before January 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 18th day of January, 1968

Chris I. Wheeler

STATE ENGINEER

pc

Application No. G- 3949
Permit No. G- G 3706

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 15th day of May,
1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

January 18, 1968

Recorded in book No. G 3706 of
Ground Water Permits on page

CHRIS I. WHEELER
STATE ENGINEER

Drainage Basin No. 9 page 46

5445