

Permit No. G- G 3719

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, City of Garibaldi (Name of applicant)
of Box 708 (Postoffice Address), county of Tillamook
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1948 City Of Garibaldi Tillamook County

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Miami River and Moss Creek (Name of stream)
tributary of Miami River

2. The amount of water which the applicant intends to apply to beneficial use is --- cubic feet per second or 700 gallons per minute.

3. The use to which the water is to be applied is Municipal of the City of Garibaldi

4. The well or other source is located 1976.87 ft. N. and 3184.63 ft. E. from the S. W. corner of Section 14 (Section or subdivision)
(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the NW 1/4 SE 1/4 of Sec. 14, Twp. One, R. Ten, W. M., in the county of Tillamook

5. The 8" pipe line (Canal or pipe line) to be One miles in length, terminating in the City of Garibaldi of Sec. 22, Twp. 1 N, R. 10, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Well 1 City Garibaldi

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of One Well (Give number of wells, tunnels, etc.) having a diameter of 8" inches and an estimated depth of 100' feet. It is estimated that 100' feet of the well will require 8" Steel (Kind) casing. Depth to water table is estimated 9' (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3719

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use ~~beginning at the northwest corner.~~ City of Garibaldi

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Beginning at the Northwest corner of Section 21 Township 1 North Range 10 West, W. M. and running thence East on Section line 20 chs. to NE corner of NW 1/4 of NW 1/4 of Section 21 Township 1 North Range 10 West, W. M.; running thence North 20 chs. to Northwest corner of SE 1/4 of SW 1/4 of Section 16 Township 1 North Range 10 West, W. M.; thence East of 1/6 Section line 60 chs. to NE corner of SE 1/4 of SE 1/4 of Section 16 Township 1 North Range 10 West, W. M.; thence South on Section line to Northeast corner of Section 21 Township 1 North Range 10 West, W. M.; thence East on Section line 40 chs. to 1/4 corner between Sections 15 and 22 Township 1 North Range 10 West, W. M.; thence South 60 chs. on 1/4 Section line to Southeast corner of NE 1/4 of SW 1/4 of Section 22 Township 1 North Range 10 West, W. M.; thence West on 1/6 line extended 120 chs. more or less, to a point on the Section line between Sections 20 and 21 extended South; thence North 60 chs. following the Section line between Sections 20 and 21 to the place of beginning.				
IN	10 W	16	SE 1/4 SE 1/4	Municipal
In	10 W	21	All	"
IN	10 W	22	W 1/2	"

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of Garibaldi.....
in Tillamook..... county, having a present population of 1100.....
and an estimated population of 1500..... in 1970...

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 18000.00.....
- 15. Construction work will begin on or before 1967.....
- 16. Construction work will be completed on or before August 1, 1967.....
- 17. The water will be completely applied to the proposed use on or before August 1, 1967.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Lagler Creek, Struby Creek, and Electric Creek.....

Garibaldi Water Dist. now
City of Garibaldi by William D. Forst
(Signature of applicant) Supt.

Remarks: Do to short supply in Dry Years, and future logging operation.....
and muddy water in high run off periods. We need this well water......

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion and Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 17th....., 1967
May 8th..... 67

WITNESS my hand this 17th day of February....., 1967
8th..... March..... 67

RECEIVED
FEB 13 1967
STATE ENGINEER

CHRIS L. WHEELER
STATE ENGINEER
By Tony W. Johnson
ASSISTANT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed1.56..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...a well.....

The use to which this water is to be applied is ...municipal.....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed acre feet per acre for each acre irrigated during the irrigation season of each year;

And shall be limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isJanuary 20, 1967.....

Actual construction work shall begin on or beforeFebruary 7, 1969..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.....

Complete application of the water to the proposed use shall be made on or before October 1, 1970...

WITNESS my hand this7th..... day ofFebruary....., 19...68.

Chris L. Heiler
STATE ENGINEER

PC

Application No. G- 3767
Permit No. G- G 3719

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 20th day of January
1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

February 7, 1968

Recorded in book No. of

Ground Water Permits on page G 3719

CHRIS L. HEILER
STATE ENGINEER

Drainage Basin No. 1 page 26

Chris L. Heiler