

Permit No. G- G 3731

APPLICATION FOR A PERMIT

CERTIFICATE NO. 40440

To appropriate the Ground Waters of the State of Oregon

I, D. L. Seely (Name of applicant)

of 1940 Boon's Ferry Road, Woodburn (Postoffice Address), county of Marion

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pudding River (Name of stream)

tributary of Willamette R

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 365 ft. N. and 580 ft. W. from the NE corner of John Baker DLC # 93 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 24, Twp. 5S, R. 2W, W. M., in the county of Marion

5. The (Canal or pipe line) to be miles in length, terminating in the (Smallest legal subdivision) of Sec. Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 230 feet. It is estimated that 225 feet of the well will require welded steel casing. Depth to water table is estimated 25 (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3731

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec.ft.

10. If pumps are to be used, give size and type 30 hp electric

Give horsepower and type of motor or engine to be used 30 HP Electric Turbine

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Sec. 24 T5S R2W WM

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5S	2W	24	NE $\frac{1}{4}$ NE $\frac{1}{4}$	1.64
"	"	"	NW $\frac{1}{4}$ NE $\frac{1}{4}$	5.57
"	"	"	SW $\frac{1}{4}$ NE $\frac{1}{4}$	15.16
"	"	"	SE $\frac{1}{4}$ NE $\frac{1}{4}$	15.82
"	"	"	NE $\frac{1}{4}$ NW $\frac{1}{4}$	6.06
"	"	"	NW $\frac{1}{4}$ NW $\frac{1}{4}$	1.22
"	"	"	SW $\frac{1}{4}$ NW $\frac{1}{4}$	2.91
"	"	"	SE $\frac{1}{4}$ NW $\frac{1}{4}$	13.28
5S	1W	19	SW $\frac{1}{4}$ NW $\frac{1}{4}$	4.82
Total Acres				66.48

(If more space required, attach separate sheet)

Character of soil Willamette

Kind of crops raised Diversified

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$...4997.25.....
- 15. Construction work will begin on or before ...April 26, 1967.....
- 16. Construction work will be completed on or before ...May 26, 1967.....
- 17. The water will be completely applied to the proposed use on or before ...as soon as possible.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

D. L. Seely
(Signature of applicant)

Remarks: WELL LOG:

Top dirt	0	to	3 feet
Yellow clay	3	"	15 "
Sandy yellow clay	15	"	30 "
Blue Sandy shale	30	"	70 "
Black sand shale	70	"	85" "
Black sand muddy	85	"	100 "
Blue shale	100	"	105 "
Blue sandy shale	105	"	110 "
Black sandy shale	110	"	122 "
Black sand & gravel	122	"	128 "
Black sand & pea gravel	128	"	130 "
Black sand gravel & shale	130	"	160 "
Black sandy shale	160	"	205 "
Black sand	205	"	210 "
Hard black shale	210	"	215 "
Black sand and gravel	215	"	225 "
Muddy black sand	225	"	230 "

*Drilled by Sears, Willamette Drilling Co.,
in June '67*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER
By ASSISTANT

STATE OF OREGON; }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.57 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 26, 1967

Actual construction work shall begin on or before February 7, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 7th day of February, 1968

Chris L. Wheeler

STATE ENGINEER

pc

Application No. G- 3974
Permit No. G- G 3731

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 26th day of June
1967, at 9:14 o'clock A. M.

Returned to applicant:

Approved:

February 7, 1968

Recorded in book No. G 3731
of G 3731
Ground Water Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 914

2555