

CERTIFICATE NO. 42207

Permit No. G-G 3734

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, John Garber & Vera Garber  
(Name of applicant)

of Route 1, Box 225A, Hubbard  
(Postoffice Address), county of Marion

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Pudding River  
(Name of stream)

tributary of Molalla River

2. The amount of water which the applicant intends to apply to beneficial use is ..... cubic feet per second or 150 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 430 ft. South and 1466.24 ft. East from the NW corner of the A. R. Dimmick D.C. No. 64  
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the SW 1/4 of Sec. 35, Twp. 4S, R. 1W, W. M., in the county of Marion

5. The ..... to be ..... miles in length, terminating in the ..... of Sec. ...., Twp. ...., R. ...., W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is .

### DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 10 inches and an estimated depth of 200 feet. It is estimated that 200 feet of the well will require welded steel casing. Depth to water table is estimated 53  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3734

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type 10 HP Submersible Advance Electric

Give horsepower and type of motor or engine to be used 10 HP Advance Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use Section 35, T. 4S, R1W WM

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	1W	35	SW $\frac{1}{4}$ NW $\frac{1}{4}$	3.56
4S	1W	35	NW $\frac{1}{4}$ SW $\frac{1}{4}$	15.21
Total Acres				18.77

(If more space required, attach separate sheet)

Character of soil Willamette

Kind of crops raised Diversified

MUNICIPAL SUPPLY—

G 3734

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$3400.00.....
- 15. Construction work will begin on or before March 11, 1967.....
- 16. Construction work will be completed on or before April 6, 1967.....
- 17. The water will be completely applied to the proposed use on or before as soon as possible.....
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. ....

x Vera E. Garber  
x John E. Garber  
By Vera Garber  
(Signature of applicant)

WELL LOG:			
Remarks:	Top Soil	to	2 feet
	Brown Clay	2	20 "
	Brown Sandy Silt	20	55 "
	Gray Sandy Clay	55	80 "
	Black Sand	80	100 "
	Black Sand & Gravel	100	104 "
	Gray Clay & Sand	104	135 "
	Clay & Gravel	135	150 "
	Black Sand & Gravel	150	180 "
	Gray Clay	180	190 "
	Black Sand & Gray Clay	190	195 "
	Gray Clay	195	200 "

Drilled by Willamette Drilling Co - April 1967

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER  
By ..... ASSISTANT

STATE OF OREGON,  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.23 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is June 29, 1967

Actual construction work shall begin on or before February 7, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 7th day of February, 1968

*Chris L. Wheeler*  
STATE ENGINEER

pc

Application No. G- 3977  
Permit No. G- 373A

PERMIT  
TO APPROPRIATE THE GROUND  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of June, 1967, at 11:00 o'clock A. M.

Returned to applicant:  
  
Approved: February 7, 1968

Recorded in book No. \_\_\_\_\_ of \_\_\_\_\_  
Ground Water Permits on page G 373A  
CHRIS L. WHEELER  
STATE ENGINEER  
Drainage Basin No. 2 page 97A

\$20.00