

APPLICATION FOR A PERMIT

# To Appropriate the Ground Waters of the State of Oregon

I, John H. and/or Maxine K. Singer  
(Name of applicant)

of Route 1, Box 43, Aurora, county of Marion,  
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River  
(Name of stream)

tributary of \_\_\_\_\_

2. The amount of water which the applicant intends to apply to beneficial use is 1.20 cubic feet per second or \_\_\_\_\_ gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 90 ft. N ~~and~~ 61° ~~S~~ E from the SW corner of SE 1/4 SW 1/4 Sec 4  
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SW 1/4 of Sec. 4, Twp. 4S, R. 1W, W. M., in the county of Marion

5. The \_\_\_\_\_ to be \_\_\_\_\_ miles in length, terminating in the \_\_\_\_\_ of Sec. \_\_\_\_\_, Twp. \_\_\_\_\_, R. \_\_\_\_\_, W. M., the proposed location being shown throughout on the accompanying map.  
(Canal or pipe line) (Smallest legal subdivision)

6. The name of the well or other works is \_\_\_\_\_

### DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a diameter of 12 inches and an estimated depth of 180 feet. It is estimated that feet of the well will require standard steel casing. Depth to water table is estimated 56  
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake ..... in.; in size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

10. If pumps are to be used, give size and type ..... deep well turbine pump.....

Give horsepower and type of motor or engine to be used ..... 50 H.P. Electric.....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use .....

4S	1W	X 4	SW $\frac{1}{4}$ SW $\frac{1}{4}$	7.5
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	16.2
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	22.4
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	0.5
4S	1W	X 9	NW $\frac{1}{4}$ NW $\frac{1}{4}$	19.6
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	36.3
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	39.6
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	5.3
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	8.0
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	15.4
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	3.7
				174.5

(If more space required, attach separate sheet)

Character of soil ..... clay loam.....  
 Kind of crops raised ..... truck crops.....

MUNICIPAL SUPPLY—

13. To supply the city of .....  
in ..... county, having a present population of .....  
and an estimated population of ..... in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 11,200<sup>00</sup>
- 15. Construction work will begin on or before Completed
- 16. Construction work will be completed on or before Completed
- 17. The water will be completely applied to the proposed use on or before Oct. 1, 1970

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Will cancel Per. No. G-2689 when permit issued approving this appl.

John H. Singer  
(Signature of applicant)  
Mapine R. Singer

Remarks:

L.D. in File no G-2910  
Milo Schneides drilled June '67

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

.....  
STATE ENGINEER

By .....  
ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.20 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 24, 1967

Actual construction work shall begin on or before March 7, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 7th day of March, 1968

*Chris L. Wheeler*

STATE ENGINEER

Application No. G- 4006  
 Permit No. G- G 3758

**PERMIT**  
 TO APPROPRIATE THE GROUND  
 WATERS OF THE STATE  
 OF OREGON

This instrument was first received in the  
 office of the State Engineer at Salem, Oregon,  
 on the 24th day of July,  
1967, at 3:06 o'clock A.M.

Returned to applicant: \_\_\_\_\_

Approved: \_\_\_\_\_  
March 7, 1968

Recorded in book No. \_\_\_\_\_ of  
 Ground Water Permits on page G 3758

CHRIS L. WHEELER  
 STATE ENGINEER  
 Drainage Basin No. 2 page 98  
34 55