

Permit No. G-G-3779

APPLICATION FOR A PERMIT

CERTIFICATE NO. 36091

To appropriate the Ground Waters of the State of Oregon

I, H. L. Lewis (Name of applicant) Arrol

of RT #2 - Box 242-A - Silverton, county of Marion
(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Woods Creek
(Name of stream)

tributary of Little pudding river

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 300 gallons per minute.

3. The use to which the water is to be applied is to irrigate farm land
Irrig. & Suppl.

4. The well or other source is located 250 ft. west and 240 ft. north from the S. E. corner of Section 14, T. 6 S. - R. 2 W.
(N. or S.) (E. or W.)
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 14, Twp. 6S, R. 2W, W. M., in the county of Marion

5. The to be miles
(Canal or pipe line)
in length, terminating in the of Sec., Twp.
(Smallest legal subdivision)
R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 1 well having a
(Give number of wells, tunnels, etc.)
diameter of 10 inches and an estimated depth of 153 feet. It is estimated that 153
feet of the well will require Steel casing. Depth to water table is estimated 20
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3779

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type *Jacuzzi turbine*

Give horsepower and type of motor or engine to be used *20-H.P. electric*

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
65	2W	14	SE $\frac{1}{4}$ SE $\frac{1}{4}$	14.6 suppl
				25.4 primary
		23	NE $\frac{1}{4}$ NE $\frac{1}{4}$	12.4 suppl
				1.5 primary
				<u>53.9</u>

*11-8-27
S. J.*

RECEIVED
NOV 8 1927
STATE ENGINEER
SALEM, OREGON

(If more space required, attach separate sheet)

Character of soil *Willamette and Chapato*
Kind of crops raised *row crops - But End - cane berries Forage crops*

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 5 000.....
- 15. Construction work will begin on or before 4/19/66.....
- 16. Construction work will be completed on or before 5/12/66.....
- 17. The water will be completely applied to the proposed use on or before 5/1/67.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. To Appl 32739 Cert 32129

Alvin Trout
(Signature of applicant)

Remarks:

Beginning at the corner of Sections 13-14-23 and 24 in town Ship 6 South, range 2 west of the Willamette meridian and running thence south 80 rods thence west 80 rods thence south 133 rods thence east 80 rods thence north 53 rods to place of beginning containing 48-56 acres more or less Situated in Marion county State of Oregon

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 11th....., 1967.....

WITNESS my hand this 10th... day of October....., 19... 67

RECEIVED
NOV 8 1967
STATE ENGINEER
SALEM OREGON

CHRIS L. WHEELER
STATE ENGINEER
By *Alvin Trout*
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.67 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is August 9, 1967

Actual construction work shall begin on or before March 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 18th day of March, 1968

STATE ENGINEER

Application No. G-4628
Permit No. G-3779

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 9th day of August,
1967, at 8:24 o'clock A. M.

Returned to applicant:

Approved:

March 18, 1968

Recorded in book No. of
Ground Water Permits on page G-3779

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 98

42360