## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

For W. Fiske
of 5933 Silverton Pal Me Caling country of Marion,
state of, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Little Dudding Sires (Name of stream)  tributary of
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or gallons per minute.
3. The use to which the water is to be applied is
4. The well or other source is located/6/290 ft. 200 th. and 23.03.5 ft. last from the Well
corner of to a point known as the n. c. Corner of the Cyrus Pitron D. L. C. no. 72  (If professole, give distance and bearing to section corner)
being within the Low Lead the second within the Low Lead to the second within the Low Lead of Sec. Twp. 7.5, R. 2. W.,
W. M., in the country of
5. The to be miles
in length, terminating in the of Sec
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
Well is 6" Casing lest 100 + deep 5 H.P. submergable Jump, single phase
8. The development will consist of
diameter of
feet of the well will require

			•		
CAN	AT C	YSTEM	$\triangle D$	DITITI	T TRITE
-11111	<b>111</b> 12	O I CO I CAIVI	U/D	PIPR.	1 / 1 / N H

adgate. At he	augule: wiath on to	p (at water	r line)	***************************************		eet; width on botto
•••••	feet; depth of w	ater	fe	et; grade	****************	feet fall per or
ousand feet.						
(b) At	mile	es from he	adgate: widt	h on top (at w	ater line) .	
	feet; width on b		• "			
	feet fall pe			,, <b>,</b>	,	····· jee
	h of pipe,			alea		
	in.; siz					
	of use,	ft.	Is grade un	iform?	***************************************	Estimated capacit
10. If pun	sec. ft. ips are to be used, g	ive size and	l type5;	HP,	Subs	nergable
Give horse	power and type of	motor or er	ngine to be u	sed		
iturai stream	location of the well, or stream channel, elevation between t	give the di	istance to the	e nearest poin	t on each o	f such channels and
difference in  12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
difference in  12. Location	or stream channel, elevation between 1	give the di	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
difference in  12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
difference in  12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
difference in  12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
difference in  12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
difference in  12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen
difference in  12. Location	or stream channel, elevation between the stream on of area to be irriversed to the stream of the str	give the dithe stream	istance to the bed and the	e nearest poin ground surfac	t on each o	f such channels an urce of developmen

MUNICIPAL SUPPLY—  13. To supply the city of	
in cou	inty, having a present population of
and an estimated population of	
ANSWER QUE	ESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES .
14. Estimated cost of propose	ed works, \$25.22.
15. Construction work will be	egin on or before June 15-67
	e completed on or before June 15-68
	etely applied to the proposed use on or before Och. 1,6
18. If the ground water supp	ply is supplemental to an existing water supply, identify any app
	te or adjudicated right to appropriate water, made or held by
pplicant. Jun 120	
	D-115 Fibe
	(Signature of applicant)
Remarks:	,
	The state of the
	······································
	•••••••••••••••••••••••••••••••••••••••
	······································
	······································
TATE OF OREGON, ss.	
County of Marion,	
This is to certify that I have	examined the foregoing application, together with the accompanyi
	for
In order to retain its priority,	this application must be returned to the State Engineer, with corre
ons on or before	
of the second o	
WITNESS my hand this	day of, 19,
	STATE ENGINEER

Ву ...

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed ......O.28......... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...a.well ..... The use to which this water is to be applied is ...irrigation.... or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ... 2 ... acre feet per acre for each acre irrigated during the irrigation season of each year; ..... and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is August 16, 1967 Actual construction work shall begin on or before March 18, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.69..... Complete application of the water to the proposed use shall be made on or before October 1, 19...79. 1968 WITNESS my hand this 18th day of March STATE ENGINEER office of the State Engineer at Salem, Oregon This instrument was first received in APPROPRIATE THE GROUND WATERS OF THE STATE March 18, 1968 Ground Water Permits on page OREGON Application No. G-... Recorded in book No. Drainage Basin No. day of Returned to applicant. Permit No. atTO on the