

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, G. R. D. & H. Grieb (Name of applicant)

of Lexington (Postoffice Address), county of Morrow

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Partnership

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Sand Hollow (Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is No. 1 - 7 cubic feet per second or No. 2 - 3000 gallons per minute.

3. The use to which the water is to be applied is Irrigation

4. The well or other source is located ft. (N. or S.) and ft. (E. or W.) from the

#1 corner of 3140' West from the S.E. corner of S.E. 1/4 of section 28 (Section or subdivision)

#2 Located 1020' East and 13' North from the S.W. corner of S.W. 1/4 of section 29 (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the #1 SE 1/4 SW 1/4 of Sec. 28, Twp. 2 N, R. 26 E, W. M., in the county of Morrow
#2 SW 1/4 SW 1/4 29

5. The portable main line (Canal or pipe line) to be miles

in length, terminating in the of Sec., Twp., R., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is G. R. D. & H. Grieb No. 1
G. R. D. & H. Grieb No. 2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of 2 wells (Give number of wells, tunnels, etc.) having a diameter of 16 inches and an estimated depth of 600 feet. It is estimated that 150 feet of the well will require 16 inches 1/2 casing. Depth to water table is estimated 165 (Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type ..Centrifical.....

Give horsepower and type of motor, or engine to be used ...200 hp. 3 phase.....

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development over 1/4 mile.....

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Enclosed on two sheets				

(If more space required, attach separate sheet)

Character of soil ...Sandy loam.....

Kind of crops raised ...Wheat & Hay.....

NE 1/4 of NE 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
NW 1/4 of NE 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
SE 1/4 of NE 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
SW 1/4 of NE 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
NE 1/4 of NW 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
NW 1/4 of NW 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
SE 1/4 of NW 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
SW 1/4 of NW 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
NE 1/4 of SE 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
NW 1/4 of SE 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
SE 1/4 of SE 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
SW 1/4 of SE 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
NE 1/4 of SW 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
NW 1/4 of SW 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
SE 1/4 of SW 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1
SW 1/4 of SW 1/4	Sec. 28, T 2N., R 26 E. 40 Ac.	No. 1

RECEIVED

MAY 7 1968

STATE ENGINEER
SALEM, OREGON

RECEIVED

JUL 19 1967

STATE ENGINEER
SALEM, OREGON

NE 1/4 of NE 1/4	Sec. 29, T 2N., R 26 E. 38 Ac.	No. 2
NW 1/4 of NE 1/4	Sec. 29, T 2N., R 26 E. 38 Ac.	No. 2
SE 1/4 of NE 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of NE 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
NE 1/4 of NW 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
NW 1/4 of NW 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
SE 1/4 of NW 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of NW 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
NE 1/4 of SE 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
NW 1/4 of SE 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
SE 1/4 of SE 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of SE 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
NE 1/4 of SW 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
NW 1/4 of SW 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
SE 1/4 of SW 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of SW 1/4	Sec. 29, T 2N., R 26 E. 40 Ac.	No. 2

SE 1/4 of NE 1/4	Sec. 30, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of NE 1/4	Sec. 30, T 2N., R 26 E. 40 Ac.	No. 2
NE 1/4 of SE 1/4	Sec. 30, T 2N., R 26 E. 40 Ac.	No. 2
SE 1/4 of SE 1/4	Sec. 30, T 2N., R 26 E. 40 Ac.	No. 2

NE 1/4 of NE 1/4	Sec. 31, T 2N., R 26 E. 40 Ac.	No. 2
NW 1/4 of NE 1/4	Sec. 31, T 2N., R 26 E. 40 Ac.	No. 2
SE 1/4 of NE 1/4	Sec. 31, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of NE 1/4	Sec. 31, T 2N., R 26 E. 40 Ac.	No. 2
NE 1/4 of SE 1/4	Sec. 31, T 2N., R 26 E. 40 Ac.	No. 2
NW 1/4 of SE 1/4	Sec. 31, T 2N., R 26 E. 40 Ac.	No. 2
SE 1/4 of SE 1/4	Sec. 31, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of SE 1/4	Sec. 31, T 2N., R 26 E. 40 Ac.	No. 2

NE 1/4 of NE 1/4	Sec. 32, T 2N., R 26 E. 40 Ac.	No. 2
NW 1/4 of NE 1/4	Sec. 32, T 2N., R 26 E. 40 Ac.	No. 2
SE 1/4 of NE 1/4	Sec. 32, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of NE 1/4	Sec. 32, T 2N., R 26 E. 40 Ac.	No. 2
NE 1/4 of SE 1/4	Sec. 32, T 2N., R 26 E. 40 Ac.	No. 2
NW 1/4 of SE 1/4	Sec. 32, T 2N., R 26 E. 40 Ac.	No. 2
SE 1/4 of SE 1/4	Sec. 32, T 2N., R 26 E. 40 Ac.	No. 2
SW 1/4 of S. 1/4	Sec. 32, T 2N., R 26 E. 40 Ac.	No. 2

NE 1/4 of NE 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
NW 1/4 of NE 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
SE 1/4 of NE 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
SW 1/4 of NE 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
NE 1/4 of NW 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
NW 1/4 of NW 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
SE 1/4 of NW 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
SW 1/4 of NW 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
NE 1/4 of SE 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
NW 1/4 of SE 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
SE 1/4 of SE 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
SW 1/4 of SE 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
NE 1/4 of SW 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
NW 1/4 of SW 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
SE 1/4 of SW 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1
SW 1/4 of SW 1/4	Sec. 33,	T 2N.,	R 26	E. 40	Ac.	No. 1

NE 1/4 of NE 1/4	Sec. 4,	T 2N.,	R 26	E. 40	Ac.	No. 1
NW 1/4 of NE 1/4	Sec. 4,	T 1N.,	R 26	E. 40	Ac.	No. 1
SE 1/4 of NE 1/4	Sec. 4,	T 1N.,	R 26	E. 40	Ac.	No. 1
SW 1/4 of NE 1/4	Sec. 4,	T 1N.,	R 26	E. 40	Ac.	No. 1
NE 1/4 of NW 1/4	Sec. 4,	T 1N.,	R 26	E. 40	Ac.	No. 1
NW 1/4 of NW 1/4	Sec. 4,	T 1N.,	R 26	E. 40	Ac.	No. 1
SE 1/4 of NW 1/4	Sec. 4,	T 1N.,	R 26	E. 40	Ac.	No. 1
SW 1/4 of NW 1/4	Sec. 4,	T 1N.,	R 26	E. 40	Ac.	No. 1

NE 1/4 of NE 1/4	Sec. 5,	T 1N.,	R 26	E. 40	Ac.	No. 2
NW 1/4 of NE 1/4	Sec. 5,	T 1N.,	R 26	E. 40	Ac.	No. 2
SE 1/4 of NE 1/4	Sec. 5,	T 1N.,	R 26	E. 40	Ac.	No. 2
SW 1/4 of NE 1/4	Sec. 5,	T 1N.,	R 26	E. 40	Ac.	No. 2
NE 1/4 of NW 1/4	Sec. 5,	T 1N.,	R 26	E. 40	Ac.	No. 2
NW 1/4 of NW 1/4	Sec. 5,	T 1N.,	R 26	E. 40	Ac.	No. 2
SE 1/4 of NW 1/4	Sec. 5,	T 1N.,	R 26	E. 40	Ac.	No. 2
SW 1/4 of NW 1/4	Sec. 5,	T 1N.,	R 26	E. 40	Ac.	No. 2

RECEIVED
 JUL 19 1967
 STATE ENGINEER
 SALEM OREGON

3356

✓ O.K.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 100,000.00.....
- 15. Construction work will begin on or before May 19, 1967.....
- 16. Construction work will be completed on or before May 19, 1968.....
- 17. The water will be completely applied to the proposed use on or before May 19, 1970.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. None.....

Remarks:

Gary Grieb
(Signature of applicant)
Richard J. Grieb
David W. Grieb
Allen Grieb

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ~~November 13th~~, 19 ~~67~~.
April 29th 68

WITNESS my hand this ~~13th~~ day of ~~September~~, 19 ~~67~~.
27th February 68

RECEIVED
MAY 7 1968
STATE ENGINEER

RECEIVED
OCT 10 1967
STATE ENGINEER
MARION OREGON

CHRIS L. WHEELER
STATE ENGINEER
Taylor W. Wheeler
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 14.0 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from two wells being 7.0 cfs from each well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is July 19, 1967 for 7.0 cfs
March 7, 1968 for 7.0 cfs

Actual construction work shall begin on or before April 15, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 15th day of April, 1968

Chris J. Wheeler
STATE ENGINEER

Application No. G-3999
Permit No. G-3792

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 19th day of July
1967, at 11:00 o'clock A. M.

Returned to applicant:

Approved:

April 15, 1968

Recorded in book No. _____ of _____

Ground Water Permits on page G-3792

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 58

9906
01-74

PC