

RECEIVED
JAN 29 1930
STATE ENGINEER
OREGON

CERTIFICATE NO. 38187

Permit No. G- G 3794

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

I, CLARENCE N. KOZNEK (Name of applicant)

of 1219 N. W. Irvine Street, The Dalles, county of Wasco, state of Oregon

do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation.

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Chenowith Creek (Name of stream)

tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 60 cubic feet per second or 60 gallons per minute.

3. The use to which the water is to be applied is irrigation and supplemental irrigation

4. The well or other source is located 450 ft. S. and 1750 ft. E. from the W. corner of Section 29 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE SW of Sec. 29, Twp. 2N., R. 13E., W. M., in the county of Wasco

5. The pipe line to be 900 feet in length, terminating in the NW SE of Sec. 29, Twp. 2N., R. 13E., W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is None

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a 18' X 18' opening of curbing and an estimated depth of 22 feet. It is estimated that 11 feet of the well is concrete casing. Depth to water table is estimated 15 feet.

CANAL SYSTEM OR PIPE LINE—

G 3794

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development 600 feet and approximately same elevation to Chenowith Creek.....

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
SUPPLEMENTAL				
2N.	13E.	29	SE NW	1.2
2N.	13E.	29	SW NE	2.0 2.1
2N.	13E.	29	NW SE	2.8 2.8
NEW				6.0
Total -----				6.1 6.1
2N.	13E.	29	SW NE	1.1 1.1
2N.	13E.	29	NW SE	1.0 1.0
Total -----				2.1 2.1
Total -----				2.0 2.0

(If more space required, attach separate sheet)

Character of soil Sandy

Kind of crops raised Grass

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 9,000.00
- 15. Construction work will begin on or before July 1, 1968
- 16. Construction work will be completed on or before July 1, 1969
- 17. The water will be completely applied to the proposed use on or before July 1, 1970
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Adjudicated right 14563 Park S. Plummer 1860 priority date

Lawrence N. Kozmek
(Signature of applicant)

Remarks: Well already constructed. Built in 1915.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 7th, 1968.

WITNESS my hand this 7th day of February, 1968.

RECEIVED
FEB 10 1968
STATE ENGINEER
SALMON OREGON

CHRIS L. WHEELER
STATE ENGINEER
Samuel Johnson
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.10..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well.....

The use to which this water is to be applied isirrigation and supplemental irrigation....

If for irrigation, this appropriation shall be limited to1/30th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...3.... acre feet per acre for each acre irrigated during the irrigation season of each year; provided further... that the right allowed herein shall be limited to any deficiency in the available... supply of any prior right existing for the same lands and shall not exceed the... limitation allowed herein.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isJanuary 29, 1968.....

Actual construction work shall begin on or beforeApril 15, 1969..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...69.....

Complete application of the water to the proposed use shall be made on or before October 1, 19...70..

WITNESS my hand this ...15th... day ofApril....., 19 68..

Chris L. Wheeler

STATE ENGINEER

Application No. G- 4030
Permit No. G- G- 3794

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of January 1968, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 15, 1968

Recorded in book No. of Ground Water Permits on page G- 3794

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 4 page 40

470