

"Superconded by 68558"

Permit No. G. G 3816

APPLICATION FOR A PERMIT

CERTIFICATE NO. 38855

To Appropriate the Ground Waters of the State of Oregon

of Control		I, /40mas	A and	(Name of applicant)	AShbeck
If the applicant is a corporation, give date and place of incorporation 1. Give name of nearest stream to which the well, tunnel or other source of water development situated Buster Carek Conserved to the source of water development intends to apply to beneficial use is	of	Echo (P)	9782 to		ounty of Umatilla
If the applicant is a corporation, give date and place of incorporation 1. Give name of nearest stream to which the well, tunnel or other source of water development situated Buller Charles Charle		_			•
1. Give name of nearest stream to which the well, tunnel or other source of water development situated Buller Creek Chase of treem	รู้ยะได้	wing described ground i	vaters of the state	of Oregon, SUBJEC'	T TO EXISTING RIGHTS:
Situated Substance Consult Co		If the applicant is a con	rporation, give dat	e and place of incorpo	oration
Situated Substance Consult Co	**********				
tributary of Land & Complete to be applied is tributary of Land & Complete to be apply to beneficial use is 2.5 complete to which the water is to be applied is Land & Lan		1. Give name of neare	est stream to whic	h the well, tunnel or	other source of water developmen
tributary of Land & Complete to be applied is tributary of Land & Complete to be apply to beneficial use is 2.5 complete to which the water is to be applied is Land & Lan	situa	ted	Buzte	I Creek	
2. The amount of water which the applicant intends to apply to beneficial use is		•		(Name of stream)	1/200 A 1/1 R
gallons per minute. 3. The use to which the water is to be applied is September and Acting and the control of the control and conservation of supply when not in use must be described. 8.2. Ct. 1022 2.7 (Rection or subdivision) (It preferable, give distance and bearing to section corner) (It preferable, give distance and described. (It preferable, give d	•••••	/		tributarı	y of
4. The well or other source is located \$20. ft. S and 400 ft. E from the M. (B. or W.) (If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the M. M. S.M. S. Of Sec. 27. Twp. 2. M., R. 27. W. M., in the county of (Canal or pipe line) in length, terminating in the (Canal or pipe line) in length, terminating in the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is A. S.M. S.C.K. # DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. 8. The development will consist of Color of the works is set in number of wells, number, etc.) diameter of S. inches and an estimated depth of 22.9 feet. It is estimated that I feet of the well will require S. 1.2. Casing. Depth to water table is estimated	feet :				to beneficial use isO.5 cu
4. The well or other source is located \$20. ft. S and 400 ft. E from the M. (B. or W.) (If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the M. M. S.M. S. Of Sec. 27. Twp. 2. M., R. 27. W. M., in the county of (Canal or pipe line) in length, terminating in the (Canal or pipe line) in length, terminating in the proposed location being shown throughout on the accompanying map. 6. The name of the well or other works is A. S.M. S.C.K. # DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. 8. The development will consist of Color of the works is set in number of wells, number, etc.) diameter of S. inches and an estimated depth of 22.9 feet. It is estimated that I feet of the well will require S. 1.2. Casing. Depth to water table is estimated		3. The use to which th	ne water is to be a	nnlied is	to the attention
4. The well or other source is located \$20. ft. S and 40. ft. E (x or W.) from the X corner of \$2.8. C. ft. 27. 27. (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the Of Sec. 27. Twp. 21. R. 27. W. M., in the county of (Canal or pipe line) 5. The (Canal or pipe line) in length, terminating in the (Smallest legal subdivision) R			1		
4. The well or other source is located \$20. ft. S and 40. ft. E (x or W.) from the X corner of \$2.8. C. ft. 27. 27. (Section or subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the Of Sec. 27. Twp. 21. R. 27. W. M., in the county of (Canal or pipe line) 5. The (Canal or pipe line) in length, terminating in the (Smallest legal subdivision) R	ړ کې	pplemental Tr	ngation	E Irrigation	
(If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the					
(If preferable, give distance and bearing to section corner) (If there is more than one well, each must be described. Use separate sheet if necessary) being within the	corn				(2. 02 ***)
being within the		•		(Section or subdivision)	
being within the			(If preferable, give d	istance and bearing to section of	orner)
W. M., in the county of	•••••	(If there is	s more than one well, each	n must be described. Use separ	ate sheet if necessary)
5. The	being	within the	N W 1/4 5 W	/// of Sec	27 , Twp. 2N, R 27
In length, terminating in the	W. M	., in the county of	Umatilla		
In length, terminating in the		5. The	(Canal or pipe line)		to be m
8. The flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. 8. The development will consist of	in le	ngth, terminating in the	(Smallest le	gal subdivision)	of Sec, Twp
DESCRIPTION OF WORKS 7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. 8. The development will consist of					
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of supply when not in use must be described. 8. The development will consist of		6. The name of the we	ll or other works i	s. <u>A Shbe</u> o	K #/
8. The development will consist of			DESCRI	PTION OF WORKS	
8. The development will consist of	sum			e works to be used fo	or the control and conservation of
8. The development will consist of				MENT SHEET	
8. The development will consist of	•••••	***************************************			***************************************
diameter of		•••••••			***************************************
diameter of		•			
diameter of	*********	8. The development w	vill consist of	ONA W	'e// havin
feet of the well will require	diam				
20 feet	feet (of the well will require	Stee/	casing. Depth to	water table is estimated
		20 for			(vect)

CANAL	SYSTEM	OR	PIPE	LINE_	

(b) At	danta A+ h =	dabina natanbe	n / n + n , n + n - 1 - 1 - 1		In add to the Table 7 or
(b) At					
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet all per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at ft. (c) Length of pipe, ft.; size at intake in.; differer of in elevation between the and place of use, ft. Is grade uniform? Estimated capacity Sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used Later Control 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a tural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development Mall is a present markely less from a surface at the source of development Later Control of area to be irrigated, or place of use Township Markel 12. Location of area to be irrigated, or place of use Township Markel Number Acres Township		feet; depth of w	ater	feet; grade	feet fall per on
de feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at ff.; (c) Length of pipe, ft.; size at intake in.; in; size at ff.; (c) Length of pipe, ft.; size at intake in.; in; size at ff.; size at intake in.; in; size at ff.; ft.; size at intake in.; in; size at ff.; ft.; size at intake in.; in; size at ff.; ft.; size at intake in.; in; size at ff.; ft.; size at intake in.; in; size at ff.; ft.; size at intake in.; in; in; size at intake in.; in; in size at ff.; ft.; size at intake in.; in; in size at ff.; ft.; size at intake in.; in; in size at ff.; ft.; size at intake in.; in; in size at ff.; ft.; size at intake in.; in; in size at ff.; in.; in; in; in; in; size at ff.; in.; in; in; in; in; in; in; in; in; in; in	usand feet.				
(c) Length of pipe, ft.; size at intake in; in size at ft. in; in size at ft. is grade uniform? Estimated capacity sec. ft. 10. If pumps are to be used, give size and type five horsepower and type of motor or engine to be used five horsepower and type of motor or engine to be used for each of such channels and difference in elevation between the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from attival stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development will give the distance to the nearest point on each of such channels and difference in elevation between bed and the ground surface at the source of development will give the distance to the nearest point on each of such channels and difference in elevation between bed and the ground surface at the source of development work is less than one-fourth mile from altitude at the fourth surface at the source of development work is less than one-fourth mile from attribute at the fourth surface at the source of development work is less than one-fourth mile from attribute at the fourth surface at the source of development work is less than one-fourth mile from attribute at the fourth surface at the source of development work is less than one-fourth mile from attribute at the fourth surface at the source of development work is less than one-fourth mile from attribute at the fourth surface at the source of development work is less than one-fourth mile from attribute at the fourth surface at the source of development work is less than one-fourth mile from attribute at the fourth surface at the source of development work is less than one-fourth mile from attribute at the fourth surface at the fourth surf	(b) At	mile	es from headgate:	width on top (at water li	ne)
in, size at place of use in, differer in elevation between ake and place of use, ft. is grade uniform? Estimated capacity sec. ft. 10. If pumps are to be used, give size and type five horsepower and type of motor or engine to be used five horsepower and type of motor or engine to be used five horsepower and type of motor or engine to be used five horsepower and type of motor or engine to be used five horsepower and type of motor or engine to be used five horsepower and type of motor or engine to be used five horsepower and type of motor or engine to be used five horsepower and type of motor or engine to be used five horsepower and type of such channels and difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from altiference in elevation between bed and the ground surface at the source of development will be ground surface at the source of development will be ground surface at the source of development work is less than one-fourth mile from altiference in elevation between bed and the ground surface at the source of development work is less than one-fourth mile from altiference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from altiference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from altiference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from altiference in elevation between the stream of the first stream cannot be considered. If the location of the well, tunnel, or other development work is less than one-fourth mile from altiference in elevation between the stream of the first stre		feet; width on b	ottom	feet; depth of wate	r feet
in.; size at place of use in.; differer o in elevation between ake and place of use, it. Is grade uniform? Estimated capacity sec. ft. 10. If pumps are to be used, give size and type If I would be used I was a sec. ft. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile from attural stream or stream channel, give the distance to the nearest point on each of such channels and difference in elevation between the stream bed and the ground surface at the source of development work is a fifteen and the ground surface at the source of development will be a first of the care of the pround surface at the source of development will be a first of the source of development will be a first of the source of development will be a first of the source of development will be a first of the source of development will be a first of the source of development will be a first of the source	de	feet fall pe	er one thousand fe	eet.	
ake and place of use,	(c) Lengt	h of pipe,	ft.; size	at intake in.;	in size at f
Give horsepower and type of motor or engine to be used Ship electric	n stilve	in.; siz	ze at place of use	in.; differe	res in elevation between
Give horsepower and type of motor or engine to be used Ship electric	ike and place	of use,	ft. Is gra	de uniform?	Estimated capacity
Give horsepower and type of motor or engine to be used Ship electric		sec. ft.			
Give horsepower and type of motor or engine to be used Ship electric		•	and the second s	· ·	Noine
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from atural stream or stream channel, give the distance to the nearest point on each of such channels are difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from a difference in elevation between the stream bed and the ground surface at the source of development with the stream of the					
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from actural stream or stream channel, give the distance to the nearest point on each of such channels are edifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile from actual stream or stream channel, give the distance to the nearest point on each of such channels are edifference in elevation between the stream bed and the ground surface at the source of development with the surface of the stream of	Gine horse	enower and type of	motor or engine t	o he used	carfine.
11. If the location of the well, tunnel, or other development work is less than one-fourth mile from actural stream or stream channel, give the distance to the nearest point on each of such channels are edifference in elevation between the stream bed and the ground surface at the source of developmen Mall is a ffereximally see feet feet cast of Batta Creek Carea Canadally See feet cast of Batta Creek Carea Canadally See feet cast of Satta Creek Canadally Canadally Section of area to be irrigated, or place of use 12. Location of area to be irrigated, or place of use Township Ransa Township Ecore Wolfman Section Forty-are Tract Number Acres To be irrigated to surface of the contribution of the con					•
actural stream or stream channel, give the distance to the nearest point on each of such channels are edifference in elevation between the stream bed and the ground surface at the source of developmen Medil is affected in the stream bed and the ground surface at the source of developmen Medil is affected in the source of developmen Section Forty acres at the source of developmen Section of area to be irrigated, or place of use Township Enance Township Enance Township Enance Township Enance Township Enance Township England Section Forty-acres Tract Number Acress to Be Irrigated Mississipped Missi	*****************	••••••••••••		k.dkh.f.d	······································
Character of soil Lavation of great to be irrigated, or place of use Township Range Range Township Range T					
12. Location of area to be irrigated, or place of use Township Earner N. or S. Williametic Meridian 2. N 2. T 3. N 2. T 3. N 3. T 4. Supplied 14. 3. Supplied 15. 16. 3. Supplied 16. 16. 16. 16. 16. 16. 16. 16. 16. 16.	. .				
12. Location of area to be irrigated, or place of use Township Er IW N. or S. Willametic Meridian Section Forty-acre Tract Number Acres To Be Irrigated 14.3 Sup 14.3 Sup 14.3 Sup 15.10 If more space required, attach separate sheet) Character of soil Sile learn.	Well is	approxim	ately 800	feet east of	Butter Creek
2 N 27 E 27 NW/4 SW/4 **Hosting of the state of the stat	Channel.	Elevati	on of gro	and Surface at	The well is
Character of soil Sile loam	Channel. approx 12. Locati	mately lo	on of groot	- Than bed of	The well is Stream Channel
Character of soil Si/c /oam	Channel. Africax 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Si/c /oam	Channel. Africax 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Sile loam	Channel. Africax 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Si/c /oam	Channel. Africax 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Si/c /oam	Channel. Africax 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Si/c /oam	Channel. Africax 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Si/c /oam	Channel. Africax 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Si/c Joam	Channel. Africax 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Sile loam	Channel. Afficient 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Sile loam	Channel. Afficient 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Si/c Joam	Channel. Afficient 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Sile loam	Channel. Afficient 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Sile loam	Channel. Afficient 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	ft. high a	und Surface at Than bed of use	The Well is Stream Channel Number Acres
Character of soil Silt loam Kind of crops raised Paskure, Hay or Alfalfa Seed.	Channel. Afficient 12. Locati Township	inately 10 on of area to be irr Range E. or W. of	igated, or place of	use	The Well is Stream Channel Number Acres
Kind of crops raised Paskure, Hay or Alfalfa seed.	12. Locati Township N. or S.	mately long of area to be irrection. Range E. or W. of Willamette Meridian.	igated, or place of Section 27 (If more space required,	use Forty-acre Tract NW/ SW/ attach separate sheet)	The Well is Stream Channel Number Acres
ZZVIVO OJ CIOPO INVOVO	12. Locati Township N. or S.	mately long of area to be irrection. Range E. or W. of Willamette Meridian.	igated, or place of Section 27 (If more space required,	use Forty-acre Tract NW/ SW/ attach separate sheet)	The Well is Stream Channel Number Acres

	e city of
	county, having a present population of
nd an estimated popul	lation of in 19
	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES
14. Estimated cos	ost of proposed works, \$ 600000
15. Construction	work will begin on or before Already began
	work will be completed on or before Octobel 1,1267
17. The water wi	ill be completely applied to the proposed use on or before
18. If the ground axion 30. permit, perm	d water supply is supplemental to an existing water supply, identify any appl mit, certificate or adjudicated right to appropriate water, made or held by th
pplicant. Butz	es Creek as exidenced by a certificate
	Page 2695, Yolume 3, State Record of Water Right Co
	Just Standard of applicant)
Remarks:	
14.3 060	ces as shown on the map has Butter creek sig
and this a	pplication is for Supplimental itrigation water
	of tion.
	The state of the s
Maria de la compansión de	und i dependant in estignessi in estignessi per antination in a competition del vides on design
TATE OF OREGON,	\rbrace_{ss} .
County of Marion,	
This is to certify	that I have examined the foregoing application, together with the accompanying
into to to contrag	urn the same for Generation and Correction
	Correction
naps and data, and retu	Correction
naps and data, and retu	Correction its priority, this application must be returned to the State Engineer, with correct
naps and data, and retu	Correction its priority, this application must be returned to the State Engineer, with correct January Oth
naps and data, and retu	Correction its priority, this application must be returned to the State Engineer, with correct
naps and data, and retu	Correction its priority, this application must be returned to the State Engineer, with correct January Oth

BIOMMA ASSISTANT

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The r	ight herein (•	. •	nt of wa				pplie	d to b	eneficia	l use
and shall no	t exceed	0.21	cub	oic feet pe	er seco	nd measu	red at	the po	int of	diver	sion f	rom the	well
or source of	appropriation	on, or its	equiv	alent in c	ase of	rotation	with o	ther w	ater ı	ısers,	from	a.we	ı
The i	use to which	this wate	er is to	be appli	ed is	irrigat	ion a	nd su	ppler	enta	l irı	rigatio	on
Ij for	irrigation, t	his appro	priatio	m shall b	e limit	ed to	1/	SOth	of o	ne cu	bic fo	ot per se	econd
or its equiv	alent for eac	h acre ir	rigated	l and sha	ll be fr	urther lin	nited to	a div	ersion	of no	ot to e	xceed	.3
acre feet pe	r acre for ea	ch acre i	rrigate	ed during	the in	rigation	season	of eac	h year	r; .pr	ovide	d furt	her.
that the	right allo	wed her	ein s	hall be	limi	ted to	any d	efici	en cy	in t	he av	ailabl	.e
supply of	ary prior	right	exist	ing.for	the	same.la	nd and	i sha	ll no	tex	ceed.	the	•••••
limitatio	n allowed	herein.	**********		••••••		**********		•••••				•••••
	***************************************		••••••						•••••		••••••		
	•			••••••	••••••								•••••
					••••••	••••••	***********				•••••		•••••
and shall be	subject to s	uch reasc	onable	rotation	system	as may	be orde	red by	, the p	oropei	r stat e	officer	
the works s The r line, adeque The r	vell shall be hall include ; vorks construte to determittee sho	proper co ucted sho vine wate ill install	apping all incl er leve and n	and cont ude an a el elevati naintain d	rol va ir line on in t a weir,	lve to pre and pres he well o meter,	vent the sure ga it all ti or oth	ne was uge or mes. er sui	te of g an ac	ground ccess p	d wate port fo	er. Or meas	uring
shall keep d	a complete r	ecora of	the ar	nount of	groun	a water i	withdr	ıwn.					
The γ	priority date	of this p	ermit	is		***********	Se	eptem	er l	1, 1	967		••••
	al construction											and	shall
	oe prosecute					,					ctober	1, 19.6	2
	olete applicat						_						
	NESS my ha										.6 <u>8</u> .,	·	
) // . A *	4			-			2	
•				·	Property.						STA	TE ENGIN	EER †
Application No. G-4073 Permit No. G-G-3816		WATERS OF THE STATE OF OREGON	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the 11th day of September.	1967, at Bi. 60. o'clock A. M.	Returned to applicant:		Approved:	April 15, 1968	06 0	Ground Water Permits on page	CHRIS L. WHE	Drainage Basin No page

Š