APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

	I, U. S. Department of the Interior, Bonneville Power Administration (Name of applicant)
of	P. O. Box 3621 Portland , county of Multnomah (Postoffice Address)
state follor	of
	If the applicant is a corporation, give date and place of incorporation
	1. Give name of nearest stream to which the well, tunnel or other source of water development
situa	Deschutes River (Name of stream)
	tributary of
	2. The amount of water which the applicant intends to apply to beneficial use is culer second or100 gallons per minute. Industrial, including 3. The use to which the water is to be applied is air conditioning & landsome second
and	
	Sanitary facilities. L93 732 W. 4. The well or other source is located 601 ft. N. and 792 (E. or W.)
corne	of SET, NET of Sec. 18 (Section or subdivision)
**********	(If preferable, give distance and bearing to section corner)
beina	(If there is more than one well, each must be described. Use separate sheet if necessary) within the SE1, NE1 of Sec. 18 , Twp. 15S , R. 13E
	, in the county of
	5. The to be mil
in ler	gth, terminating in the, Twp
R	, W. M., the proposed location being shown throughout on the accompanying map.
	6. The name of the well or other works is
	DESCRIPTION OF WORKS
suppl	7. If the flow to be utilized is artesian, the works to be used for the control and conservation of t when not in use must be described.
**********	•
***************************************	8. The development will consist of having (Give number of wells, tunnels, etc.)
diam	ter of <u>10</u> inches and an estimated depth of <u>450</u> feet. It is estimated that <u>450</u>
feet o	the well will requiresteel casing. Depth to water table is estimated320 (Kind) (Feet)

NAL SYSTE	M OR PIPE LINI	<u>C</u>			6	3820
9. (a) Gi	ve dimensions at e	ach point of co	ınal where n	naterially chan	ged in size, sto	iting miles f
dgate. At hed	adgate: width on to	op (at water lin	re)		feet; ı	vidth on bo
	feet; depth of u	vater	feet;	grade	f	eet fall per
usand feet.	•			V		
(b) At	mil	les from headg	gate: width o	on top (at wate	er line)	
***************************************	feet; width on	bottom	t	feet; depth of ı	vater	J
de	feet fall p	per one thousar	nd feet.			
(c) Length	h of pipe,	ft.;	size at intak	e	in.; in size at	
n intake	in.; s	ize at place of	use	in.; dif	ference in ele	vation betu
ke and place	of use,	ft. Is	grade unif	orm?	Esti	mated capa
••••••••••	sec. ft.			:		
10. If pun	aps are to be used,	give size and ty	pe 100	GPM subme	rsible	
•••••	***************************************					
Give horse	power and type of	f motor or engi	ne to be use	ed 25 HP	electric	
itural stream	location of the wel or stream channe elevation between	l, give the dist	ance to the	nearest point o	on each of suc	h channels
atural stream difference in	or stream channe	l, give the dist	ance to the d and the g	nearest point o	on each of suc	h channels
atural stream difference in	or stream channe elevation between	l, give the dist	ance to the d and the g	nearest point o	on each of suc at the source	h channels
tural stream difference in 12. Locati	or stream channe elevation between on of area to be irent E. or W. of	l, give the dist	ance to the d and the g	nearest point or round surface At well	on each of suc at the source	ch channels of developm
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irrectly and willamette Meridian	l, give the distant the stream be rigated, or places	ee of use	nearest point or round surface At well	on each of suc at the source	h channels of developm
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irrectly and willamette Meridian	l, give the distant the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	h channels of developn
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irrectly and willamette Meridian	l, give the distant the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	h channels of developm
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irrectly and willamette Meridian	l, give the distant the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	h channels of developn
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irent E. or W. of Willamette Meridian 13E	l, give the distant the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	ch channels of developm
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irent E. or W. of Willamette Meridian 13E	l, give the distant the stream be the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	h channels of developn
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irent E. or W. of Willamette Meridian 13E	l, give the distant the stream be the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	ch channels of developm
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irent E. or W. of Willamette Meridian 13E	l, give the distant the stream be the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	ch channels of developm
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irent E. or W. of Willamette Meridian 13E	l, give the distant the stream be the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	ch channels of developm
tural stream difference in 12. Locati Township N. or S.	or stream channe elevation between on of area to be irent E. or W. of Willamette Meridian 13E	l, give the distant the stream be the stream be rigated, or places	ee of use	nearest point or round surface At well V-acre Tract	on each of suc at the source	ch channels of developm

Character of soil

Kind of crops raised

	PAL SUPPLY— To supply the city of	
	county, having a present population of	
	stimated population ofin 19	·
C.	ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES	
14	Estimated cost of proposed works, \$ 15,000	<i>.</i>
ر ماند الرابع	Construction work will begin on or before Oct. 5, 1967	
	Construction work will be completed on or before Dec. 1, 190!	Marines Marines Alice
	Construction work was accomplished on or object a second	July 1, 1968
18.	The water will be completely applied to the proposed use on or before If the ground water supply is supplemental to an existing water supply permit, permit, certificate or adjudicated right to appropriate water,	ly, identify any appli-
applicant	BPA Redmond Substation well No. 1, Permit No. U-738	
Re	Max L. McMillin (Signature of appl) Max L. McMillin (Signature of appl) Head, Title Section, Bran Bonneville Power Administ	
	The pump is stuck in well No. 1. It is expected the	
	will become a standby source if the pump can be rem	noved for
	repairs. The pump is still operating at this time.	•
		•••••
		••••••
		••••••
•••••		

	OF OREGON, ss.	
	is is to certify that I have examined the foregoing application, together u	vith the accompanuing
	data, and return the same for	
maps and	t data, and return the same jor	
In	order to retain its priority, this application must be returned to the State	Engineer, with correc-
tions on o	or before	
	March 15th 68	ŧ
W .	· ·	, 19 67.
	15th January	68

By Cary Assistant

PERMIT

					ing limitatio		ana ao nereoy g ditions:	jrant the same,
The	right herein	granted	is limited	to the an	nount of was	ter which c	an be applied to	beneficial use
and shall n	ot exceed	0.22	cubic	feet per s	econd measu	red at the r	point of diversion	n from the well
or source o	of appropria	tion, or its	equivale	nt in case	of rotation	with other	water users, fro	m a well

The							dustrial	
If fo					·		of one cubic	
or its equi	valent for ea	ich acre ir	rigated a	nd shall b	e further lin	nited to a di	iversion of not to	o exceed
acre feet p	er acre for e	each acre	irrigated	during th	e irrigation	season of ea	ich year;	
	*************							•••••
***************************************	•••••	***************************************	••••••	***************************************	•••	•	•	•••••
	•••••	***************************************	·····			•••••	•••••	••••••
•	••••••						••••••	••••••
*************			••••••	************	•••			***************************************
	******************			*******************************			••••••	************************
and shall b	e subject to	such reas	onable ro	tation sys	tem as may l	be ordered l	by the proper sto	ite officer.
line, adequ The shall keep	ate to deter permittee sh a complete	mine wat nall instal record of	er level e l and mai the amo	elevation i ntain a wo unt of gro	in the well a eir, meter, und water i	t all times. or other si	or an access port	
	priority date						***************************************	
					efore	and the second		and shall
							or before Octob	
				•		•	on or before Oc	tober 1, 19 <u>70</u> .
WIT	NESS my h	and this	17th	day of	Мау		, 1968)
		•				Card 1	· Profile	STATE ENGINEER
	II.		છુ જ	•		1 1		· .
Application No. G	PERMIT O APPROPRIATE THE GROUND		us instrument was first received in the of the State Engineer at Salem, Oregon,	2th day of September	to applicant:	oved:	ecorded in bock No. on May 17, 1968 on dater Permits on page (2, 1992)	CHRIS L. WHEMLER STATE ENGINEER ainage Basin No