

RECEIVED
JUL 28 1967
STATE ENGINEER
OREGON

RECEIVED
SEP 10 1967
STATE ENGINEER
OREGON

Permit No. G-G 3835

CERTIFICATE NO. 42687

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Donald William Christy
(Name of applicant)
of Rt 1 Box 21
(Postoffice Address) Haines, county of Baker
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Rock Creek
(Name of stream)

tributary of Waddar River

2. The amount of water which the applicant intends to apply to beneficial use is 1.5 cubic feet per second or 673 gallons per minute. SEE REMARKS

3. The use to which the water is to be applied is Irrigation - Supplemental

4. The well or other source is located #1 = 4200 ft. ft. and N 54° 30' W ft. from the SE corner of section 36 being within the NE 1/4 - SW 1/4 section 36
(Section or subdivision)
36 Township 7S Range 38E
(If preferable, give distance and bearing to section corner)

#2 2500' N 62° 00' W from SE corner Sec-36
(If there is more than one well, each must be described. Use separate sheet if necessary)
being within the SW 1/4 - SE 1/4 of Sec. 36, Twp. 7S, R. 38E, W. M., in the county of Baker

5. The proposed portable sprinkler to be 0 miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____, R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is Christy good #1 well #2

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

None

8. The development will consist of drilled well having a diameter of 8 inches and an estimated depth of 125 feet feet. It is estimated that well #1 feet of the well will require well #1 casing. Depth to water table is estimated 40 feet
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3835

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 7 1/2" 4" Centrifugal 10 HP Diesel portable

Give horsepower and type of motor or engine to be used

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

none

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
75	38 E	36	NE 1/4 - SW 1/4	40 ac.
75	38 E	36	SE 1/4 - SW 1/4	35 ac.
75	38 E	36	SW 1/4 - SE 1/4 ✓	40 ac.
75	38 E	36	SE 1/4 SE 1/4 ✓	5 ac.
				<u>120</u>

(If more space required, attach separate sheet)

Character of soil shallow depth of topsoil

Kind of crops raised Hay & pasture

MUNICIPAL SUPPLY--

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$..... 2500.00
- 15. Construction work will begin on or before Nov. 1968
- 16. Construction work will be completed on or before Dec. 1968
- 17. The water will be completely applied to the proposed use on or before July 30, 1970

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant. Cert # 38311 - 25 cfs Runoff # Sogay cert # 2011 - 2000
Cert # 4077 - 4000

Donald William Christy
(Signature of applicant)

Remarks:

2 (Cont) Water is to be used from two sources. ~~The amount from each source will depend upon the supply available. All of the water (1.5) cfs may be used from one or the other source but no more than 1.5 cfs will be used from both sources at any one time.~~ The long range plan is to install permanent buried mainline for sprinkler system connecting the two sources so that either one or both sources can be used for pumping. For the present, a portable system is planned for use until the permanent system can be installed. At times may pump pond water well with in existing ditches. For gravity flow lands located under item # 12.
No. 1 source, the pond, will be used for 1.5 cfs to be supplemented by water from source No. 2, the Well, when not enough water is available in the pond.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 8th, 19 68.
April 22nd 68

WITNESS my hand this 21st day of February, 19 68.

RECEIVED
FEBRUARY 21 1968

CHRIS L. WHEELER
STATE ENGINEER
By Tony W. Johnson
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.5 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a sump and well with any deficiency in the available supply from the sump to be made up by appropriation from the well provided that the total quantity diverted from both sources shall not exceed 1.5 cubic feet per second

The use to which this water is to be applied is supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is September 15, 1967

Actual construction work shall begin on or before May 17, 1969 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 17th day of May, 1968

STATE ENGINEER

Application No. G-4081

Permit No. G-3885

PERMIT

TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of September, 1967, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

May 17, 1968

Recorded in book No. _____ of _____

Ground Water Permits on page G 3885

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 9 page 46

State Printing

463/50