CERTIFICATE NO. 40549

Permit No. G-

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

7		Leonard I	ambrecht			•
1,	n			(Name of applicant)	***************************************	
of	RU. Z	• Box 213B	, Scio	, c	ounty of	Linn
	Oz	regon (Postoffi	ce Address)			
state of		d amound anata	, d	o hereby make appli of Oregon, SUBJEC'	ication for a p	ermit to appropriate
jouowing	j describe	a ground wate	rs of the state	of Oregon, SUBJEC	I TO EXIST	ING RIGHTS:
If t	the applic	ant is a corpor	ation, give date	e and place of incorpo	oration	
				,		of water developmen
situated		Bear	Branch Cre	(Name of stream)	***************************************	
		. 4		(Name of stream)	27 a + 1-	
	***************************************		· -	tributar	y ofNOFUI	Santiam Rivez
						l use iscr
3.	The use t	o which the w	ater is to be ap	oplied is pasture	& row c	rop irrigation

4.	The well . ວິນ	or other sourc	e is located ne r on Eas	ft. N. and t line Section	641 1ft 1 29	W. from the
corner of	••••••		•••••••••••••••••••••••••••••••••••••••	(Section or subdivision)	***************************************	
	••••••		If preferable, give di	stance and bearing to section	corner)	***************************************
				_		
being wit	thin the	(If there is more $SE^{1\over 4}$ of	than one well, each the NE.	must be described. Use separ of Sec	ate sheet if necessa. 29, Twp.	9 S., R. 1 W.
W. M., in	the count	ty of Linn	••••••	••••••		. (
5.	The		inal or pipe line)		to be	m
in length,	, terminat		3 -	al subdivision)	of Sec	, Twp
R	, W. A	I., the propose	d location bein	g shown throughout	on the accom	panying map.
6.	The name	e of the well or	other works is			
. .	2100 1001100	, 0, 1				•
			DESCRI	PTION OF WORKS		
		w to be utilized use must be d		e works to be used fo	or the control	and conservation of
	••••••••••••••				***************************************	·
		***************************************		•••••		***************************************
8.	The deve	lopment will c	onsist of	1 Well (Give number of	wells, tunnels, etc.)	havin
						estimated that
feet of the	e well wil	l require	175 (Kind)	casing. Depth to	water table	is estimated 12

10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used	bottom
feet; depth of water	per one
thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water grade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake in.; difference in elevation be intake and place of use, ft. Is grade uniform? Estimated on sec. ft. 10. If pumps are to be used, give size and type	
(b) At	
feet; width on bottom feet; depth of water grade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake in.; in size at intake in.; in size at intake in.; in size at intake and place of use, ft. Is grade uniform? Estimated consistency in sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used 15. hp. electric. 11. If the location of the well, tunnel, or other development work is less than one-fourth mile a natural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development in the difference in elevation between the stream bed and the ground surface at the source of development in the difference in elevation between the stream bed and the ground surface at the source of development in the difference in elevation between the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of development in the stream bed and the ground surface at the source of the stream bed and the ground surface at the source of the stream bed a	
grade	feet,
(c) Length of pipe,	
in.; size at place of use in.; difference in elevation be intake and place of use, ft. Is grade uniform? Estimated or sec. ft. 10. If pumps are to be used, give size and type Give horsepower and type of motor or engine to be used into the used intakes than one-fourth miles a natural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth miles and interest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth miles and interest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth miles and interest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth miles and interest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth miles and interest point on each of such channels are sufficiently and interest point on each of such channels are sufficiently and interest point on each of such channels are sufficiently and interest point on each of such channels are sufficiently and interest point on each of such channels are sufficiently and su	
intake and place of use,	
Give horsepower and type of motor or engine to be used	etween
Give horsepower and type of motor or engine to be used	ıpacity,
Give horsepower and type of motor or engine to be used	
Give horsepower and type of motor or engine to be used	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile a natural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile a natural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile a natural stream or stream or such and the ground surface at the source of development work is less than one-fourth mile a natural stream or stream or stream or such and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface at the source of development work is less than one-fourth mile and the ground surface	•••••
11. If the location of the well, tunnel, or other development work is less than one-fourth mil a natural stream or stream channel, give the distance to the nearest point on each of such channel, the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mil a natural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mil anatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mil anatural stream or stream channel, give the distance to the nearest point on each of such channel the difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mil anatural stream or str	
12. Location of area to be irrigated, or place of use Township Range E. or W. of N. or S. Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 9 S. 1 W. 29 SE 1 NE 1 9 S. 1 W. 29 SE 1 NE 1 9 S. 1 W. 29 SE 1 NE 1 9 S. 1 W. 29 SE 1 NE 1 9 S. 1 W. 29 SE 1 NE 1 9 S. 1 W. 29 SE 1 NE 1	•
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 9 S. 1 W. 29 SE ¹ / ₄ NE ¹ / ₄ 19.0	els and opment
Township E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 9 S. 1 W. 29 SE 1 NE 1 19.0	
9 S. 1 W. 29 SE ¹ / ₄ NE ¹ / ₄ 19.0	***************************************
9 S. 7 W. 99 GW13771	
19.9	-:
19.9	

•	
(If more space required, attach separate sheet)	
Character of soil Light there	
Kind of crops raised Com leans fastiers	**********

ASSISTANT

5 6	count	ty, havina a	present none	ulation of			
	population of				•		•••••••••••••••••••••••••••••••••••••••
<i>A</i> -							
• · ·	ANSWER QUES				CASES	•	•
	ed cost of proposed				-	114	
15. Construc	ction work will beg	in on or befo	ore (444.57/,	,	<i></i>	- 5g	
16. Construc	ction work will be c	completed or	n or before	yan.	1,12	68	· · · · · · · · · · · · · · · · · · ·
17. The water	er will be complete	ly applied to	the propose	d use on o	or before	Upul	119
18. If the gr	ound water supply	y is supplen	nental to an	existing v	vater sup	uly, identi	ifu anu apr
•	permit, certificate			o appropr	aie wate	r, made or	r neia by i
ppucant			••••••	************	•••••	•••••	
	······································	•		<i>P</i>	4	<u>.</u>	1
	•		Leon	<u> </u>	ignature of a	populant)	he
Remarks:			······································	, 	<u> </u>		
	·			•••••			
***************************************	•			*****************			
			,				
			,				••••••
				••••••	***************************************		
••••••			******	••••••	***************************************		
				••••••			
		***************************************	***************************************	••••		•	
				•••••	•••••		••••
				•••••			•••••
		,					
•••••••••••					•••••••••••••••••••••••••••••••••••••••		•••••
			•••••		•••••••		••••••••••
•							
•	>ss.						
TATE OF OREGO	>ss.	camined the	foregoing a	oplication,	together	with the o	ıccompanyi
TATE OF OREGOTION County of Mario This is to cer	$n, $ $\begin{cases} ss. \end{cases}$			_	_		
TATE OF OREGOTION County of Mario This is to cer	n, \bigg\{ss.\} rtify that I have ex return the same fo	or			••••••		
TATE OF OREGO County of Mario This is to cer aps and data, and	n, \bigg\{ ss.} rtify that I have ex return the same fo	or		,	••••••		
TATE OF OREGO County of Mario This is to cer caps and data, and In order to re	n, {ss. rtify that I have ex return the same fo	his applicati	on must be r	,	••••••		
TATE OF OREGO County of Mario This is to cer caps and data, and In order to re	n, \bigg\{ ss.} rtify that I have ex return the same fo	his applicati	on must be r	,	••••••		
TATE OF OREGO County of Mario This is to cer caps and data, and In order to re cons on or before	rtify that I have ex return the same for etain its priority, th	orhis applicati	on must be r	eturned to	the State	Engineer	, with corre
TATE OF OREGO County of Mario This is to cer caps and data, and In order to re cons on or before	n, {ss. rtify that I have ex return the same fo	orhis applicati	on must be r	eturned to	the State	Engineer	, with corre

PERMIT

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use The use to which this water is to be applied is <u>irrigation</u> or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed .2½..... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water. The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times. The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn. The priority date of this permit is September 18, 1967 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.69..... Complete application of the water to the proposed use shall be made on or before October 1, 19...70., 1968.... STATE ENGINEER Oregon, This instrument was first received in the TO APPROPRIATE THE GROUND

M

10,75 o'clock

at

Returned to applicant

office of the State Engineer at Salem,

WATERS OF THE STATE

OREGON

Application No. G- 108

Permit No. G-..

d... page

Drainage Basin No.

CHEIS

Ground Water Permits on page

Recorded in book No.

Approved.