

## 

## APPLICATION FOR A PERMIT

## To Appropriate the Ground Waters of the State of Oregon

Corps of Engineers, Walla (Name of applicant) Walla District,
of Bldg 602, City County Airport, Walla Walla, Wash., county of Walla Walla (Postoffice Address)
state of
following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. Give name of nearest stream to which the well, tunnel or other source of water development is
situated Cokumbikankinar John Day River
(Name of stream)  tributary of Columbia River
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or150 gallons per minute.
3. The use to which the water is to be applied isGeneral Use in Public Park
4. The well or other source is located
Corner of(Section or subdivision)
4553.3 feet from SW Corner of Section 32 on a bearing of N14°35'41" E.  (If preferable, give distance and bearing to section corner)
Lambert Coordinates N-743,365, E-1,974,940
being within the
W. M., in the county of
5. The to be miles
in length, terminating in the of Sec, Twp, (Smallest legal subdivision)
R, W. M., the proposed location being shown throughout on the accompanying map.
6. The name of the well or other works is LePage Park Well No. 1
DESCRIPTION OF WORKS
7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.
8. The development will consist of one having a
diameter of12
feet of the well will require steel casing. Depth to water table is estimated 12"

CANAL.	SYSTEM	OR. F	יזכוו	TINTE
CYXIVALL	DIDIDIV	OU. I	- 1	1:111111

feet; depth of water feet; grade feet fall pe stand feet.  (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water fine) feet; width on bottom feet; depth of water fine; feet fall per one thousand feet.  (c) Length of pipe, ft.; size at intake, in.; in size at finitiate in.; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated cape see.  Sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tuniel, or other development work is less than one-fourth mile freel stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of develop 100 feet to the John Day River, difference in elevation is 112 feat.  12. Location of area to be irrigated, or place of use Gilliam County  Townside Williamsets kindlen standard for place of use France Trees To be irrigated.  3N 18E 32 TOWNSIA Public Parameters from the factor of the place of the factor of the f		feet; depth of an	ater	foot amada		<b>£</b> -	04 £n37
(b) At	usand feet.	, , <b></b>		Joet, grade	*************	jed	zi jaii pei
feet; width on bottom feet; depth of water  feet fall per one thousand feet.  (c) Length of pipe, ft; size at intake, in; in size at intake in; size at place of use in; difference in elevation better the and place of use, ft. Is grade uniform? Estimated cape sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile for ral stream or stream channel, give the distance to the nearest point on each of such channels difference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ral stream or stream channel, give the distance to the nearest point on each of such channels liference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ral stream or stream channel, give the distance to the nearest point on each of such channels liference in elevation of area to be well tunnel, or other development work is less than one-fourth mile for ral stream or stream channels difference in elevation of acch of such channels liference in elevation of acch of such channels liference in elevation is 112 feet.  12. Location of area to be irrigated, or place of use Gilliam County  Township Early of the well, tunnel or other development work is less than one-fourth mile for ral stream or stream channels difference in elevation of each of such channels liference in elevation is 112 feet.	(b) At	η	riles from head	lgate: width on top (at	water li	ne)	
feet fall per one thousand feet.  (c) Length of pipe, ft.; size at intake, in.; in size at fintake in.; size at place of use in.; difference in elevation between the and place of use, ft. Is grade uniform? Estimated cape sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile freak stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile freak stream or stream channel, give the distance to the nearest point on each of such channels lifference in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile freak for the nearest point on each of such channels lifference in elevation is a lize feet.  12. Location of area to be irrigated, or place of use Gilliam County  13. Location of area to be irrigated, or place of use Gilliam County  14. Location of area to be irrigated, or place of use Gilliam County  15. Location of area to be irrigated, or place of use Gilliam County  16. Location of area to be irrigated, or place of use Gilliam County  17. Location of area to be irrigated, or place of use Gilliam County  18. Location of area to be irrigated, or place of use Gilliam County  19. Location of area to be irrigated, or place of use Gilliam County							
the and place of use,					•		
tintake in.; size at place of use in.; difference in elevation between and place of use, ft. Is grade uniform? Estimated cape sec. ft.  10. If pumps are to be used, give size and type  Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile for ral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ral stream or stream channel, give the distance in elevation in each of such channels lifterence in elevation of acad of such channels lifterence in elevation is 112 feet.  12. Location of area to be irrigated, or place of use Gilliam County  Township Early of Rombor Acres To Be Irrigated  3N 18E 32 Figure 1980 Section Fory-sere Tract Number Acres To Be Irrigated  3N 18E 32 Figure 1980 Section Rombor Acres To Be Irrigated  3N 29 Sty 5W/4 Public Pa	(c) Lengtl	of pipe,	ft.;	size at intake,	in.	; in size at	••••••
Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile for ral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile for ral stream or stream channels lifterence in elevation of act to be surface at the source of development work is less than one-fourth mile for ral surface at the source of such analysis.  12. Location of area to be irrigated, or place of use Gilliam County  12. Location of area to be irrigated, or place of use Gilliam County  12. Location of area to be irrigated, or place of use Gilliam County  13. Nore S. William Section Forty-acre Tract Number Acres To be Irrigated  3N 18E 32 William Section Forty-acre Tract Number Acres To be Irrigated  3N 18E 32 William Section Forty-acre Tract Number Acres To be Irrigated  3N 29 5½ 5 W/4 Public Pa							
Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile frequence in elevation between the stream bed and the ground surface at the source of development in the surface at the source of development to the John Day River, difference in elevation is 112 feet.  12. Location of area to be irrigated, or place of use Gilliam County  Township Range Round Surface of the Section Forty-acre Tract Number Acres To Be Irrigated  3N 18E 32 NETAWAL USEF IN Park Park Park Park Park Park Park Park	ke and place	of use,	ft.	Is grade uniform?		Estim	ated capa
Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile fral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development work is less than one-fourth mile fral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation and surface at the source of development work is less than one-fourth mile fral stream or stream channels difference in elevation is also at the source of development work is less than one-fourth mile fral stream or stream or stream channels difference in elevation is also feet to the John Day River, difference in elevation is 112 feet.  12. Location of area to be irrigated, or place of use	***************************************	sec. ft.					
Give horsepower and type of motor or engine to be used  11. If the location of the well, tunnel, or other development work is less than one-fourth mile frequence in stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development to the John Day River, difference in elevation is 112 feet.  12. Location of area to be irrigated, or place of use	10. If pum	ps are to be used,	, give size and t	ype	•••••	••••••	
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development to the John Day River, difference in elevation is 112 feet.  12. Location of area to be irrigated, or place of use Gilliam County  Township Range E or W of Williamette Meridian Section Forty-acre Tract Number Acres To Be Brigated  3N 18E 32 NWA USEF in A Public Para	•••••••••••••••••••••••••••••••••••••••	•••••	*******************************		••••••		•••••••
11. If the location of the well, tunnel, or other development work is less than one-fourth mile fra stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development to the John Day River, difference in elevation is 112 feet.  12. Location of area to be irrigated, or place of use							
ral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development of the John Day River, difference in elevation is 112 feet.  12. Location of area to be irrigated, or place of use	•		***************************************			••••	····· <u>···</u>
ral stream or stream channel, give the distance to the nearest point on each of such channels lifterence in elevation between the stream bed and the ground surface at the source of development of the John Day River, difference in elevation is 112 feet.  12. Location of area to be irrigated, or place of use	11. If the l	ocation of the we	ll, tunnel, or ot	h <mark>er</mark> development work	is less t	han one-fourt	h mile fro
12. Location of area to be irrigated, or place of use Gilliam County  Township Range E or W of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  3N 18E 32 INNE USES in Replication Part of the Part of the Irrigated Public Pa	i ac soi caire o		_				
12. Location of area to be irrigated, or place of use Gilliam County  Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  3N 18E 32 DENNY USES in Roblic Parents	lifference in	elevation betwee	n the stream b	ed and the ground sur	face at 1	he source of	develop
Township Range E or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  3N 18E 32 DENNY USES in Public Par	lifference in	elevation betwee	n the stream b	ed and the ground sur			develop
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  3N 18E 32 WW St. NW St. Sw/4 Public Parents St. Sw/4 Public Parents St. Sw/4 Sw/4 Sw/4 Sw/4 Sw/4 Sw/4 Sw/4 Sw/4	lifference in	elevation betwee	n the stream b	ed and the ground sur			develop
Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated  3N 18E 32 WW St. NW St. Sw/4 Public Parents St. Sw/4 Public Parents St. Sw/4 Sw/4 Sw/4 Sw/4 Sw/4 Sw/4 Sw/4 Sw/4	lifference in	elevation betwee	n the stream b	ed and the ground sur			developn
N. or S.  E. or W. of Willamette Meridian  Section  Forty-acre Tract  Number Acres To Be Irrigated	lifference in	elevation betwee	n the stream b	ed and the ground sur			developn
29 5/2 5w/4 Public Par	lifference in 100 feet t	elevation betwee	n the stream b	ed and the ground sur	lon is	112 feet.	developn
	100 feet t	elevation between the John Darkson of area to be in Range E. or W. of	n the stream b y River, dif	ed and the ground sur  ference in elevati  ce of useGillia	lon is	112 feet.	developn
Ho 1-22-68	12. Locatio	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif	ed and the ground sur  ference in elevati  ce of useGillia  Forty-acre Tract	lon is	ty Number	developm
	12. Location	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla	ed and the ground sur  ference in elevati  ce of useGillia  Forty-acre Tract	lon is	ty Number	developm
	12. Locatio	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
	12. Location Township N. or S.	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
	12. Location Township N. or S.	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
	12. Location Township N. or S.	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
	12. Location	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
	12. Location	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
	12. Locatio	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
	12. Locatio	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla  section	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
	12. Locatio	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla  section	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm
(If more space required, attach separate sheet)	12. Location N. or S.	on of area to be in Range E. or W. of Willamette Meridian	n the stream b y River, dif  rrigated, or pla  section	ed and the ground sure ference in elevation ce of use Gillian Forty-acre Tract	ion is	ty  Number To Be I	developm

in	county, he	aving a present population	of
	ated population of		
	ANSWER QUESTION	NS 14, 15, 16, 17 AND 18 IN	ALL CASES
14. Es	timated cost of proposed wor	•	
	nstruction work will begin on	•	ess N
***.	nstruction work will be compl		*
			**
	e water will be completely ap		e e e e e e e e e e e e e e e e e e e
eation for pa	rmit, permit, certificate or	adjudicated right to appro	g water supply, identify any ap priate water, made or held by
applicant	n <sub>one</sub>		
***************************************		•	4.4
	Chief Real Esta	te Division rict, Corps of Engine	(Signature of applicant)
Remark			rigation and facilities
	oms.		
·			
***************************************			
		ann i	to the south of
	••••••	***************************************	
	***************************************	······································	
		•••••••••••••••••••••••••••••••••••••••	
,		•••••••••••••••••••••••••••••••••••••••	
		•	
STATE OF (	OREGON,	•	
County of	Marion, \begin{cases} ss.		
This is	to certify that I have exami-	ned the foregoing application	on, together with the accompany
naps and dat	a, and return the same for	Correction and Comp	ketion
	•••••	Correction	
In orde	r to retain its priority, this o	application must be returned	l to the State Engineer, with corr
	fore		The second secon
	February 13th	68	
זג <i>ו ייי ו</i> לגל	SS my hand this	Tan a military many management	. Salman
AATTIAU	as my nana this	December	, 19 7

By COLLEGE STATE ENGINEER

ASSISTANT

County of Marion,

Application No. G-4185

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	e right herein grant	ed is limited to the am	ount of wate	er which can be	e applied to b	eneficia <b>l use</b> (	and
shall not e	exceed 0.33	cubic feet per sec	ond measure	ed at the point	of diversion	from the well	lor
source of	appropriation, or its	equivalent in case of r	otation with	n other water u	sers, froms	a well	
The	e use to which this	water is to be applied	is public	park use ir	ı LePage Pa	ark	
If f	or irrigation, this a	ppropriation shall be lin	mited to		. of one cubi	c foot per sec	ond
or its equ	ivalent for each acr	re irrigated and shall b	e further li	mited to a dive	rsion of not t	o exceed	
acre feet	per acre for each a	cre irrigated during th	e irrigation	season of eacl	h year;		•••••
						•••••	
							•••••
			••••				
		<u> </u>		***************************************		·····	•••••
***************************************						······································	•••••
and shall	be subject to such	reasonable rotation sys	stem as may	be ordered by	the proper	state officer.	
the works The line, adeq	s shall include prop works constructed uate to determine prermittee shall in	d as necessary in acco er capping and control shall include an air l water level elevation stall and maintain a we amount of ground w	l valve to pr line and pre in the well peir, meter, c	event the was ssure gauge or at all times. or other suitabl	te of ground an access po	water. ort for measur	ring
The	e priority date of th	is permit is			Geptember	18, 1967	•••••
Act	ual construction w	ork shall begin on or b	efore	May J	17, 1969	and si	hall
thereafte	r be prosecuted wi	th reasonable diligenc	e and be co	ompleted on o	r before Oct	ober 1, 19.69	
Con	mplete application (	of the water to the pro	posed use sh	iall be made or	or before O	ctober 1, 197	0
WI	TNESS my hand th	is 17th day of		May	, 196	8	
			<u>C</u>	hoex	. Wheel	STATE ENGINE	ER
			•		+ Ø:		
Application No. G- 700-3  Permit No. G- G 3838	PERMIT TO APPROPRIATE THE GROUND WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18-th day of September M.	Returned to applicant:	Approved: Nay 17, 1968	Recorded in book No. Ground Water Permits on page	CHRIS I.• WHEFLER STATE ENGINEER  Drainage Basin No page . 3	State Printing