

APPLICATION FOR A PERMIT

To appropriate the Ground Waters of the State of Oregon

ASSIGNED See Misc. Rec., Vol. 4, Page 2128

I, Albert S. and Frank W. Gurgurich (Name of applicant) of Rte. 1, Box 231 Jefferson, Oregon (Postoffice Address), county of Marion state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Santiam River (Name of stream) tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 320 cubic feet per second or 320 gallons per minute.

3. The use to which the water is to be applied is Irrigation of row and specialty crops

4. The well or other source is located 1910 ft. N. and 3380 ft. W. from the SE corner of Section 2 T. 10S R. 3W (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the SW 1/4 of Sec. 2, Twp. 10 S., R. 3W W. M., in the county of Marion

5. The NA (Canal or pipe line) to be miles in length, terminating in the of Sec. of Twp. R. W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is NA

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

NA

8. The development will consist of One well (Give number of wells, tunnels, etc.) having a diameter of 10 inches and an estimated depth of 30 feet. It is estimated that 30 feet of the well will require steel (Kind) casing. Depth to water table is estimated 16 (Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) NA feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At NA miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, NA ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 3"x4" Centrifugal 15 HP

Give horsepower and type of motor or engine to be used 15HP Electric Pacific

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

525' N. of the Santiam River.

Difference in elevation between stream bed and ground surface

approximately 15 ft.

12. Location of area to be irrigated, or place of use map attached

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T. 10S	3W	2	SW 1/4 NE 1/4	1.3
T. 10S	3W	2	NW 1/4 SE 1/4	1.2
T. 10S	3W	2	SE 1/4 NW 1/4	8.7
T. 10S	3W	2	NE 1/4 SW 1/4	15.7
				<u>26.9 A.</u>

(If more space required, attach separate sheet)

Character of soil Chehalis Silt Loam

Kind of crops raised Corn, Beans, strawberries, mint etc.

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$...360 (well).....
- 15. Construction work will begin on or before ...Oct. 1, 1967.....
- 16. Construction work will be completed on or before ...May 1, 1968.....
- 17. The water will be completely applied to the proposed use on or before ...July 1, 1968.....

18. If the ground water supply is supplemental to an existing water supply, identify any appli-
cation for permit, permit, certificate or adjudicated right to appropriate water, made or held by the
applicant. ...Is not Supplemental.....

R. B. G... ..
Ronald W. G... ..
(Signature of Applicant)

Remarks: ...Legal description of property attached.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before, 19.....

WITNESS my hand this day of, 19.....

.....
STATE ENGINEER
By
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.34..... cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from ...a well.....

The use to which this water is to be applied is ..irrigation.....

If for irrigation, this appropriation shall be limited to1/80th..... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed ...2 1/2... acre feet per acre for each acre irrigated during the irrigation season of each year; and shall be further limited to appropriation of water only to the extent that it does not impair or substantially interfere with existing surface water rights of others

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit isOctober 12, 1967.....

Actual construction work shall begin on or beforeMay 17, 1969..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969.....

Complete application of the water to the proposed use shall be made on or before October 1, 1970.....

WITNESS my hand this17th... day ofMay....., 1968.....

Chris L. Wheeler

STATE ENGINEER

Application No. G-4106
Permit No. G-3854

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of October, 1967, at 11:11 o'clock P. M.

Returned to applicant:

Approved:

May 17, 1968

Recorded in book No. of

Ground Water Permits on page G 3854

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 91

5/20/68