

Permit No. G- G 3855

APPLICATION FOR A PERMIT

To Appropriate the Ground Waters of the State of Oregon

I, Morris L. Graham

(Name of applicant)

of Rt. 2 Box 453 Eugene, Oregon 97401, county of Lane

(Postoffice Address)

state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River

(Name of stream)

tributary of

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second or 93.13 gallons per minute.

3. The use to which the water is to be applied is irrigation

4. The well or other source is located 102 ft. S. and 568.8 ft. W. from the corner of Northeast corner of Lot 18, in Berger's Subdivision. Also 1261.9 ft. S. and 140.3 ft. E. of section corner 11, 12, 13, 14, township 16 S., range 4 W.

(N. or S.)

(E. or W.)

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the N.W. 1/4 of Sec. 13, Twp. 16 S., R. 4 W., W. M., in the county of Lane

5. The Pipeline to be 1/5 miles in length, terminating in the Berger's Subdivision Lot 16 of Sec. 13, Twp. 16 S., R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.

(Canal or pipe line)

(Smallest legal subdivision)

6. The name of the well or other works is

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of two wells joined together having a diameter of 2 inches and an estimated depth of 20 feet. It is estimated that 20 feet of the well will require steel pipe casing. Depth to water table is estimated 12

(Give number of wells, tunnels, etc.)

(Kind)

(Feet)

CANAL SYSTEM OR PIPE LINE—

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1000 ft.; size at intake 4 in.; in size at 500 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, level ft. Is grade uniform? yes Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type 5 H.P. Fairbanks Morse Centrifigal
 2 1/2 " inlet 1 1/2 " outlet

Give horsepower and type of motor or engine to be used 5 H.P. Fairbanks Morse

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development
 400 feet from Willamette River approximately 15 Ft. above
 normal water level of Willamette River.

12. Location of area to be irrigated, or place of use 5 miles North of Coburg
 Lanes Turn Road

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Township 16 South, Range 4 West of the Willamette Meridian, in				
section 13 and 14. Including the parts of lots 8 and 16 of the				
Berger Subdivision North of the Willamette River. Also 221.0 ft.				
East of lot 15 North of the Willamette River in the Berger Subdivision				
Legal descriptions are enclosed. There are 16.6 acres to be irrigated				
9.3 acres in lot 8, 5.0 in lot 16, and 2.3 in that part of lot 15. Also				
16 S.	4 W.	13	NW. 1/4 NW. 1/4	2.35
			SW. 1/4 NW. 1/4	9.60
		14	NE. 1/4 NE. 1/4	1.25
			SE. 1/4 NE. 1/4	3.40
total				16.6 acres

(If more space required, attach separate sheet)

Character of soil Willamette Loam
 Kind of crops raised Pasture and orchard

MUNICIPAL SUPPLY—

G 3855

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 1000.00.....
- 15. Construction work will begin on or before Sept. 31, 1967.....
- 16. Construction work will be completed on or before Sept. 31, 1967.....
- 17. The water will be completely applied to the proposed use on or before Sept. 31, 1967.....

18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Maria Graham
(Signature of applicant)

Remarks: I have used this well since 1960, the year I moved here.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and Completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 15th, 1968

WITNESS my hand this 15th day of November, 1967

CHRIS L. WHEELER
STATE ENGINEER
By *Tony A. Johnson*
ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.21 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 13, 1967

Actual construction work shall begin on or before May 17, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 17th day of May, 1968.

Chris L. Wheeler

STATE ENGINEER

pc

Application No. G- 4107
Permit No. G- G 3855

PERMIT

TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 13th day of OCTOBER,
1968, at 8:20 o'clock A. M.

Returned to applicant:

Approved:

May 17, 1968

Recorded in book No. _____ of

Ground Water Permits on page G 3855

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 97

42002