

Permit No. G- G 3857

APPLICATION FOR A PERMIT

CERTIFICATE NO. 35872

To Appropriate the Ground Waters of the State of Oregon

I, Wildish Sand & Gravel Co.
(Name of applicant)
of P.O. Box 1106 Eugene, Oregon 97401, county of Lane,
(Postoffice Address)
state of Oregon, do hereby make application for a permit to appropriate the following described ground waters of the state of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

December 29, 1959 Oregon

1. Give name of nearest stream to which the well, tunnel or other source of water development is situated Willamette River - Middle fork
(Name of stream)
tributary of _____

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second or 70 gallons per minute.

3. The use to which the water is to be applied is Exhaust air wash for Asphalt Plant.

4. The well or other source is located 1485 West 1403 South
492 ft. south and 165 ft. west
(N. or S.) (E. or W.)
corner of tract point of beginning of described tract. One quarter corner common to
(Section or subdivision)
sections 16 and 17 in Township 21, South Range 3 East of the Willamette
(If preferable, give distance and bearing to section corner)
Meridian.

(If there is more than one well, each must be described. Use separate sheet if necessary)

being within the tract SW 1/4 SE 1/4 of Sec. 17, Twp. 21, R. 3 east,
1st. 1-22-67
W. M., in the county of Lane

5. The _____ to be _____ miles
(Canal or pipe line)
in length, terminating in the _____ of Sec. _____, Twp. _____,
(Smallest legal subdivision)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.

6. The name of the well or other works is _____

DESCRIPTION OF WORKS

7. If the flow to be utilized is artesian, the works to be used for the control and conservation of the supply when not in use must be described.

8. The development will consist of one well having a
(Give number of wells, tunnels, etc.)
diameter of 8 inches and an estimated depth of 150 feet. It is estimated that 150
feet of the well will require steel casing. Depth to water table is estimated 15
(Kind) (Feet)

CANAL SYSTEM OR PIPE LINE—

G 3857

9. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake in.; in size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

10. If pumps are to be used, give size and type turbine 4"

Give horsepower and type of motor or engine to be used 10 HP Electric

11. If the location of the well, tunnel, or other development work is less than one-fourth mile from a natural stream or stream channel, give the distance to the nearest point on each of such channels and the difference in elevation between the stream bed and the ground surface at the source of development

700' from Middle Fork 15' elevation difference

12. Location of area to be irrigated, or place of use

Township N. or S.	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
21S	3E	16 17	SW $\frac{1}{4}$ of SE $\frac{1}{4}$	
			NW $\frac{1}{4}$ of SE $\frac{1}{4}$	

Note: The name of the well driller was
 Casey Jones Well Drilling Co
 Willamette Highway
 Springfield, Oregon

(If more space required, attach separate sheet)

Character of soil

Kind of crops raised

MUNICIPAL SUPPLY—

13. To supply the city of
in county, having a present population of
and an estimated population of in 19.....

ANSWER QUESTIONS 14, 15, 16, 17 AND 18 IN ALL CASES

- 14. Estimated cost of proposed works, \$ 2,500.00
- 15. Construction work will begin on or before August 1, 1967
- 16. Construction work will be completed on or before August 5, 1967
- 17. The water will be completely applied to the proposed use on or before August 5, 1967
- 18. If the ground water supply is supplemental to an existing water supply, identify any application for permit, permit, certificate or adjudicated right to appropriate water, made or held by the applicant.

Wildish Sand & Gravel Co.

(Signature of applicant)

Remarks:

By

[Handwritten Signature]

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for Correction and Completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 15th, 1968.

WITNESS my hand this 15th day of November, 19 67.

CHRIS L. WHEELER

STATE ENGINEER

By

[Handwritten Signature]

ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

PERMIT

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the well or source of appropriation, or its equivalent in case of rotation with other water users, from a well

The use to which this water is to be applied is exhaust air wash in asphalt plant

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed _____ acre feet per acre for each acre irrigated during the irrigation season of each year;

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The well shall be cased as necessary in accordance with good practice and if the flow is artesian the works shall include proper capping and control valve to prevent the waste of ground water.

The works constructed shall include an air line and pressure gauge or an access port for measuring line, adequate to determine water level elevation in the well at all times.

The permittee shall install and maintain a weir, meter, or other suitable measuring device, and shall keep a complete record of the amount of ground water withdrawn.

The priority date of this permit is October 13, 1967

Actual construction work shall begin on or before May 17, 1969 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969

Complete application of the water to the proposed use shall be made on or before October 1, 1970

WITNESS my hand this 17th day of May, 1968

STATE ENGINEER

Application No. G- 4109
Permit No. G- 3857

PERMIT
TO APPROPRIATE THE GROUND
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 13th day of October,
1967, at 8:00 o'clock A. M.

Returned to applicant:

Approved: _____
May 17, 1968

Recorded in book No. _____ of
Ground Water Permits on page G 3857

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 99

6